Scout Report sent out	0	
Noted in the NID File	0	<u> </u>
Location map pinned	[1
Approval or Disapproval Letter	C	Y
Date Completed, P. & A. or operations suspended	***************************************	-
Pin changed on location map	C	3
Affidavit and Record of A & P	Σ]
Water Shut-Off Test	ς	3
Gas-Oil Ratio Test	£]
Well Log Filed		ָב ב

**

Loyary Men SandX	Company to Table Office	X
- 1		
	Appropriate Tom	X
Card to 4 xed	Gissposon diam	Commission of the Commission o
IWR fo. State or Foe Land		
COMPLETON EXTA:		
Date Well Completed 2.12.58	Localing Inspected	
CWX. V/V/ TA	Bond Tiles J	
GW OS PA	State of Fee Land	***************************************
LOGS I	FILED	
Driller's Log 3-19-58	-	
Electric Logs (No.)		
E	GR GR-N L	dicro /

·	UTAHOLL	AND GAS CONSE	RVATION COM	MISSI O	
WELL LOG X	ELECTRIC LOGS	Ž FILE	X NO	FILE	
REMARKS:					
				ก	90807
2-34-70 Nulvige	cut & show	Y A	Much		
DATE FILED 12-6-57					
LAND: FEE & PATENTED	STATE LEASE NO.	PUB	IC LEASE NO.		INDIANNAV-14-20-603-
DRILLING APPROVED:	12-6-57				246
SPUDDED IN:	1-5-58				Nav. Tract 1
COMPLETED:	2-26-58				
INITIAL PRODUCTION:	1038 BOPD, 521 MG	CF/G			
GRAVITY A. P. I.	410				
GOR:	503:1				
PRODUCING ZONES:	5468-5586 (gross))			
TOTAL DEPTH:	5655	_	_		
WELL ELEVATION:	4632 KB				
DATE ABANDONED:					
FIELD OR DISTRICT:	Ratherford				
COUNTY:	San Juan				
WELL NO.	RATHERFORD 24-1	(Ratherford	1-24)	APT 43-	137-15839
LOCATION: 651	FT. FROM (S) (S) LINE,		ROM (E) (The Line		-¼ SEC.]
				14	
TWP, RGE. SEC	. OPERATOR		TWP. RGE.	SEC. OPERATO	R
			grani nga ingahasi ingga nangga sila	en demonstration of the second of	ail low or an

GEOLOGIC TOPS:

QUATERNARY	Star Point	Sinbad	Brazer
Recent	Wahweap	PERMIAN	Pilot shale
Alluvium	Masuk	Kaibab	Madison
Lake beds	Colorado	Coconino	Leadville
Pleistocene	Mancos	Cutler 2418	Redwa 11
Lake beds	Upper	Hoskinnini	DEVONTAN
TERTIARY	Middle	De Che I I y	Upper
Pliocene	Lower	White Rim	Middle
Humbo ld t	Emery	Organ Rock	Lower
Salt Lake	Blue Gate	Cedar Mesa	Ouray
Miocene	Ferron	Halgaite tongue	Elbert
Bishop conglomerate	Frontier	Phosphoris	Guilmette
Oligocene	Dakota	Park City	Simonson dolomite
Norwood	Burro Canyon	Rico (Goodridge)	Sevy dolomite
Eocene	Cedar Mountain	Supai	North Point
Duchesne River	Buckhorn	Bird Springs	SILURIAN
Uinta	JURASSIC	CARBONIFEROUS	Laketown dolomite
Bridger	Morrison	Pennsylvanian	ORDOVICIAN
Green River	Salt Wash	Oquirrh	Eureka quartzite
Upper	San Rafeal Gr.	Weber	Pogonip limestone
Middle	Summerville	Morgan	CAMBRIAN
Lower	Bluff sandstone	Hermosa	Lynch
Wasatch	Curtis	Upper 4480	Bowman
Colton	Entrade	Lower	Tapeats
Flagstaff	Moab tongue	Molas	Ophir
A 1 my	Carme I	Paradox 5465 EL	Tintic
Pa leocene	Glen Canyon Gr.	A	PRE-CAMBRIAN
Current Creek	Navajo	В	
North Horn	Kayento	C	
CRETACEOUS	Wingate	Manning Canyon	
Montana	TRIASSIC	Mississippian	
Mesaverde	Chinle	Chainman shale	
Price River	Shinarump 2289	Humbug	
Blackhawk	Moenkapi 23431	Joana limestone	
	ACME VISIBLE CHOZET	VIRGINIA #\$2324-8	

(A)	pril 19	52)	
	•		
	X		


(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency Mavajo
Allottee Tribal Lands
1N. 14-20-603-246

NOTICE OF INTENTION TO DRILL_		st	UBSEQUENT REPORT	T OF WATER SHUT-OFF.		
NOTICE OF INTENTION TO CHANGE PLANS		1 1	•	OF SHOOTING OR AC		i
NOTICE OF INTENTION TO TEST WA	ATER SHUT-OFF	SI	UBSEQUENT REPORT	F OF ALTERING CASING	3	
NOTICE OF INTENTION TO REDRIL	L OR REPAIR WELL	sı	UBSEQUENT REPORT	F OF REDRILLING OR I	REPAIR	
NOTICE OF INTENTION TO SHOOT		1 1	UBSEQUENT REPORT	OF ABANDONMENT		
NOTICE OF INTENTION TO PULL OF		1 1		LL HISTORY		
NOTICE OF INTENTION TO ABANDO	ON WELL					
(INDIC	ATE ABOVE BY CHECK M	IARK NATURE	OF REPORT, NOTICE	E, OR OTHER DATA)		
			December	r 3	·,	19_5
North Desert Cree	k.	(MCT	n	(E)	•	
vell No. 24-1 is l	ocated 551 ft.	from S	line and 330	on ft. from	line of sec.	_1
			,	()		
(½ Sec. and Sec. No.)	(Twp.)	(Range	θ)	(Meridian)		
Batherford		an Juan	1	Utah		
(Field)	(Cor	unty or Subdi	ivision)	(State or	Territory)	
tate names of and expected depths	DET to objective sands; sho ing points, and	TAILS O	F WORK			os, cem
roposed Work: Prill 12-1/4" bo coment 8-5/8" ca Prill 7-7/3" hol	DET to objective sands; sho ing points, and le to 1400'±. sing at 1400' e to 5450'±.	TAILS O	F WORK this, and lengths of portant proposed w	proposed casings; indic vork)	cate mudding job	os, cem
roposed Work: Prill 12-1/4" bo Coment 8-5/8" ca Prill 7-7/8" hol Coment 5-1/2" ca	DET to objective sands; sho ing points, and le to 1400'±. sing at 1400'; e to 5450'±. sing at 5450';	TAILS O	F WORK this, and lengths of portant proposed w	proposed casings; indic vork)	cate mudding job	os, cem
roposed Work: Prill 12-1/4" ho Coment 8-5/8" ca Prill 7-7/3" hol Cement 5-1/2" ca Clean out to 545 Prill 4-3/4" hol	DET to objective sands; sho ing points, and le to 1400'±. sing at 1400'; e to 5450'±. sing at 5450'; o'±. e to 5625'±.	TAILS O	F WORK this, and lengths of portant proposed w	proposed casings; indic vork) treated cemen	cate mudding job	os, cem
roposed Work: Prill 12-1/4" ho Coment 8-5/8" ca Prill 7-7/3" hol Coment 5-1/2" ca Clean out to 545 Prill 4-3/4" hol	DET to objective sands; sho ing points, and le to 1400'±. sing at 1400'; e to 5450'±. sing at 5450'; o'±. e to 5625'±. Sweet formati	TAILS O	F WORK this, and lengths of portant proposed w 400 sacks to 200 sacks to	proposed casings; indic vork) treated cemen treated cemen	cate mudding job	
roposed Work: Frill 12-1/4" ho Coment 8-5/8" ca Prill 7-7/8" hol Cement 5-1/2" ca Clean out to 545 Prill 4-3/4" hol Run tubing with Acidize in two s	DET to objective sands; sho ing points, and le to 1400'±. sing at 1400'; e to 5450'±. sing at 5450'; o'±. e to 5625'±. Sweet formati	TAILS O	F WORK this, and lengths of portant proposed w 400 sacks to 200 sacks to	proposed casings; indic vork) treated cemen treated cemen	cate mudding job	
roposed Work: Prill 12-1/4" bo Coment 8-5/8" ca Prill 7-7/8" hol Coment 5-1/2" ca Clean out to 545 Prill 4-3/4" hol Run tubing with Acidize in two s Retarded Acid.	DET to objective sands; sho ing points, and le to 1400'±. sing at 1400' e to 5450'±. sing at 5450'. o'±. e to 5625'±. Sweet formati tages with 50	TAILS Of waster, weight all other im	F WORK this, and lengths of portant proposed w 400 sacks to the sack	proposed casings; indic vork) treated cemen treated cemen	cate mudding job	
roposed Work: Prill 12-1/4" bo Coment 8-5/8" ca Prill 7-7/8" hol Cement 5-1/2" ca Clean out to 545 Prill 4-3/4" hol Run tubing with Acidize in two s Retarded Acid.	DET to objective sands; sho ing points, and le to 1400'±. sing at 1400' e to 5450'±. sing at 5450'. o'±. e to 5625'±. Sweet formati tages with 50	TAILS Of waster, weight all other im	F WORK this, and lengths of portant proposed w 400 sacks to the sack	proposed casings; indic vork) treated cemen treated cemen	cate mudding job	
roposed Work: Prill 12-1/4" ho Coment 8-5/8" ca Prill 7-7/8" hol Coment 5-1/2" ca Clean out to 545 Prill 4-3/4" hol Run tubing with Acidize in two s Retarded Acid.	DET to objective sands; sho ing points, and le to 1400'±. sing at 1400' e to 5450'±. sing at 5450'. o'±. e to 5625'±. Sweet formati tages with 50	TAILS Of wastes, weight all other im	F WORK this, and lengths of portant proposed w 400 sacks to the sack	proposed casings; indic vork) treated cemen treated cemen	cate mudding job	
roposed Work: Prill 12-1/4" ho Coment 8-5/8" ca Prill 7-7/8" hol Coment 5-1/2" ca Clean out to 545 Prill 4-3/4" hol Run tubing with Acidize in two s Retarded Acid.	DET to objective sands; sho ing points, and le to 1400'±. sing at 1400' e to 5450'±. sing at 5450' 0'±. e to 5625'±. Sweet formati tages with 50 reduction and	TAILS Of waizes, weight all other im	F WORK this, and lengths of portant proposed w 400 sacks to the sack	proposed casings; indicevork) treated cementreated cemented cemented cemented door choke 3000 gal. XFV	eate mudding job	gal
roposed Work: Prill 12-1/4" ho Cement 8-5/8" ca Prill 7-7/3" hol Cement 5-1/2" ca Clean out to 545 Prill 4-3/4" hol Run tubing with Acidize in two s Retarded Acid. Sumb well into p	DET to objective sands; sho ing points, and le to 1400'±. sing at 1400'; e to 5450'±. sing at 5450'; o'±. e to 5625'±. Sweet formati tages with 50 reduction and ork must receive approve	TAILS Of waizes, weight all other im	F WORK this, and lengths of portant proposed w 400 sacks to the sack	proposed casings; indicevork) treated cements treated cements door choke 3000 gal. XFV	eate mudding job	gal
roposed Work: Prill 12-1/4" ho Cement 8-5/8" ca Prill 7-7/3" hol Cement 5-1/2" ca Clean out to 545 Prill 4-3/4" hol Run tubing with Acidize in two s Retarded Acid. Sumb well into p	DET to objective sands; sho ing points, and le to 1400'±. sing at 1400'; e to 5450'±. sing at 5450'; o'±. e to 5625'±. Sweet formati tages with 50 reduction and ork must receive approve	TAILS Of waizes, weight all other im	F WORK this, and lengths of portant proposed w 400 sacks to the sack	proposed casings; indicevork) treated cements treated cements door choke 3000 gal. XFV	eate mudding job	gal
roposed Work: Prill 12-1/4" bo Coment 8-5/8" ca Prill 7-7/8" hol Coment 5-1/2" ca Clean out to 545 Prill 4-3/4" hol Run tubing with Acidize in two s Retarded Acid. Sumb well into p	DET to objective sands; sho ing points, and le to 1400'±. sing at 1400' e to 5450'±. sing at 5450' O'±. e to 5625'±. Sweet formati tages with 50 reduction and ork must receive approve	TAILS Of waizes, weight all other im	F WORK this, and lengths of portant proposed w 400 sacks to the sack	proposed casings; indicevork) treated cements treated cements door choke 3000 gal. XFV	eate mudding job	gal
roposed Work: Prill 12-1/4" bo Coment 8-5/8" ca Prill 7-7/8" hol Coment 5-1/2" ca Clean out to 545 Prill 4-3/4" hol Run tubing with Acidize in two s Retarded Acid. Sumb well into p I understand that this plan of wo company Shell Oil C ddress 101 South B	DET to objective sands; sho ing points, and le to 1400'±. sing at 1400' e to 5450'±. sing at 5450' o'±. e to 5625'±. Sweet formati tages with 50 reduction and ork must receive approve	TAILS Of waizes, weight all other im	F WORK this, and lengths of portant proposed w 400 sacks to the color of the colo	proposed casings; indicevork) treated cementerested cemen	eate mudding job	gal
Coment 8-5/8" ca Prill 7-7/3" hol Coment 5-1/2" ca Clean out to 545 Prill 4-3/4" hol Run tubing with Acidize in two s Retarded Acid. Swab well into p Lunderstand that this plan of well Company Shell Oil C	DET to objective sands; sho ing points, and le to 1400'±. sing at 1400' e to 5450'±. sing at 5450' o'±. e to 5625'±. Sweet formati tages with 50 reduction and ork must receive approve	TAILS Of waizes, weight all other im	F WORK this, and lengths of portant proposed w 400 sacks to the sack	proposed casings; indicevork) treated cemented comented	ed by TER, JR.	gal





REFERENCE POINT DATUM-

1"X 2" STAKES SET AT 10' N.,S.,E., & W. OF LOC.

l"x2" stake and 3' flag set at 200' N., E., W., and 545' S. of Loc. "x4' angle iron stake set at Loc. being 3300'W. and 651'N. of the SE. Cor. of Sec. 1, Tr.77, T.41S., R.23E., SLBM.
1"x2" hub and 3' flag bears South 545' from Loc. for B.M.

This is to certify that the above plat was prepared from field notes of an actual survey made under my supervision and that same is true and correct to the best of my knowledge and

> John A. Kroeger, L.S. Utah Reg. No. 1648

Drawn By: A.C.I. SHELL OIL COMPANY Checked By:

E ... 1"= 1000 Scale

LOCATION OF NORTH DESERT CREEK 24-1 SAN JUAN COUNTY, UTAH, TR. 77, SEC. 1, T.418., R.23E., SLBM.

Date:

December 6, 1957

Shell Oil Company 101 South Behrend Farmington, New Mexico

Attention: R. S. McAllister, Jr.,

Division Exploitation Engineer

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Retherford (North Desert Greek) 24-1, which is to be located 651 feet from the south line and 3300 feet from the east line of Section 1, Township 41 South, Range 23 East, SIBM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT SECRETARY

CBF: on

ce: Phil McGrath

USGS, Farmington,

New Mexico

DR-USGS



(April 1952)						
		\				
	,					
				l		
1	Z			l		

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

. Secretar
· ·
Dal land

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	 SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	 SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	 SUBSEQUENT REPORT OF ALTERING CASING.
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	 SUBSEQUENT REPORT OF REDRILLING OR REPAIR.
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	 SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	 SUPPLEMENTARY WELL HISTORY.
NOTICE OF INTENTION TO ABANDON WELL	

		Inmer	<u>, 14</u>	, 19 .58
Well No. 24-1 is loca	k ted 651 ft	. from ${S \brack S}$ line ar	nd 3300ft. from $\left\{ egin{array}{c} \mathbf{E} \\ \mathbf{w} \end{array} \right\}$ l	ine of sec. 1
(14 Sec. and Sec. No.)	408 (Twp.)	(Range)	(Meridian)	
h therford (Field)	Ban J	ounty or Subdivision)	(State or T	erritory)
The elevation of the	Dushing last above sea	a level is 4631.	⊮t.	

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)


(Spudded 1-5-58)

1-7,8-58 Ran and comented 5-5/8" 28# easing at 1497 with 800 masks treated coment. Planged up and united on coment. Tested BOP and easing with 700 psi. 15 min., OK.

I understand	d that this plan of work must receive approval in writing	by the Geological Survey before operations may be commenced.	
Company	Shell Oil Company		
Address	101 S. Behrend		
	Farmington, New Mexico	Original signed by Bv. F. W. SHEPARD	
		By F. W. SHEPARD B. W. Shepard Title Exploitation Engineer	

1, 5

Form 9-330



U. S. LAND OFFICE Window Rock, Ariz. SERIAL NUMBER 14-20-603-246

LEASE OR PERMIT TO PROSPECT

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOC	CATE WELL CO	DRRECTLY							
Compa	ny Shell	011 Comp	eny		- Address	101 South	Behrend,	Farmi	ngton, N.
Lessor	or Tract _Tr	ibal - 1	forth Des	ert-Creek	Field	latherford	State	Utab	
						1 C			
Location	on .651 ft.	N. of	Line and	3300 t. W	of E I	Line ofSe	c. 1	Eleva	tion 4632_1
\mathbf{T}		on given he	erewith is a	complete a	and correct	record of the	well and all	l work d	lone thereon
Date .	March 1	111958		<u>-</u>	()	Title	Exploitat	ion.En	gineer
		•			of the well a	it above date.	-		6
Comm	enced drilling	gJanu	ary 5	, 19 5	8 Finished	d drilling	February	.5	, 19 .58
No. 2, No. 3, No. 1, No. 2,	fromfrom		to	(Deno	No. 5, f No. 6, f WATER 3 No. 3, f No. 4, f	romsromssanDS romsroms	to to to		
Size casing	Weight T per foot	'hreads per inch	Make b	Mached #	nu Original Re	density of the state of the sta	From—	То-	Purpose
5/8 5/1/23 AND 11	28 (12) (13) (14) (14) (14) (15) (15) (15) (15) (15) (15) (15) (15	According to		6468 de 12 Instanto en OMAL CALC	Files A.	ाकरका केल ४३०० । बुद्धांकरको गाउँगारा हुन्छ।		5586 5586 567 C. (b.)	Surface Broduction Production Prosentions (INTERNATION
	*		MUDDIN	NG AND C	EMENTIN	G RECORD			
Size casing	Where set	Numbe	r sacks of ceme	nt M	ethod used	Mud gravity	An	ount of m	ud used
8-5/8* 5-1 / 2*	1497 5478		200 + 300		lacement				
<u>'</u>		-		PILICE AN	ID ADAPT	rps			
Heavin	g plug—Mat	terial	_			LRS	Depth set		·•
Adapte	ers—Material								

LD MARK

8-5/8! 5-1/2!	1497 5478		20	D	Displacen	ent-			
) <u></u>									
Heavir	ng plug—	-Material						th set	-
Adapte	ers—Mat	erial			Size				
			7	SH	OOTING R	ECORD			_
Size	\$	hell used	Exp	losive used	Quantity	Date	Depth shot	Depth cleaned out	
					1				
					1				
	_			_	Tools us				
					;			feet tofe	
Cable	tools were	e used fron	n	 - fee	et to	feet,	, and from	efeet toefe	∍et
	Mari	ch 11	·	19 .58	1.4	t to prod	lucing Febru	ary 26, 19	58.
\mathbf{T}	he produ	ction for	the first	24 hours wa				94_% was oil;	
				.% sediment				Approx. 41° API	
If	gas well,	, cu. ft. pe	er 24 hou	ırs	Gall			u. ft. of gas	
\mathbf{R}	ock press	sure, lbs. p	per sq. ir	ì					
₹	m 14			Drillo	EMPLOYE	17	lewit & Gulic	k	law
				Drille, Drille				man , Dril , Dril	
	Ke	nnedy		, Drille FOR	MATION R			, Din	161
FR	ом-	то	_	TOTAL FE	1		FORMA	FION	=
228	to	2343		54	Shir	narump		\	_
				-		•		<i></i>	-
234	43	2418	5	75	Moer	nkopi		1	
241	18	4480)	2062	Cut	Ler		,	19 1
448	30	5465	j	985	Uppe	er Herm	osa		
546	55	-	!	_	Para	adox			
									- 5 •

FOLD MARK

Ž,

(OVER)

16--43094-4

8gr, GIAAM

Proved All Michigan States and States

5	٠,	-	•	 		 	40 Table 16				 	 . ,
i												- 1
;							1					
:			- 1	!	- 1							
i				ì		-						- 1
ì					. 1							:
ŧ										i		ì
ż				1				- 1				3
3			. 1					1.0				 .7
ţ												1
4							!	1				- 6
Ý					,							1
i			- 3								1	- 7
į.	-											i
4					1							- 5
Ť					?							1
4						į.						\$
4								-				 1
į.												1
í												*
3												ŧ
1								1.1				2
ř								- 1			1	
ş.					- 1							2
•												
þ								,		1		 1
÷												¢
8								i		;		-
3								,				1
3.									-		**	ì
į											1	1
2												٠
1												ś

CONCEPTOR SAYACE THE VEHICLE OF THE MITTERS SELVIS OFFINA

TOG OR ON ON GVA METE

Sign Weight Caston profession	Threads per Make	Attached:	Drilling History Lour	graphscq	Patripuser
<u> </u>		CASING	RECORD		and the second of the second
No. 2 from			No. 4, from	· · · · · · · to	
No. 1, from			No. 3, from	<u>to</u>	
		IMPORTANT V	WATER SANDS		
No. 3, from	**************************************		No a tome	+0	
No. 2, from	10		No. 5. Irom	to	
No. 1, from		Ahmit :	nachy G No. 4, from	to	
	4)	DIL OR CAS SA	MDS OR ZONES		
Commenced drill	ing . Andrewskind		्राम्बाह्य प्रमाणके	eganado p	10 87
្សាម្នាក់ ការប្រជាធារា	y on this pope is for	gie congrison oç	g sizhett an ethero ether :		
Date in insper	an esta de la companya della companya de la companya de la companya della company		j,646 - 12	and the second second second	ने के श्रीत्तृत्व र जाराज
eo (M), ar chir pica	egangeor gala et.	Salina (Salina per komunista)		i de la companya de l	
			provided to the the Market of	the and set and the	. So go William
I MARKET STATES	Page 1	and with All	$\alpha_{k+1},\dots, \epsilon_{M},\alpha_{k+1},\dots, \epsilon_{M},\alpha_{M}$	• • • <u> </u>	
	* *				
			The page 1. Ag		
			Material Land Control		
POST OF GARAGE	CARROTTH CLEEN				

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

HISTORY OF OIL OR GAS WELL

3,9

1 1	1	1 7							T					
rien,	ing pha	i.	- 19 6 (, c 1:	-r1 · · · ·				+ 150.	Henry		- a**	175 - 21		
							176		بالمعلق الأحالة الأرابية	LEDG				
			!											
;		. .	!											
iter alle	-	3	- '		14,43			- : - : 4	للازيد عشي لعيد يد				av	
	ist see	1			ş • • · • • •			$(x,y) = \{x\}$	و وسنجدسه و الجات				81	
		- 1									1			
\$45000	#N	Market 1. Co		pr \$12 m	1.3 g -5/9	1. 01.60	.were		grafication, to this	25/10/5	sanga 📋	- 455039ES	L. Compget	April 1
- '	1.2					ı						V= T		
					,	3 14 35.	MV.CI	¥11 2 1	1 4 9 1 17 (4.2.8)	MC REEL	1 45 5,25			
		<u> </u>				1			1					

North Desert Creek

SHELL OIL COMPANY

Ratherford San Juan, Utah

(COUNTY)

2-50 PRINTED IN U. S. A.

DRILLING REPORT FOR PERIOD ENDING

January 31, 1958

(SECTION OR LEASE) T41S R23E (TOWNSHIP OR RANCHO)

WELL NO.

24-1

	(COUNT			(TOWNSHIP OR RANCHO)						
DAY	DE	THS	REMARKS	RKS						
	FROM	то	, Dimerila							
			Location: 651' N and 3300' SLBM, San Juan Co	W of SE Corner, Section 1, T41S, R23E, unty, Utah.						
			Elevations: DF 4630.7' Gr 4620.6' KB 4631.9'							
1-5 to 1-9	0	1788	cement. Ran and cemented (1 with 500 sacks 1:1 Pozzo mix calcium chloride. Good retu	et 43' of 16" conductor pipe with 40 sack 484') 8-5/8", 28#, H-40 casing at 1497' and 300 sacks cement treated with 2% rns to surface. Flanged up and waited on ing and BOP with 700 psi, OK.						
110 to 1-26	1788	5386	Drilled 3598!.							
1-27 to 1-28	5386	5468	Cored 821. Core #1 5386-93,	Core #2 5393-5436, Core #3 5436-5466.						
1-29			an Electrical Survey, Microlog, Gamma Ray-Neutron Log.							
			DST #1 5404-5468 (Bluff Zone) Cook Testers, Two 6-5/8" packers at 5394-5404. Three pressure recorders, Kuster at 5388, 5465 and 5467'. Initial shut in 30 minutes, open 2 hours 10 minutes, Final Shut in 1 hour 10 minutes. Gas to surface in 4 minutes, mud to surface in 21 minutes, oil to surface in 25 minutes. Flowed 66 bbls. oil in 1-1/2 hours (1056 B/D rate). ISIP 2200, IFP 700, FFP 1050, FSIP 2100, HP 2750.							
1-30	5468	5482		ed (5468') 5-1/2", 24#, J-55 casing at 5478' aced with water.						
1-31	5462	5655	5517, Core #6, 5517-5534, Co #9, 5568-5585, Core #10, 558 5621-5638, Core #13, 5638-56 Ran Induction - Electrical S Sonic Log. Ran tubing in ho rig 5:00 AM, 2-5-58. Checket	with 200 sacks cement, displaced with water. Cored 173'. Picked up tubing, cut core #4, 5485-5502, Core #5, 5502-5517, Core #6, 5517-5534, Core #7, 5534-5551, Core #8, 5551-5568, Core #9, 5568-5585, Core #10, 5587-5604, Core #11, 5604-5621, Core #12 5621-5638, Core #13, 5638-5655. (Cores 4 through 9 corrected 2' deeper). Ran Induction - Electrical Survey, Gamma Ray-Neutron Log, Microlog & Sonic Log. Ran tubing in hole and displaced mud with water. Released rig 5:00 AM, 2-5-58. Checked BOP daily. Mud Summary: WT 9.5-10#/gal.						
	co	NDITION A		IS 36-45 sec., WL 8-15cc, FC 2/32".						
	HOLE		ABING BIZK I DEPIR BET	Contractor: Hewit and Gulick Orillers: J. R. Mercer						
SIZE	FROM	то		G. C. Kennedy W. J. Troutman						
4										
	L PIPE									

\mathcal{O}		
80	4-8	8.50

WEEK ENDING January 31, 1958 5386 CORE FROM

5468

CORE RECORD

AREA or FIELD North Desert Creek COMPANY Shell Oil Company

	CORE	S EXAMI	NED BY.	Charles Bremer LEASE A	ID WELL	NO2	4-1
NO.	FROM	то	RECOV- ERED	FORMATIONAL, STRUCTURAL AND PROBABLE PRODUCTIVITY DESCRIPTION OF CORE	SYMBOL	OBSERVED DIP	CORE · INDICATIONS OIL—GAS
	<u> </u>				1		CORE OR DITCH
1_	5386 5386	5393 5389	71 31	<u>Limestone</u> , dark brown to black, IVFA, fossiliferous, thin (± 3 in.) Shale stringers, black, fossiliferous.			
	5389	5393	4 ا	<u>Limestone</u> , dark gray, IVFA, trace visible "B" porosity, styolitic, calcite filled fractures, thin (<u>+</u> 3 in) Shale stringer, black, fossiliferous.			•
5	5393	5436	34°				
2	5393	5413		Limestone, black to dark gray, IVFA, styolitic.			
	5413	5414.5	1.51	<u>Limestone</u> , gray, IVFAB ₂ C, D _{Tr} , <u>Bleeding Oil and Gas</u> , <u>Strong Petroleum Odor</u>	•		SEE
	5414.5	5415	۰5 ۹	Limestone, as above, + B2C3 DTr, Bleeding Oil and Gas, Strong Odor.			
	5415	5419	41	<u>Limestone</u> , as above, + B ₂ C ₂ D ₁ , <u>Bleeding Oil and Gas</u> , <u>Strong Odor</u> .			DESCRIPTION
	5419	5420	. 1	Limestone, as above, + B2C2 DTr, Bleeding Oil and Gas, Strong Odor.			TIC
	5420	5422	21	Limestone, as above, + B2C2D2, Bleeding Oil and Gas, Strong Odor.		·	Ř
	5422	5424	21	<u>Limestone</u> , as above, + $B_1C_2D_2$, <u>Bleeding Oil and Gas</u> , <u>Strong Odor</u> .			
	5424	5425	1,	Limestone, as above, + B1C1D3, Bleeding Oil and Gas, Strong Odor.			
	5425	5427	21	Limestone, as above, + B1C1D1, Bleeding Oil and Gas, Strong Odor.			
3	5436	5468	321				
	5436		. 81	<u>Limestone</u> , as above, $+B_1C_1D_1$, <u>Bleeding Oil and Gas</u> , <u>Strong Odor</u> . <u>Limestone</u> , as above, $+B_{Tr}C_{Tr}D_{Tr}$, <u>Bleeding Oil and Gas</u> , <u>Strong Odor</u> .			
	5444	5445		Limestone, as above, +B _{Tr} C _{Tr} D _{Tr} , <u>Bleeding Oil and Gas, Strong Odor</u> .			
	5447	5450	31	Limestone, as above, +B1 CTr, Bleeding Oil and Gas, Strong Odor.			
•							
	1	ļ			1		

WEEK ENDING January 31, 1958

5468 5386 CORE FROM

CORE RECORD

AREA OR FIELD North Desert Creek COMPANY Shell Oil Company

	CORE	S EXAMI	NED BY	Charles Bremer LEAS	E AND WELL	ND WELL NO. 24-1			
NC.	FROM	70	RECOV- ERED	FORMATIONAL, STRUCTURAL AND PROBABLE PRODUCTIVITY DESCREPTION OF CORE	SYMBOL	OBSERVED DIP	CORE INDICATIONS OIL—GAS		
			<u> </u>				CORE OR DITCH		
	5450	5451	יו	Limestone, as above, + B _{Tr} , Styolitic.					
	5451	5455	48	Dolomite, tan #/III VFA + BTr-2, Limy, Bleeding Gil and Gas.					
	5455	5458	31	Limestone, gray-tan, III/ II VFA + B _{Tr} -1 + C _{Tr} , Dolomitic, Spotty Stains, Bleeding Oil and Gas.			,		
	5458	5463	51	Limestone, gray, IVFA, no shows.					
	5463	5468	51	Shale, dolomitic, black.					
•					İ	[{			

North Desert Creek

Ratherford

DRILLING REPORT

4	

(FIELD)

San Juan, Utali (COUNTY) ,

February 25, 1758

(SECTION OR LEASE)
TAIS, R23E

_			(TOWNSHIP OR RANGHO)
DAY	DEI	PTHS	
	PROM	TO	REMARKS
2-20 to 2-22	5 655	Q.L.	Pulled tubing, ran Lynes straddle packers set at 5569 and 5592. Opened tool between packers, swabbed well, began to flow. Flowed 2 hours, 15 bbls. of oil/hour, 1 choke, TP 25-45. Opened tool below packer at 5592 interval (5592-5655), well unloaded 4 bbls. oil and died. Swabbed well to 4500. In 2 hours swabbed 8 bbls. salt water, no oil. Released packers, pulled tubing.
2~23			Plugged back to 5586° with Calseal and Hydromite.
2-24			Ran Lynes packers. Washed formation with 500 gals. mud acid. Set packers at 5527 and 5569. Acidized between packers with 2,000 gals. XFW and 2,000 gals. Jel X-100, overflushed with 2,000 gals. water. Maximum pressure 3500 psi, final pressure 1300 psi, average rate 3.8 bbl/min. Acidized above packers (interval 5478-5527) with 1000 gal. XFW acid and 1000 gal. Jel X-100, overflushed with 1000 gals. water. Maximum pressure 3500 psi, final pressure 2800 psi, average rate 2.5 bbl/min.
2-25			Pulled tubing and packers. Ran tubing to 5584%.
2-26			Swabbed 130 bbls. oil and 72 bbls. acid water in 6 hours, well started to flow.
			INITIAL PRODUCTION Flowing, 1104 B/D gross, 1036 B/D clean, 6% cut (acid water), 521 MCF/D gas, GOR 503, 48/64" choke, TP 260, CP 550.
l			Completed 2-26-58.
	ŝ		
	CON	DITION AT	DEGINNING OF PERIOD

	C	ONDITION	AT DEGINNI	NG OF PERIOD
	HOLE		GASING SIZE	DEPTH SET
#122	FROM	70		
12-1/4	. 0	1497	8-5/8"	14971
7 7/8"	1484	5478	5-1/2"	54781
4-3/4	5478	5655	: i	
DRILL	PIPE 4	1/211		

U	
_ /	
PQ 4-8	8-50

WEEK ENDING___

SHELL OIL COMPANY

$C \cap$	RE		CO	DN
\smile	RE	\mathbf{R}	-	RU

AREA or F	ELD R	ather	rford	
COMPANY_	Shell	Oil	Company	

CORES EXAMINED BY W. A. Kennedy

CORE FROM 5485 TO______

LEASE AND WELL NO. 24-1

ио.	FROM	то	RECOV- ERED	formational, structural and probable productivity description of core (Wire line cores)	SYMBOL	OBSERVED DIP	CORE INDICATIONS OIL—GAS CORE OR DITCH
4	5485	5502	171	Limestone, dark gray, to tan in part, dense, occasional crystals of calcite, no visible porosity, IVFA.			
5	5502	5517	15'	Limestone, light gray to tan, IVF C and D porosity; no large wugs.			Bleeding O'1
6	5517	5534	161	5 Dolomitic Limestone, light grey, no visible porosity, IVFA 1.5 Dolomitic Limestone, light grey, as above, C2 and D3 porosity. 4.5 Dolomitic Limestone, light grey, IVFA, no visible porosity. 1 Dolomitic Limestone, light grey, IVFA, no visible porosity. 4 Dolomitic Limestone, light grey, IVFA, no visible porosity. (Note: Core badly fractured by efforts to remove it from core barrel)			Bleeding Oil
7	5534	5551	17'	5' Dolomitic Limestone, brown to grey, I/III VF, B2C2D3. 5' Dolomite, brown, III VF, C2D2. 7' Dolomitic Limestone, brown, I/III VF, B2C2D4. Several large vugs partially filled with aragonite rhombs.	•		
8	5551	<u>5568</u>	171	10° Dolomitic Limestone, tan and grey mottled, I/III VF C2 and D4 porosity. 7' Dolomitic Limestone, grey, dense, IVFA, no visible porosity.			
9	5568	5585	171	7' Dolomitic Limestone, grey, IVFA. 4' Dolomitic Limestone, grey, IVF C2 and D6 (many 1/8" x 1/4" vugs). 6' Dolomitic Limestone, grey, IVFA			
DEI	TH COR	RECTIO	N - AD) 21,			
10	5587	5604	17'	5' Dolomitic Limestone, grey, IVFA. 9' Dolomitic Limestone, IVF C2+ D3. 3' Dolomitic Limestone, IVFA, fractured, calcite filling fractures.			
11	5604	5621	17*	1 Argillaceous Dolomite, IFC2. 9 Argillaceous Dolomite, IFA. 2 Anhydritic Limestone, IVFA. 5 Argillaceous Dolomite, IFA.			

PD	4-8	8.50	

)	WEEK	ENDING
	CORE	FROMTO

CORE RECORD

Ratherford AREA OR FIELD.

COMPANY Shell Oil Company

North Desert Creek LEASE AND WELL NO

	CORES	EXAMI	NED BY.	B. W. Shepard	LEASE AND W	ELL N	North 24.	Desert Creek
NO.	FROM	то	RECOV- ERED	FORMATIONAL, STRUCTURAL AND PROBABLE PRODUCTIVITY DESCRIPTION OF CORE	sy	MBOL	OBSERVED DIP	CORE INDICATIONS OIL— GAS
<u>12</u> <u>13</u>	5621 5638	5638 5655						CORE OR DITCH
i								Ĉ.
•				*				

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian A	gency Have je
Allottee	Tribal Lands
	14-20-603-246

71-14

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT.
NOTICE OF INTENTION TO PULL OR ALTER CASING	Subsequent Report of Well Completion I
(INDICATE ABOVE BY CHECK MARK NATI	URE OF REPORT, NOTICE, OR OTHER DATA)

		March 14	19 56
ok ited 651 ft.	from $\binom{\square}{S}$ line and	d 3300 ft. from (E)	ine of sec
416	238	SLEM	
(Twp.)	(Range)	(Meridian)	
San J	ven	Utak	
galdes		•	erritory)
	418 (Twp.) San J	416 (County or Subdivision)	A16 S SISM (Squity or Subdivision) (State or T

e elevation of the deriver moor above sea level is ***21.17 It

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work)

- 1-29-58 BST #1 5404-68 (Bluff Zone) Tool open 2 hours 4 min. Gas to surface 4 min., and to surface 21 min. Oil to surface 25 min. 1056 B/D rate all oil.

 IBIP 2200, IFP 700, FFF 1050, FBIP 2100, HP 2750.
- 1-30-58 Comented 5-1/2º 14# easing at 5478' with 200 sacks regular coment.
- 2-3-58 Finished drilling to 5655.
- 2-23-58 Plugged back to 5586'.
- 2-24-58 Acidised with 500 gal. mud acid, 3,000 gal. regular and 3,000 gal. retarded acid.
- 2-26-58 Swabbed well in. Initial Production: Flowing (6 hour test) 1104 B/D gross, 1036 B/D cil rate, 6% cut (all seid water) 3/4" choke, 521 MCF/D gas, GOR 503, TP 260, CP 550, Completed 2-26-58.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

			B. W. Shepard Exploitation Engineer
	Fermington, New Mexico	Bv	B W SHEDADD
Address	101 South Behrend Avenue		Original signed by
Company	Shell Oil Company		



orm 9-331		U'ED STATES	SUBMIT IN TRI: ATE.	Form approv	ed.
[ay 1963)	DEPAR	RTMENT OF THE INTER	(Other instruction of the		No. 42-R142
		GEOLOGICAL SURVEY		14-20-603-2	44
CLI	IDDV N		ONL WELLS	6. IF INDIAN, ALLOTTE	OR TRIBE NAM
		OTICES AND REPORTS opposals to drill or to deepen or plug LICATION FOR PERMIT—" for such		Navajo Tri	bal
				7. UNIT AGREEMENT NA	ME
WELL GAS WELL	OTHE	R		SW-1-419	2
NAME OF OPERATOR	lana Pladani	/		8. FARM OR LEASE NAM	æ
		Leum Company		Ratherford U	nit
ADDRESS OF OPERAT		lantas dalamaia dalah		9. WELL NO.	
		ortez, Colorado 81321	v State requirements.*	10. FIELD AND POOL, O	R WILDCAT
See also space 17 be At surface		and 3300° FEL, of Se	c. 1, SW 1	Greater And 11. SEC., T., E., M., OR I SURVEY OR AREA	LE. AND
4. PERMIT NO.		15. ELEVATIONS (Show whether	DE PT OP etc.)	12. COUNTY OF PARISE	SIRM 13. STATE
I. I BUMIL NO.		4631.9 KB	or, MI, dis, exc.)		-
		402TA VB		Sen Agen	itah
•	Check	Appropriate Box To Indicate	Nature of Notice, Report, or (Other Data	
	NOTICE OF IN	NTENTION TO:	SUBSEQ	UENT REPORT OF:	
TEST WATER SHUT	-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING V	WELL
FRACTURE TREAT		MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING C	ARING
SHOOT OR ACIDIZE	X	ABANDON*	SHOOTING OR ACIDIZING	ABANDONME	NT*
REPAIR WELL		CHANGE PLANS	(Other)		
(Other)			(Note: Report results Completion or Recomp	s of multiple completion pletion Report and Log for	on Well rm.)
	ate Lowe	r Ismay 5423-44 and 54	53-59, isolate from D smab test, return to	esert Creek and	i acidize
MICU G	OU GRILL	ert Creek and Ismay.	amen cane Lacitiza Co	production ire	
with 0	OU GRILL	ert Creek and Ismay.	owan cent, recurs to	production fro	
with 0	OU GRILL	ert Creek and Ismay.	dan cest, recuri	production Ire	i.
MICU G	OU GRILL	ert Creek and Ismay.	dan cest, recurs to	production In	
with 0	OU GRILL	ert Creek and Ismey.	dan cest, rection to	production In	
commin	gled Des	ert Creek and Ismay.		production In	
commin	gled Des	ert Creek and Ismay.		production In	
commin	gled Des	ert Creek and Ismay.		production In	
commin	gled Des	ert Creek and Ismay.			
commin	gled Des	ert Creek and Ismay.		production In	
commin	gled Des	ert Creek and Ismay.			
commin	gled Des	ert Creek and Ismay.			
commin	gled Des	ert Creek and Ismay.			
commin	gled Des	ert Creek and Ismay.			
commin	gled Des	ert Creek and Ismay.			

TITLE DATE _ Orig. & 2 cc: USGS, Farmington, NM
2 cc: Utah OEGCC, Salt Lake City, Utah
*See Instructions on Reverse Sidel cc: Denver

1 cc: File

District Superintendent

m 9-331 ay 1963) DEPAI	ED STATES RTMENT OF THE INTERIGE GEOLOGICAL SURVEY	OR (Other instructions on verse side)		reau No. 42–R142
(Do not use this form for D	OTICES AND REPORTS Croposals to drill or to deepen or plug by	ack to a different reservoir.	6. IF INDIAN, ALLOT	THE OR TRIBE NAM
OIL GAS WELL OTH	GR		7. UNIT AGREEMENT	NAME
NAME OF OPERATOR Phillips Petr	-/	<u> </u>	8. FARM OR LEASE N	
ADDRESS OF OPERATOR			9. WELL NO.	
Drawer 1150 LOCATION OF WELL (Report locat See also space 17 below.)	Cortez, Colerado 8132		10. FIELD AND POOL,	
651 FSL and 330	O' FEL, of Sec. 1, SE SW	ī	Greater An 11. SEC., T., E., M., OI SURVEY OR AR	R BLK. AND
. PERMIT NO.	15. ELEVATIONS (Show whether DF,	RT, GR, etc.)	12. COUNTY OR PARIS	SLAM SH 13. STATE
	4631.9' KB	112.	Sen Jaan	- Utah
Check	Appropriate Box To Indicate N	ature of Notice, Report, or	r Other Data	
NOTICE OF 1	INTENTION TO:	SUBS	EQUENT REPORT OF:	F
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING	
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT SHOOTING OR ACIDIZING	ALTERING ABANDON	
SHOOT OR ACIDIZE REPAIR WELL	ABANDON*	SHOUTING OR ACIDIZING	ABANDONI	
	CHANGE DIANS	(Other)		
(Other) DESCRIBE PROPOSED OR COMPLETE proposed work. If well is dinent to this work.)*	D OPERATIONS (Clearly state all pertinent irectionally drilled, give subsurface locations)	Completion or Record details, and give pertinent datains and measured and true ver	tical depths for all mark	form.) late of starting a ers and zones pe
On January 26, 19 plug and packer, separated by 500 packer, raman packer, for several menths	D OPERATIONS (Clearly state all pertinent	(Nore: Report rest Completion or Record details, and give pertinent data ions and measured and true ver 3-34 and 5453-59, re 30 gallons 15% in tr ing. Stabbed wall, hung on to pump to leave packer in ho is shut off below	mpletion Report and Log- tes, including estimated detical depths for all mark an retrievable to equal stages pulled bridge to test Issue, le and test Issue packer).	form.) late of starting sers and zones pe
On January 26, 19 plug and packer, separated by 500 packer, raman packer, for several month.	70 perforated Ismay 5423 acidized Ismay with 8,00 gallons oil-moth ball place and set at 5467.80°, ated domhole, but will s - open hole 5478-5586°	(Nors: Report rest Completion or Recoil t details, and give pertinent data ions and measured and true ver 3-34 and 5453-59, re 30 gallons 15% in tr ing. Swabbed well, hung on to pump to leave packer in ho is shut off below	mpletion Report and Log- tes, including estimated detical depths for all mark an retrievable to equal stages pulled bridge to test Issue, le and test Issue packer).	form.) late of starting agers and zones pe
On January 26, 19 plug and packer, separated by 500 packer, resen packer (Believe communication for several month)	70 perforated Ismay 5423 acidized Ismay with 8,00 gallons oil-moth ball place and set at 5467.80°, ated downhole, but will s - open hole 5478-5586°.	(Nors: Report rest Completion or Record t details, and give pertinent data ions and measured and true ver 3-34 and 5453-59, re 30 gallons 15% in tr ing. Scabbed wall, hung on to pump to leave packer in house is shut off below adox Formation, Des 0, 360 EMPD.	ert Creek Zone	form.) late of starting agers and zones pe
On January 26, 19 plug and packer, separated by 500 packer, resen packer (Believe communication for several month)	70 perforated Ismay 542; acidized Ismay with 8,00 gallons oil-moth ball planer and set at 5467.80°, ated downhole, but will 8 - open hole 5478-5586°. ON: (Greater Anoth, Pare 40 BOPD, 80 MCFGP)	(Nore: Report rest Completion or Reconstitution of Reconstitution of Reconstitutions and measured and true versions and measured and true versions and season of Salama 15% in the constitution of Salama 15% in t	ert Creek Zone	form.) late of starting sers and zones pe
On January 26, 19 plug and packer, separated by 500 packer, remen packer (Believe communication several month)	70 perforated Ismay 542; acidized Ismay with 8,00 gallons cil-moth ball place and set at 5467.80°; ated downhole, but will 8 - open hole 5478-5586°. ON: (Greater Anoth, Pare 40 BOPD, 80 MCFGPI N: (Greater Anoth - Pare 17 BOPD, 19 MCFGPD)	(Nore: Report rest Completion or Reconstitution of Reconstitution of Reconstitutions and measured and true versions and measured and true versions and season of Salama 15% in the constitution of Salama 15% in t	ert Creek Zone	form.) late of starting sers and zones pe bridge plug and
On January 26, 19 plug and packer, separated by 500 packer, reman packer for several month. PRESENT PRODUCTION	70 perforated Ismay 542; acidized Ismay with 8,00 gallons cil-moth ball place and set at 5467.80°; ated downhole, but will 8 - open hole 5478-5586°. ON: (Greater Anoth, Pare 40 BOPD, 80 MCFGPI N: (Greater Anoth - Pare 17 BOPD, 19 MCFGPD)	(Nore: Report rest Completion or Reconstitution of Reconstitution of Reconstitutions and measured and true versions and measured and true versions and season of Salama 15% in the constitution of Salama 15% in t	ert Creek Zone	form.) late of starting sers and zones pe bridge plug and
On January 26, 19 plug and packer, separated by 500 packer, reman packer for several month. PREVIOUS PRODUCTION	70 perforated Ismay 5423 acidized Ismay with 8,00 gallons oil-moth ball planer and set at 5467.80°, ated downhole, but will 8 - open hole 5478-5586° ON: (Greater Anoth, Para 40 BOPD, 80 MCFGPI N: (Greater Anoth - Para 17 BOPD, 19 MCFGPD, cated downhole.	(Nore: Report rest Completion or Reconstitution of Reconstitution of Reconstitutions and measured and true versions and measured and true versions and season of Salama 15% in the constitution of Salama 15% in t	ert Creek Zone any Zone any Zone any Zone mpletion Report and Log tes, including estimated de tical depths for all mark any retrievable to equal stages pulled bridge o test Ismay le and test Ismay ary Zone avy Zone by Zone cone avy Zone form.) late of starting sers and zones per bridge plug and	

Orig. & 2 cc: USGS, Farmington, NH

2 cc: Utah C&GCC, Salt Lake City, Utah

1 cc: Superior Oil Co.

*See Instructions on Reverse Sidel cc: Phillips, Denver

1 cc: File

.

	V			19		
Form 9-331 (May 19#3)		UNITED STATE		SUBMIT IN TRIPLICATE (Other instructions on re		ed. au No. 42–R1424.
•		MENT OF THE		R verse side)	5. LEASE DESIGNATION 14-20-603-2	
SII				J WFIIS	6. IF INDIAN, ALLOTTE	E OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)			Nevajo - Tr	ribal		
OIL GAS WELL WELL	other		- 47.4		7. UNIT AGREEMENT N. SM-I-4192	AME
2. NAME OF OPERATOR					8. FARM OR LEASE NAI	
Phillips Pe	troleum Com	bana			Ratherford	Unit
3. ADDRESS OF OPERA					9. WELL NO.	
P. O. Box 2	920, Casper	wyoming 826	02		1-24	DR WIT DOAM
See also space 17 l At surface		early and in accordance	e with any Sta	tte requirements.*	Greater Ans	
	1' FSL & 33	00' Fal, SE S	Ī		11. SEC., T., R., M., OR SURVEY OR AREA	BLK. AND
					Sec. 1-T41	-R23E, SLEM
14. PERMIT NO.		15. ELEVATIONS (Show	whether DF, RT	, GR, etc.)	12. COUNTY OR PARISE	1 13. STATE
		4637	.9' REB		Sen Juan	Utah
16.	Check Ar	propriate Box To Ir	ndicate Nat	ure of Notice, Report, or	Other Data	
	NOTICE OF INTEN	TION TO:		SUBSE	QUENT REPORT OF:	
TEST WATER SHU	r-off	PULL OR ALTER CASING		WATER SHUT-OFF	REPAIRING	WELL
FRACTURE TREAT		MULTIPLE COMPLETE		FRACTURE TREATMENT	ALTERING C	ASING
SHOOT OR ACIDIZE		ABANDON*		SHOOTING OR ACIDIZING	ABANDONME	\
REPAIR WELL	(CHANGE PLANS		(Other) Shut Off Zo	ts of multiple completion	
(Other)				Completion or Recom	pletion Report and Log fo	rm.)
17. DESCRIBE PROPOSED proposed work, nent to this work	If well is direction	RATIONS (Clearly state a mally drilled, give subs	all pertinent d urface location	etails, and give pertinent date s and measured and true verti	es, including estimated datical depths for all marker	te of starting any s and zones perti-
	SEE AT	ACHED FOR COM	Leas de	AUS		

3-USCS, Parmington, New Mexico 2-Ubah O&G CC, Salt Lake City, Utah 1-Superior Oil Co., Conros, Texas

l-B'Ville	1-Jetton
1-Denver	1-File
1-Hughes	

Ratherford Unit

Summary of Work Performed:

FIRAL REPORT INDIVIDUAL WELL STA'....

				•
	AVERAGE DAILY PRODUC	LION		
	Field and Formation	Oil Oil	Gas	<u>Water</u>
	Greater Aneth - Paradox			•
Before Work	Desert Creek, L. Ismay, Zone I & II	22	36	38C
	Greater Aneth - Paradox		,	
fter Work	Desert Creek, Zone I	71	107	237
Sefore Work				
fter Work				
DATE	P.T.D.	······································		

August 10, 1976 through March 25, 1977 - Shut off Zone II by placing Hydromite Page

Well No. 1-24 Authorization No. P-96

RATHERFORD UNIT NO. 1-24 PTD 5608. /INITIAL REPORT/ PREP TO DUMP SAND IN HYDROMITE. 8/8/76 - MI R AND R WS UNIT 8/7/76. PLD RODS AND 34 STANDS QUEUST TBG. SDON. 8/9/76 - SD OVER SUNDAY. 8/10/76 - FIN COOH W/TBG. WIH W/ LYNES RETRIEVING HEAD. LATCHED ONTO LYNES BP. FOUND PLUG SET FROM 5546-51 FT. RELEASED BP AND COOH. WIH W/BAILER AND TAGGED BTM. DMPD 33 GAL GRAVEL. SDON. AFE P-9648 ISSUED TO SHUT OFF ZONE II WATER BY PLACING A HYDROMITE PLUG FROM 5608-5560 FT, AND RETURN TO ZONE I PUMPING FROM 5478-5560 FT OPEN HOLE. LOCATION - 651 FT FSL AND 3300 FT FEL, SE Sw, SEC. 1-T41S-R23E, GREATER ANETH FIELD, SAN JUAN CO., UTAH. ELEV. 4631.9 FT KB. SUB AREA CODE 626..

> RATHERFORD UNIT NO. 1-24 PTD 5608. PREP TO GIH W/SAND PUMP TO CLEAN OUT TO TOP OF GRAVEL AT 5572 FT. WIH W/BAILER. TAGGED GRAVEL AT 5580 FT. DMPD 9 GAL GRAVEL. TAGGED TOP AT 5572 FT. DMPD 20 BW DN CSG, HOLE NOT FULL. DMPD 50 LB POLYMER COATED SAND W/DUMP BAILER. TAGGED TOP OF SAND AT 5569 FT. DMPD 100 LB HYDROMITE W/DUMP BAILER. TAGGED TOP AT 5572 FT. DMPD 100 LB HYDROMITE W/DUMP BAILER. UNABLE TO DETERMINE TOP UF HYDROMITE W/BAILER. INDICATIONS THAT WELL IS FLWG FROM ZONE II /TOP A 5573 FT/ INTO ZONE I /BTM AT 5562 FT/ AND STRINGING HYDROMITE UP HOLE. S DON . .

RATHERFORD UNIT NO. 1-24 PTD 5608. PREP TO CHECK TOP OF HYDROMITE AND RUN RODS AND TBG. WIH W/3-1/2" SD PUMP. CO SD AND HYDROMITE BRIDGE FLOM 5503-05 FT. DMPD 50 LB 20-40 SD. TAGGED TOP ND AT 5567 FT. WIH W/100 LB HYDROMITE IN DUMP BAILER. DISC PARTIALLY SHEARED. DMPD 50 LB HYDROMITE AND REC 50 LB IN BAILER. TAGGED TOP AT 5566 FT. DMPD 100 LB HYDROMITI W/BAILER. PMPD 35 BW BEFORE EACH HYDROMITE PLUG AND 35 BW AFTER DUMP-ING EACH PLUG. SDON..

April 27, 1977

DAILY REPORT DETAILED

LEASE Ratherford Unit

WELL NO. 1-24

SHEET NO. 2

TOTAL 1976 DATE NATURE OF WORK PERFORMED

RATHERFORD UNIT NO. 1-24 PTD 5608. PMPG ON TEST. WIH W/3-1/2" SD PUMP CO BRIDGE FROM 5517-18 FT, REC CONTAMINATED HYDROMITE. TAGGED TOP OF HYDROMITE PLUG AT 5563 FT. WIH W/TBG AND RODS AND STARTED WELL PMPG. RELEASED R AND R WS UNIT 8/12/76..

RATHERFORD UNIT NO. 1-24 PTD 5608. PMPG ON TEST. 8/14/76 - PMPG UN TEST - NO GAUGE. GRIND OUT 100 PERCENT WIR. FL 4626 FT. 8/15/76 - PMPC 14-16 ON TEST - NO GAUGE. 8/16/76 - PMPG ON TEST, TR OF OIL - NO GAUGE..

RATHERFORD UNIT NO. 1-24 PTD 5608. PMPG UN TEST. PMPD 24 HRS, REC TR OF OIL, 255 BW. TP 90 LB, CP 90 LB. FL 4039 FT...

HATHERFORD UNIT NO. 1-24 PTD 5608. PMPG ON TEST. NO GAUGE - METER MALFUNCTION. GRIND OUT. TR OF OIL. FL 3977 FT...

RATHERFORD UNIT NO. 1-24 PTD 5608. PMPG ON TEST. PMPD 24 HRS, REC 0 BO. 406 BW. FL 3975...

RATHERFORD UNIT NO. 1-24 PTD 5608. PMPG ON TEST. NO GAUGE. 100 PERCENT WITE. TEMPORARILY DROP FROM REPORT PENDING INVESTIGATION OF FURTHER WORK. 1911 RATHERFORD UNIT NO. 1-24 PTD 5608. PU FROM TEMP. DROPPED 8/20/76. MI

R AND R WS UNIT 3/7/77. COOH W/RODS AND PUMP. PREP TO PULL TBG AND IN-March STALL BOP ..

RATHERFORD UNIT NO. 1-84 PTD 5563 /CORRECTED/. COOH W/TBG. WIH W/4-3/ IN. BIT. TAGGED HYDROMITE AT 5575 FT. INSTLD BOP. PREP TO CO TO 5586 FT.

RATHERFORD UNIT NO. 1-24 PTD 5586. CLEANED OUT HYDROMITE AND GRAVEL FROM 5575-5586 FT. NO CIRC. COOH W/TBG AND BIT. PREP TO RUN PKR AND SQUEEZE ..

RATHERFORD UNIT NO. 1-24 PTD 5586. PREP TO GIH W/SQZ PKR AND NEW TBG TESTER. WIH W/SQZ PKR. ATTEMPTED TO PRESS TEST TBG. SPLIT 160TH JT AT 2800 PSI. COOH AND CHANGED JT. TBG TESTER QUIT WORKING. SDON..

RATHERFORD UNIT NO. 1-24 PTD 5586. PREP TO DRILL CMT. 3/12/77 - WIH W/PKR AND TBG TESTER. SPLIT 2 JTS TBG, TESTING TO 3000 PSI. COOH LAYING DOWN TBG. PREP TO CHANGE OUT TBG. 3/13/77 - WIH W/A COND 2-7/8", J-55 THE AND PER. TSTD THE TO 3500 PSI, OK. SET PER AT 5298 FT W/TAILPIPE AT 5359 FT. PRESS ANNULUS TO 1000 PSI. SOZD 250 SX CLASS "B", 10 PERCENT SALT, 1-1/4 PERCENT CFR-2. STARTED DISPLACING CMT, PRESS INCR TO 3000 PSI W/23 BBL DISPLACEMENT IN. UNABLE TO OBTAIN 3000 PSI HOLDING PRESS. HELD AT 1400 PSI. REVERSED OUT 30 SX CMT. MAX PRESS 3000 PSI. RESET PKR AT 4926 FT. PRESS TO 1000 PSI. SDON. 3/14/77 - SD OVER SUNDAY..

RATHERFORD UNIT NO. 1-24 D 5452. PLD TBG AND REMOVED SQZ PKR AND TAIL-PIPE. WIH W/CSG SCRAPER AND 4-3/4" BIT. TAGGED CMT AT 5374 FT. DRLD TO 5452 FT /78 FT CMT/. SDON. PREP TO CONTINUE DRLG CMT..

RATHERFORD UNIT NO. 1-24 TD 5475. DRLD CMT FROM 5452-5475 /23 FT/. CIRC HOLE. COOH AND REMOVED CSG SCRAPER. RAN 4-3/4" BIT. SDON. PREP TO CONT DRLG ..

RATHERFORD UNIT NO. 1-24 TD 5560. DRLD CMT FROM 5475-5560 FT. CLEAN ED UP HOLE. COOH W/4-3/4" BIT. PREP TO PERF..

DAILY REPORT DETAILED

LEASE Ratherford Unit WELL NO. 1-24 SHEET NO. 3

TOTAL

DATE DEPTH

NATURE OF WORK PERFORMED

RATHERFORD UNIT NO. 1-24 TD 5560. PREP TO PERFORATE. RU GO-INTL. WIH W/3-1/8" GUN. UNABLE TO GET BELOW 5527 FT. COOH. WIH W/4-3/4" BIT, NO BRIDGES. CIRC 1 HR. COOH. WIH W/3-1/8" GUN. UNABLE TO GET BELOW 5527 FT. COOH AND WIH W/1-11/16" DUMMY RUN. TAGGED BTM AT 5561 FT. COOH. WILL PERFORATE 5515-22 FT AS PLANNED, BUT BELIEVE INTERVALS 5537-45 FT AND 5549-60 FT ARE NOW OPEN AND DO NOT NEED PERFING. WHEN DRILLING OUT CMT PLUG, BEGAN GETTING FORMATION CUTTINGS AT APPROXIMATELY 5500 FT WHICH INCREASED TO NEARLY 100 PERCENT AT 5560 FT PTD. ALSO, HOLE THIEFS FLUID AFTER OVERNIGHT SHUT-IN..

RATHERFORD UNIT NO. 1-24 TD 5560. PMPG ON TEST. 3/19/77 - RU GO-INTL. PERFD 5515-22 FT, 2 SPF. WIH W/TBG, TREATING PKR AND TAILPIPE. SET PKR AT 5465 FT. ACIDIZED W/1000 GAL 28 PERCENT. RAISED PKR 50 FT. PMPD 300 LBS. TBA AND ACIDIZED IN 2 STAGES OF 1000 GAL 28 PERCENT EACH. AIR 3 BPM AT 2000 PSI. MP 3000 PSI, ISIP 1400 PSI, 5 MIN SIP 0 PSI. COOH W/T3G AND PKR. SDON. 650 BL AND AW TO REC. 3/20/77 - WIH W/TBG AND ANCHOR. T3G INTAKE AT 5517 FT. SN AT 5455 FT. TBG ANCHOR AT 5393 FT. RAN RODS AND PUMP. STARTED PUMPING. RELEASED R AND R WS UNIT 3/19/77. 3/21/77 - PMPD 14 HRS, REC 5 BO, 253 BLW. 397 BLW TO REC. 24 SPM X 44*. 1-3/4* PUMP..

RATHERFORD UNIT NO. 1-24 TD 5560. PMPG ON TEST. PMPD 24 HRS, REC 58 BO, 362 BLW. 35 BLW TO REC..

RATHERFORD UNIT NO. 1-24 TD 5560. PMPG ON TEST. PMPD 24 HRS, REC 64 BO, 35 BLW, 279 BFW. ALL LOAD REC..

RATHERFORD UNIT NO. 1-24 TD 5560. PMPG ON TEST. PMPD 24 HRS, REC 64 BO, 296 BW..

RATHERFORD UNIT NO. 1-24 TD 5560. PMPD 24 HRS, REC 71 BO, 237 BW.

/FINAL REPORT SUMMARY/ SHUT OFF ZONE II BY PLACING HYDROMITE PLUG TO
5563 FT. SQZD LOWER ISMAY 5423-59 FT AND ZONE I OPEN HOLE 5478-5586

FT. TAGGED CMT AT 5374 FT. DRLD CMT FROM 5374-5560 FT /NOTE, OPEN HOLE
BEGINS AT 5478 FT/. PERFORATED 5512-22 FT OPEN HOLE W/2 SPF. IT IS BELIEVED PAY INTERVALS 5537-45 FT, AND 5549-60 FT ARE ALREADY OPEN.
ACIDIZED AND RETURNED TO A PUMPING OIL WELL, OPEN HOLE, ZONE I, 54785560 FT OA, IN THE PARADOX FORMATION, GREATER ANETH FIELD, SAN JUAN CO.,
UTAH. /FINAL REPORT/..

MAR.

22

24

OIL & GAS C	CONSERVATION CO	(Other instructions on verse side)	5_ LEADE DESIGNATION 96-004192	AND FERIAL HOL
(Do not use this form for	NOTICES AND REP	es or plug back to a different reservoir.	Navajo	PODTRIBE NAMES
OFF WELL OF	***		7. UNIT AGREEMENT NA Ratherfor	
2. NAME OF OFFRATOR. Phillips 0il	Company		8_ FARM OR LEASE NAM	<u> </u>
& ADDRESS OF OFSEATOR	O, Casper, WY 826	.02	9. WELL NO.	
4. LOCATION OF WELL (Report loc See also space 17 below.)	· · · · · · · · · · · · · · · · · · ·	e with any State requirements.	10, FIELD AND POOL, 0	E WILDCAT
See Attached	- •		N/A 11. SBC., T., R., M., OR I SCRYBT OR ARBA	ILE AND
14. FERMIT WG.			See Attac	
See Attached	. ILEVATIONS (Show	whether of, RT, OR, eta_)	San Juan	Utah
	ck Appropriate Bax Tali	ndicate Nature of Notice, Report,	or Other Data	<u></u>
	PINTENTION TO:		BENQUENT EXPORT OF:	
FEACTURE TREAT	PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON®	FRACTURE TREATMENT SHOUTING OR ACIDIZING	RETAIRING C	TRING.
REPAIR WELL	CHANGE PLANS	(Other)	suits of multiple completion	on Well
(Other)	en open mone /Claude state	Completion or Rec	completion Report and Log for	rm.)
	mber 1, 1983 from 11s.	Phillips Oil Company as Phillips Petroleum Compan		
Org.& 3-BLM 1-The Navajo N 1-Mary Wiley B 1-Lawrence E. 1-Cheveron USA 1-Ralph Faxel 1-Royal Hogan 1-W. O. Keller 1-Dee Kelly Co	lack Brock	1-Robert Klabzuba 1-Micheal J. Moncrief 1-Richard B. Moncrief 1-Lee W. Moncrief 1-Mary H. Morgan 1-W. A. Moncrief 1-W. A. Moncrief 1-L. F. Peterson	1-Shell Oil Co. 1-Southland Roya 1-Superior Oil C 1-Leroy Shave 1-Texaco, Inc. 1-Wade Wiley, Jr 1-Edwin W. Word, 1-File	
SIGNED Sur (This space for Federal or St	A E Stuart T	ITLE Area Manager	DATE 12/6/8	3
APPROVED BY		ITLE	DATS	
•			And the second s	and the second of the second

*See Instructions on Reverse Side.

	MELL NO	UELL LOCATION		:
	WELL NO.	WELL LOCATION	API NO.	STATUS
	29-34	SW SE Sec.29-T41S-R24E	43-037-15340	Act.
	30-23	NE SW Sec.30-T41S-R24E	43-037-15341	SI
		SW NE Sec. 30-T41S-R24E	43-037-15342	SI
	32-41	NE NE Sec. 32-T41S-R24E	43-037-15344	SI
•	-1-13	NW SW Sec. 1-T41S-R24E	43-037-15838	Act.
	1-24	SE SW Sec. 1-T41S-R24E 23E	43-037-15839	Act.
	1-44	SE SE Sec. 1-T41S-R24E	43-037-15840	Act.
	6-14	SW SW Sec. 6-T41S-R24E	43-037-15894	Act.
	7-12 7-14	SW NW Sec.7-T41S-R24E SW SW Sec.7-T41S-R24E	43-037-15985	SI SI
	7-14	NE SW Sec. 7-T415-R24E	43-037-15986 43-037-15987	SI
	7-32	SW NE Sec. 7-T41S-R24E	43-037-15988	SI
	7-34	SW SE Sec. 7-T41S-R24E	43-037-15989	Act.
	11-42	SE NE Sec. 11-T41S-R23E	43-037-15841	Act.
	11-44	SE SE Sec. 11-T41S-R23E	43-037-15842	Act.
	12-11	NW NW Sec. 12-T41S-R23E	43-037-15843	Act.
	12-14	SW SW Sec.12-T41S-R23E	43-037-15844	Act.
	12-22	SE NW Sec. 12-T41S-R23E	43-037-15845	Act.
	12-23	NE SW. Sec. 12-T41S-R23E	43-037-15846	Act.
	12-31	NW NE Sec. 12-T41S-R23E	43-037-15847	Act.
	12-33	NW SE Sec.12-T41S-R23E	43-037-15848	Act.
	12-41	NE NE Sec. 12-T41S-R23E	43-037-15849	Act.
	12-42	SE NE Sec. 12-T41S-R23E	43-037-15850	Act.
-	13-13	NW SW Sec.13-T41S-R23E	43-037-15851	Act.
	. 13-22	SE NW Sec.13-T41S-R23E	43-037-15852	Act.
	13-24	SE SW Sec. 13-T41S-R23E	43-037-15853	Act.
	13=31	NW NE Sec. 13-T41S-R23E	43-037-15854	Act.
	13-33	NW SE Sec. 13-T41S-R23E	43-037-15855	Act.
	13-42	SE NE Sec.13-T41S-R23E	43-037-15857	Act.
-	14-32	SW NE Sec. 14-T41S-R23E	43-037-15858	Act.
•	14-33	NW SE Sec. 14-T41S-R23E	43-037-15859 43-037-15860	SI Act.
	14-42 24-11	SE NE Sec.14-T41S-R23E NW NW Sec.24-T41S-R23E	43-037-15860 43-037-15861	SI
	24-11	NW NE Sec.24-1415-R23E	43-037-15862	Act.
	E11-14	SW SW Sec.11-T41S-R24E	43-037-15062	Act.
	3-12	SW NW Sec.3-T415-R24E	43-037-15620	Act.
	3-14	SW SW Sec.3-T41S-R24E	43-037-15124	Act.
	3-23	NE SW Sec.3-T41S-R24E	43-037-15125	SI
	3-32	SW NE Sec. 3-T41S-R24E	43-037-15621	ŠĪ
		SE SE Sec. 3-T41S-R24E	43-037-15031	Act.
	4-14	SW SW Sec.4-T41S-R24E	43-037-16163	Act.
	4-22	SE NW Sec.4-T41S-R24E	43-037-15622	SI
	4-32	SW NE Sec.4-T41S-R24E	43-037-15623	12
	4-34	SW SE Sec.4-T41S-R24E	43-037-16164	Act.
	4-42.	SE NE Sec.4-T41S-R24E	43-037-15624	SI -
• •	5-34	SW SE Sec. 5-T41S-R24E	43-037-15983	ŞI*
	8-12	SW NW Sec. 8-T41S-R24E	43-037-15991	Act.
	8-14	SW SW Sec.8-T41S-R24E	43-037-15992	Act.
-	8-21	NE NW Sec. 8-T41S-R24E	43-037-15993	Act.
	8-23	NE SW Sec. 8-T41S-R24E	43-037-15994	Act.
	8–32	SW NE Sec.8-T41S-R24E	43-037-15995	SI
				-
~ • •				
		~		

•


.

6. UNIT OPERATOR (Well operator)

Phillips Petroleum Company is hereby designated as Unit Operator and by signature hereto as Unit Operator agrees and consents to accept the duties of Unit Operator for the development and production of Unitized Substances as herein provided.

Taken from the Ratherford Unit Agreement.

Operator Name Change.



STATE OF UTAH DIVISION OF OIL, GAS, AND MINING **ROOM 4241 STATE OFFICE BUILDING** SALT LAKE CITY, UTAH 84114 (801) 533-5771

(Revised 1982)

FORM NO. DOGM-UIC-1 (RULE I-5 & RULE I-4)

IN THE MATTER OF THE APPLICA Phillips Petroleum Co ADDRESS P. O. Box 2920 Casper, WY INDIVIDUAL PARTNERSHIP FOR ADMINISTRATIVE APPROVA INJECT FLUID INTO THE	ZIP 82602 CORPORATION AL TO DISPOSE OR W2 4 WELL	ENHANCED RECOVERY INJ. WELL DISPOSAL WELL LP GAS STORAGE EXISTING WELL (RULE 1-4) Refer to wit file
1. That Rule I-5 (g) (iv Gas storage operations	r) authorizes administrativ	TION tion Commission the following: re approval of enhanced reovery injections, dispo
lease Name Ratherford Unit	Well No. / W24	Greater Aneth San Juan
Location of Enhanced Recovery Injection or Disposal Well	4 su 1	Twp. 415 Rge. 2 -
New Well To Be Drilled Yes □ No 和	Old Well To Be Converted Yes 🖾 No 🗓	Casing Test
Depth-Base Lowest Known Wingar Fresh Water Within ½ Mile 1550	Does Injection Zone Contai	
Location of Desert Creek Pa Injection Source(s) I & II/ San	n Juan River	ogic Name(s) Desert Creek (5479) I Depth of Source(s) San Juan River (Surface
Geologic Name of Desert Crea	ek Zone I Dep	th of Injection real 3477 to 5560
a. Top of the Perforated Interval:	b. Base of Fresh Water	r: c. Intervening Thickness (a minus b) 392
Is the intervening thickness sufficient to without additional data?		NO material, attachment #4
Lithelegy of Intervening Zenes See	e previously submit	ted material, attachment #1
Injection Rates and Pressures	Maximum 500	
The Names and Addresses of Those to	Whem Netice of Application Sh	uld be Sent.
	Joint Interest Adv	146, Window Rock, AZ 86515 risor P. O. Box 5444 Denver, CO 802
Texaco Inc., P. O. Box	x 2100, Denver, CO	80201
	x 2100, Denver, CO	
State of Wyoming State of Natrona Before me, the undersigned known to me to be the person weath states, that he is duly aut	d authority, on this day pe whose name is subscribed to thorized to make the above	Phillips Petroleum Company Applicant resonally appeared D. C. Gill o the above instrument, who being by me duly see report and that he has knowledge of the factors.
State of Wyoming State of State of State of State of State of State of State on Sta	d authority, on this day pe whose name is subscribed the about the and correct.	Phillips Petroleum Company Applicant resonally appeared D. C. Gill o the above instrument, who being by me duly s

INSTRUCTIONS

- 1. Attach qualitative and quantitative analysis of representative sample of water to be injected and a qualitative and quantitive analysis of the injection formation of water.
- 2. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within one-half mile, together and with the name of the operator(s).
- 3. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division or appropriate government agencies.)
 - 4. Attach Electric or Radioactivity Log of Subject well (if released).
- 5. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
- 6. If the application is for a NEW well the original and six (6) copies of the application and three (3) complete sets of attachments shall be mailed to the Division. For EXISTING well applications (Rule I-4) only ONE copy of the application and ONE complete set of attachments are required to be mailed to the Division.
- 7. The Division is required to send notice of application to he surface owner of the land within one-half mile of the injection well and to each operator of a producing leasehole within one-half mile of the injection well. List all required names and addresses in the appropriate space provided on the front of this form.
- 8. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county of publication before the application is approved. The notice shall include the name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application may be approved administratively.
- 9. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed by January 31st each year.
- 10. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
 - 11. If there is less intervening thickness required by Rule I-5 (b) 4, attach sworn evidence and data.
- 12. For enhanced recovery projects, information required by Rule I-4 which is common to more than one well, need be reported only once on the application.

CASING AND TUBING DATA

NAME OF ST	TRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	28#	85/8"	1497'	800sK	Surface	Returns
Intermediate		none				
Production	14#	512"	5478'	200 SX	4843	CALCULATED
Tubing		2-3/8 or 2-	7/8	Name Baker type Al	- Type - Depth o	Tubing Packer (5378
PB Total Depth 5560		ogic Name - Inj.	Zone Dept	h - Top of İnj. Into 54		- Base of Inj. Interval

FIELD: GREATER ANETH	WI COMPLETION: MURCITY /
RÉSERVOIR: Desert leek Tone	PESENT STATUS: Conversion
PKB 4632 GL 4621 Well # 1 W24	SURFACE CASING: 85/8" 28# H-40 PRODUCTION CASING: 51/2 11 14
PERFORATIONS: Spen Note 5478- 5560	
	PACKER: Buker Model AB Type Tension Pkr or Similar Set. at 5378'
<u>5478'</u>	
РВТD: <u>5560</u> - ОТD: <u>57608</u>	

Phillips Petroleum Company



Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

March 13, 1986

Newspaper Agency Legal Advertizing Mezzanine Floor 143 South Main Salt Lake City, Utah 84111

Gentlemen:

RE: UIC-079

Attached hereto is a Notice of Application of Administrative Approval, before the Division of Oil, Gas and Mining, Department of Natural Resources, State of Utah.

It is requested that this notice be published ONCE ONLY, as soon as possible but no later than the $20 \, \mathrm{th}$ day of March . In the event that said notice cannot be published by this date, please notify this office immediately by calling 538-5340 Ex. 5296.

Upon completion of this request, please send proof of publication and statement of cost to the Division of Oil, Gas and Mining, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1203.

Very truly yours, DIVISION OF OIL, GAS AND MINING

Jadayne Loubs

MARJORIE L. ANDERSON Administrative Assistant

mfp 0045A



Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

'March 13, 1986

San Juan Record
Legal Advertizing
Monticello, Utah 84535

Gentlemen:

RE: UIC-079

Attached hereto is a Notice of Application of Administrative Approval, before the Division of Oil, Gas and Mining, Department of Natural Resources, State of Utah.

It is requested that this notice be published ONCE ONLY, as soon as possible but no later than the $$_{20th}$$ day of $$_{March}$$. In the event that said notice cannot be published by this date, please notify this office immediately by calling 538-5340 Ex. 5296.

Upon completion of this request, please send proof of publication and statement of cost to the Division of Oil, Gas and Mining, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1203.

Very truly yours, DIVISION OF OIL, GAS AND MINING

Marlayne Forther

MARJORIE L. ANDERSON Administrative Assistant

mfp 0045A

BEFORE THE DIVISION OF OIL, GAS AND MINING DEPARTMENT OF NATURAL RESOURCES STATE OF UTAH

---00000---

IN THE MATTER OF THE APPLICATION:

OF PHILLIPS PETROLEUM COMPANY,

FOR ADMINISTRATIVE APPROVAL TO:

INJECT FLUID INTO CONVERTED

ENHANCED RECOVERY INJECTION WELLS:

LOCATED IN SECTIONS 6, 7, & 8,

TOWNSHIP 41 SOUTH, RANGE 24 EAST;

AND SECTION 1, TOWNSHIP 41 SOUTH,

RANGE 23 EAST, S.L.M., SAN JUAN:

COUNTY, UTAH

---00000---

THE STATE OF UTAH TO ALL INTERESTED PARTIES IN THE ABOVE ENTITLED MATTER.

Notice is hereby given that Phillips Petroleum Company, P.O. Box 2920, Casper, Wyoming, 82602 has requested administrative approval from the Division to convert the following listed wells to enhanced recovery water injection wells:

RATHERFORD UNIT

WELL	LOCATION	WELL	LOCATION
#1-44	Sec. 1, T41S, R23E	#7-32	Sec. 7, T41S, R24E
#1-24	Sec. 1, T41S, R23E	#7-23	Sec. 7, T41S, R24E
#1-13	Sec. 1, T41S, R23E	#7-14	Sec. 7, T41S, R24E
#6-14	Sec. 6, T41S, R24E	#7-12	Sec. 7, T41S, R24E
#7-34	Sec. 7, T41S, R24E	#8-14	Sec. 8, T41S, R24E

Injection Interval: Desert Creek 5,479' to 5,929' Maximum Estimated Surface Pressure: 3000 psig Maximum Estimated Water Injection Rate: 500 BWPD

Approval of this application will be granted unless objections are filed with the Division of Oil, Gas and Mining within fifteen days after publication of this Notice. Objections, if any, should be mailed to the Division of Oil, Gas and Mining, Attention: UIC Program Manager, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1203.

DATED this 13th day of March, 1986.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

MARJORIE L. ANDERSON Administrative Assistant

AFFIDAVIT OF PUBLICATION

+ 5-

Public notice

BEFORE THE DIVISION OF OIL, GAS AND MINING DEPARTMENT OF NATURAL RESOURCES STATE OF UTAH

IN THE MATTER OF THE APPLICA-TION OF PHILLIPS PETROLEUM COMPANY, FOR ADMINISTRATIVE APPROVAL TO INJECT FLUID INTO CONVERTED ENHANCED RECOV-ERY INJECTION WELLS LOCATED IN SECTIONS 6, 7, & 8, TOWNSHIP 41 SOUTH, RANGE 24 EAST; AND SECTION 1, TOWNSHIP 41 SOUTH, RANGE 23 EAST, S.L.M., SAN JUAN COUNTY, UTAH

CAUSE NO. UIC-079

THE STATE OF UTAH TO ALL INTERESTED PARTIES IN THE ABOVE ENTITLED MATTER.

Notice is hereby given that Phillips Petroleum Company, P.O. Box 2920, Casper, Wyoming, 82602 has requested administrative approval from the Division to convert the following listed wells to enhanced recovery water injection wells:

RATHERFORD UNIT .

TIDIU OLUD OLUD
Sec. 1, T41S, R23E
Sec. 1, T41S, R23E
Sec. 1, T41S, R23E
Sec. 6, T41S, R24E
Sec. 7, T41S, R24E
Sec. 8, T41S, R24E

Injection Interval: Desert Creek 5,479' to 5,929'

Maximum Estimated Surface Pressure: 3000 psig

Maximum Estimated Water Injection Rate: 500 BWPD

Approval of this application will be granted unles objections are filed with the Division of Oil, Gas and Mining within 15 days after publication of this Notice. Objections, if any, should be mailed to the Division of Oil, Gas and Mining Attention: UIC Program Manager, 355 West. North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84108-1203.

DATED this 13th day of March, 1986. STATE OF UTAH

STATE OF UTAH
DIVISION OF OIL,
GAS AND MINING
MARJORIE L. ANDERSON
Administrative Assistant
Published in The San Juan Record
March 19, 1966.

080000 I, Joyce Martin, ig duly sworn,

depose and say that I am the publisher of the San Juan Record, a weekly newspaper of general circulation published at Monticello, Utah, every Wednesday; that notice of request for administrative approval to inject fluid into converted wells, Cause # UIC-079 a copy of which is hereunto attached, was published in the regular and entire issue of each number of said newspaper for a period of one issues, the first publication having been made on March 19, 1986. and the last publication having been made on Signature Oyce a Marlin
Puplisher Subscribed and sworn to before me this day of March _____, A.D. notice & adams Residing at Monticello, Utah December 2, 1987 My commission expires

Affidavit of Publication

SS.

STATE OF UTAH,

County of Salt Lake

OL, GAS AND AINING DEPARTMENT OF NATURAL RESOURCES STATE OF UTAM	Cheryl Gierloff	
CAUSE NO. UICAPS IN THE MATTER OF THE AP- PLICATION OF PHILLIPS PE- TROLEUM COMPANY, FOR ADMINISTRATIVE APPROVAL- TO INJECT FLUID INTO CON- VERYED JEHNANCED RECOV- ERY INJECTION WELLS LO- CATED IN SECTIONS 4, 7, 8 8, TOWNSHIP 41 SOUTH, RANGE 24 EAST, AND SECTION 1, TOWNSHIP 41 SOUTH, RANGE 23 EAST, S.L.M., SAN JUAN COUNTY, LITAM. THE STATE OF UTAM TO ALL INTERESTED PARTIES IN THE ABOVE ENTITLED MAT- TER: Notice is hereby given that Phillips Petroleum Company, P.O. Box 2728, Cosper, Wyo- Ming, 23M2 that requisited ad- ministrative coperval from the Division to convert the follow-	Being first duly sworn, depose legal advertising clerk of THE a daily newspaper printed in the general circulation in Utah, an City, Salt Lake County, in the DESERET NEWS, a daily not be English language with general published in Salt Lake City, State of Utah.	SALT LAKE TRIBUNE, the English language with the English language with the State of Utah, and of the ewspaper printed in the circulation in Utah, and Salt Lake County, in the
ing listed wells to enhanced re- covery water injection wells: RATHERPORD UNIT Well e1-44 Sec. 1, 741S, R23E e1-34 Sec. 1, 541S, R23E e1-34 Sec. 1, 541S, R23E e1-34 Sec. 1, 541S, R23E e4-14 Sec. 4, 741S, R24E	That the legal notice of which Cause No. UIC-079 Applicat	
97-34 Sec. 7, 7413, R24E 97-32 Sec. 7, 7413, R24E 97-32 Sec. 7, 7413, R24E 97-14 Sec. 7, 7413, R24E 97-17 Sec. 7, 7413, R24E 98-14 Sec. 8, 7413, R24E injection intervol: Desert Creek 8,479 to 5,929	Petroleum Company	
Maximum Estimated Surface Pressure: 2009 pile Maximum Estimated Water Infection Role: 300 BMPD Approval of this application will be granted unless ablections are filed with the Division		
of Oil, Gas and Mining within fif- teen days after publication of this Notice. Objections, if only, should be malled to the Division of Oil, Gas and Mining, Atten- tion: UKC Program Manager, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Urah 84180-1203. DATED Mils 13th day of	was published ir	<i>Ot.</i> 4.11
Morch, 1984. STATE OF UTAH DIVISION OF OIL, GAS AND AINING MARJORIE L. ANDERSON Administrative Assistant H-33		Avertising Cleby
Subscribed and sworn to before March	re me this	day of
•	B.J. Davis	v
		Notary Public
My Commission Expires March 1, 1988	OT ARY PUBL	
	B. T. DAVIS	



355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

April 8, 1986

Phillips Petroleum Company P.O. Box 2920 Casper, Wyoming 82602

Gentlemen:

RE: Injection Well Approval - Cause No. UIC-079

Administrative approval is hereby granted to convert the following wells to Class II enhanced recovery water injection wells:

RATHERFORD UNIT - San Juan County, Utah

WELL	LOCATION	WELL	LOCATION -
#1-44	Sec. 1, T41S, R23E	#7-32	Sec. 7, T41S, R24E
#1-24	Sec. 1, T41S, R23E	#7-23	Sec. 7, T41S, R24E
#1-13	Sec. 1, T41S, R23E	#7-14	Sec. 7, T41S, R24E
#6-14	Sec. 6, T41S, R24E	#7-12	Sec. 7, T41S, R24E
#7-34	Sec. 7, T41S, R24E	#8-14	Sec. 8, T41S, R24E

This approval is conditional upon full compliance with the UIC rules and regulations adopted by the Board of Oil, Gas and Mining, and construction and operation of the well as outlined in the application submitted.

If you have any questions concerning this matter, please do not hesitate to call or write.

Best regards.

Dianne R. Nielson

Director

mfp 7627U

Publication was sent to the following:

Navajo Tribe PO Box 146 Window Rock, Arizona 86515

Mobil OIl Company Attn: Joint Interest Advisor PO Box 5444 Denver, Colorado 80217

Texaco, Inc. PO Box 2100 Denver, Colorado 80201

Phillips Petroleum Company PO Box 2920 Casper Wyoming 82602

Utah State Department of Health Water Pollution Control Attn: Loren Morton 4241 State Office Building Salt Lake City, Utah 84114

U.S. Environmental Protection Agency Suite 1300 Attn: Mike Strieby 999 18th Street Denver, Colorado 80202-2413

Bureau of Land Management consolidated Financial Center 324 South State Street Salt Lake City, Utah 84111-2303

Newspaper Agency Legal Advertizing Mezzanine Floor 143 South Main Salt Lake City, Utah 84111

San Juan Record Legal Advertizing Monticello, Utah 84535

March 13, 1986

Mobil Oil Corporation

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth
Associate Director



DIVISION OF OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

R. D. Baker

Environmental Regulatory Manager

CNE/rd CNE8661

3

	RIIRFALL			
		D MANAGEMENT		14-20-603-246
SUNDR	Y NOTICES AN	ID REPORTS (ON WELLS	
(Do not use this form	of for proposals to drill a "APPLICATION FOR F	it to deepen or plug b PERMIT—" for such pi	ack to a different recervoir. Operais.)	Navajo
			·	T. UNIT AGREEMBNY HAMB
WELL X WELL	OTESE			SW-I-4192
HAMS OF OPERATOR	•			8. PARM OR LEAGE WAME
Phillips Petro	Leum Company			Ratherford Unit
	Casper, WY 82	602		1-24
LOCATION OF WELL (Report See also space 17 below.)	rt location clearly and in	accordance with any	State requirements.*	10. FIRE AND POOL, OR WILDCAT
At surface				Greater Aneth
< mat				11. SEC., T., R., M., OR BLE. AND SURVEY OR ARMA
651' FNL, 3300	' FWL (SE SW)	-		Sec. 1, T41S-R23E
PREMIT NO.	i 18. BLEVATI	IONS (Show whether DF.	87. 68. etc.)	12. COUPTY OR PARISH 12. STATE
43-037-15839	1	2' RKB	,	San Juan Utah
	<u> </u>	D T t b . M	. (A) B	
	Check Appropriate i	box to indicate N	ature of Notice, Report,	or Other Data
NOTE	CB OF INTENTION TO:			Banguart agreet dr:
TEST WATER SHUT-OFF	PULL OR ALTS	R CABING	WATER SHUT-OFF	BEPAREIRG WELL
PRACTURE TREAT	MULTIPLE CON	#PI-ETE	PRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIES	X ABANDON*		SECOTING OR ACIDIZING (Other)	ABANDONMBHZ*
	to Water <u>Inject</u>	·	(NOTE - Report P	esults of multiple completion on Well completion Report and Log form.)
				dates, including estimated date of starting as vertical depths for all markers and gones per
A 10' x 8' x 6	' fenced pit wi	11 be constru		nd placed on injection. in a previously disturbed ed and recovered.
5-BLM, Farming 2-Utah O&G CC, 1-P. J. Adamson 1-M. Williamson 1-J. R. Weichbe 1-B. J. Murphy 1-File RC	Salt Lake City n, 302 TRW rodt APPROV OF UTA	ED BY THE AH DIVISION	OF DIVISION OF	=
		STEERS		rederal approval of this action is required before commencing operations.
Thereby and the state of	fortune to have and			operations.
I hereby certify that the	foregoing is true and con			
I hereby certify that the	feregoing in true and con		a Manager	May 14, 1986

*See Instructions on Reverse Side

3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

Commencement Notice

Page 1 of 1

			į	PRODUCING ENTITY ACTION	N					
									CTION CODE	
0	- Noa Ph	illine Pa	troleum Company						ntity for new well(s)	,
Operato	D -	x 2920	CLOTERIII COMPANY						to existing entity.	
Address .		sper	,	State Wyoming Zip 82602					om existing entity. http://orwell(s).bein	a deleted from
		772				exi	sting (entity.		
1	300				}			well(s)	from one entity to	another existing
	•		4	1	ł		tity. Ser (S	Specify i	using attachments	if necessary 1
Authorize	ed Signature	Meredil	k. X. Widik	lec	ł				S TO BE GROUPED	
Effective	Date	<u>(</u>		Telephone (307) 237-3791			ACK!		- O DE GROOFED	
(Use bla	ck ink or typew	riter (ibbon.)								
Action	Current	New			Well	Locat	ion		· · · · · · · · · · · · · · · · · · ·	Producing
Code	Entity No.	Entity No.	API No.	Well Name	Sec.	T	ß	ର/ର	County	Formation
С	06280		4303715735	Ratherford Unit, Well 18-14	18	415	24E	SWSW	San Juan	PRDX
Explanat	ion of action:		<u> </u>							
		was conve	<u> </u>	Ratherford Unit. Well 1-24	1986			SESW	San Juan	PRNX
C	06280	was conve	4303715839	Ratherford Unit, Well 1-24	1986			SESW	San Juan	PRDX
C Janati	06280		4303715839	· ·	1			SESW	San Juan	PRDX
C Janati	06280		4303715839	Ratherford Unit, Well 1-24	1			SESW	San Juan	PRDX
C Janati	06280		4303715839	Ratherford Unit, Well 1-24	1			SESW	San Juan	PRDX
C Janati	06280 ion of action: Vell #1-24 v		4303715839	Ratherford Unit, Well 1-24	1			SESW	RECEIV	VE
C Janati	06280 ion of action: Vell #1-24 v		4303715839	Ratherford Unit, Well 1-24	1			SESW	San Juan	VE
C Janati	06280 ion of action: Vell #1-24 v		4303715839	Ratherford Unit, Well 1-24	1			SESW	RECEIV	VE 1986

an equal opportunity employer



3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

Page _____ of ____

				PRODUCING ENTITY ACTION	V					
Effective	Bo Ca count No. NO d Signature 2	x 2920 sper 772 Mesestit	troleum Company	State Wyoming zip 82602 Lew Telephone (307) 237-3791		B Ad C De D Est exi E Ch en F Ott	d nev lete v ablish sting ange tity. ner. (S	n new enw well(s) well(s) from the end of th	ACTION CODE ntity for new well(s). to existing entity. me existing entity. ntity for well(s) being from one entity to a using attachments i S TO BE GROUPED	nother existing f necessary.)
Action	ck ink or typew	New			Well	Local	ion	 		Producing
Code	Entity No.	Entity No.	API No.	Well Name	Sec.	T	R	Q/Q	County	Formation
С	06280		4303715735	Ratherford Unit, Well 18-14	18	415	24E	SWSW	San Juan	PRDX
	06280	was conv	4303715839	injector well effective June 23, Ratherford Unit, Well 1-24	1986	<u> </u>	 	SESW	San Juan	PRDX
,	on of action:	was conve	rted to a water	injector well effective August 1,	1986					
Explanation	on of action:	<u> </u>	1						PECEIV SEP 02 1	
Explanation	on of action:					<u></u>		<u></u>	DIVISION OIL, GAS & N	OF AINING /

an equal opportunity employer

Form 3160-5 (November 1983) (Formerly 9-331) DEPART	UNITED STATES MLDF THE INTERIOR NU OF LAND MANAGEMENT		Expired August 31, 1965 LAGGE SCHAFFEN ARE SCHAL FO. 14-20-603-246
	ICES AND REPORTS ON THIS PORT PLANT HAS BOOK TO BE PERSON OF THE PORT OF THE P	MELL?	MAVAJO
OFL O SAS O STEEL		₹.	ANS TOTAL NESS BYNS
2. HAMD OF OFFICE OFFI	Water Injector	1	SW-I-4192
Phillips Petroleum C	ompany		Ratherford Unit
P.O. Box 2920, Casp	er, WY 82602		1W24
4. LOCATION OF WELL (Report location of See also space 17 below.) At surface	clearly and in accordance with any State	requirements.* 16.	PINLS AND POOL, OR WILDCAY
651' FSL, 3300 FEL	SE SE	11.	Greater Aneth
API# 43-037- 15389	•		Sec.1-T41S-R23E
14. PRRMIT NO.	15. BLEVATIONS (Show whether Mr. ST, 6	19.	COUPET OR PARISE 18. STATE
	4632' RKB		San Juan Utah
	ppropriate Box To Indicate Natur	e of Notice, Report, or Other	Data
NOTICE OF INTER	7210H 170:	AUBOSQUENT :	Mirate er:
	PCLL OR ALTER CASING	WATER SECT-OFF	BEPAIRING WELL
	MULTIPLE COMPLETE	PRACTURE TREATMENT	VPVADORMENTO
REPAIR WELL	CHANGE PLANS	(Other) Convert to Wate	r Injection XX
(Other) 7. DESCRIBE PROPOSED OR COMPLETED OF Proposed work. If well in direction to the control of the control	·	(Nors: Report results of m Completion or Recompletion	Beport and Log form.)
Spotted sand across (5423'-5459 OA) w/200 began recovering metaswedged thru collapse 5563' OA w/1600 28% Acidized 5411'-5563' at 5365'. Sqz Ismay to 5563'. Ran 2-3/8' 8/1/86.	Zone I(open hole). Set of sx Class B cmt. WOC. al returns at 5474', Coled casing to 5527'. Clean out sand from OA w/2400 gal 28% HCL Apperfs (5423'-5459' OA) will be be as the coled casing to Set Packet Coled C	Cmt retainer at 5381' Drill Cement retainer lapsed casing @ 5474' aned out hole to 5563 m 5554-5563'. Ran mag cid. Spotted sand ac w/225 sx Class B cmt er @ 5354'. RR 7/22	cement to 5474', . Milled and '. Acidized 5478'- gnetic casing caliper ross Zone I. Set packe . Drilled cmt& sand
	tion Before 3 BOPD, 150 ion After 208 BWPD @		
AUG 4 1987	•		
		4-BLM, Farmington, 2-Utah O&G CC, SLC 1-M. Williams, B'V 1-J. Landrum, Denv 1-J. Reno, Cortez	, UT 1-Mobil Oil ille 1-Texaco, Inc.
B. I bereby certify that the foregoing is			-/2 /2-
BIGNED D. C. Gill	TITLE Area M	anager	DATS 7/27/87
(This space for Federal or State office	1 100)		
APPROVED BY	TITL3		DATE

Form 3160-5 (November 1983) (Formerly 9-331)	UNITED STAT EPARTMEN OF THE BUREAU OAND MAN	INTERIOR (Other In	N TRIPLICATES	Expires August 31, 1985 5. LEASE DESIGNATION AND SERIAL NO.
(the not use this form	NOTICES AND REI	en or plug back to a different	ł	SW-I-4192
5.		***************************************		7. UNIT AGREEMENT NAME
OIL GAS WELL	OTHER WATER INJECT	ION & WATER SUPPLY	WELLS F	RATHERFORD UNIT #7960041920
2. NAME OF OPERATOR				. PARM OR LEASE HAME
PHILLIPS PETROLE	UM COMPANY			
3. ADDRESS OF OPERATOR				. WELL NO.
152 N. DURBIN, 2	ND FLOOR, CASPER, W location clearly and in accordan	YOMING 82601 TO	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	VARIOUS (see attached)
See also space 17 below.) At surface	location citariy and in accordan		(- n 1 1 1 1	CDEATED ANETH
SEE ATT	ACHED			GREATER ANETH
SEE ATT	ACHED	MAR 20 19	89	SURVEY OR AREA
			_	Sections 1 thru 30
14. PERMIT NO.	15. BLEVATIONS (Sho	w whether DF, BT, CR, etc.)		T41S - R23E & 24E
		Dill, Gas & Mi		San Juan Utah
16.				
	heck Appropriate Box To	Indicate Nature of Notic	e, Keport, or Off	ner Dafa
NOTICE	OF INTENTION TO:		BURGRAUGE	T REPORT OF:
TEST WATER SHUT-OFF	PULL OR ALTER CABING	WATER SH	UT-OFF	BEPAIRING WELL
PRACTURE TREAT	MULTIPLE COMPLETE	PRACTURE	TREATMENT	ALTERING CASING
BROOT OR ACIDIZE	ABANDON*		OR ACIDIZING	ABANDONMENT®
REPAIR WELL	CHANGE PLANS		CHANGE OF OWN	
(Other)	· · · · · · · · · · · · · · · · · · ·	Com	z: Keport results of pletion or Recompleti	multiple completion on Well on Report and Log form.) cluding estimated date of starting any
the Ra	s to advise all Wat therford Unit, list llips Petroleum Com	ed on the attached	l sheet, were	sold
(forme	r Operator - Philli	ps Oil Company)		
			•	
			3 - BI	M, Farmington, NM
			2 /= .∐ŧ	ah O&G CC, SLC, UT
41-23-1 037	- 15839		l - Fi	
18. I hereby certify that the fe	pregoing is true and correct			
SIGNED S. H. Oden	· Volen T	ITLE District Supe	rintendent	DATE March 17, 1989
(This space for Federal or	State office use)			
APPROVED BY		ITLE		DATE

DOWNHOLE SCHEMATIC

Date: 8/6/87

RATHER FORD UNIT # 1W24 4632' RKB Elev.

GL ELEU.

RKB About GL'

4620 12 Location SE SE Sec. 1 T415- R23E

Well Deld 2/5/58

Well Converted 12/7/86 to injector 12/7/86

_	_	
CANI	ouctor	Csc

0

Surface CSG.

8 % @ 1497'

TOC 4/15 CALC

Tubing 278@ 5484' Unoline HTZ

PACKER Olis INTER-lock PACKER

N: conted @ 5298

PERFS 5423 - 5434

PBTO 5563 1

PRODUCTION Csg.

5/205478 T-55 14#

All Perfs Zone I unless NoteD

OPEN MORT + PARFS

Form 3160-5 (June 1990)

Final Abandonment Notice

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED dget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

SUNDRY NOTICES Do not use this form for proposals to d Use "APPLICATION FO	6. If Indian, Allottee or Tribe Name Navajo	
SUBMI	T IN TRIPLICATED A ALLEGED HIM.	7. If Unit or CA, Agreement Designat
1. Type of Well		SW-I-4192
Oil Gas Wil Other Water In	ijection	8. Well Name and No.
2. Name of Operator		Ratherford Unit #1W
Phillips Petroleum Company		9. API Well No. 15-839 24
3. Address and Telephone No.		43-037- 15389 ′
300 W. Arrington, Suite 200	, Farmington, NM 87401 (505) 599-3412	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey D	Description)	Greater Aneth
651' FSL & 3300' FEL SE/SE		11. County or Parish, State
Section 1, T41S, R23E		San Juan, Utah
12. CHECK APPROPRIATE BOX	s) TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment Recompletion	Change of Plans New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally dri give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Casing Repair

Altering Casing

During a routine clean-out a hole in the casing was found at 2330'. A procedure is being prepared to circulate cement into the hole in the casing and up through the bradenhead. After the cement has cured and drilled out, an MIT will be performed to ensure that the cement squeeze has repaired the hole in the casing. An acid clean-up will then be performed on the open hole section and the injection equipment will be run. An MIT will be performed before returning the well to injection. Warren Hueman received verbal approval from Charlie Beechman with the BLM to begin the clean-out.

> Accepted by the State of Utah Division of Oil, Gas and soleling

Date: 6-18-91

Water Shut-Off

Dispose Water

Conversion to Injection

(Note: Report results of multiple completion on V

DIVISION OF OIL GAS & MINING

	*See Instruction on Reverse Side Open	FARIMIRE TOR HE SOUND A MERCE S
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly or representations as to any matter within its jurisdiction.		FARMINATON RESOURCE AREA
Approved by		JUN 9/2 1991
•	Title	
(This space for Federal or State office use)		
14. I hereby certify that the foregoing is true and correct Signed	. Title Sr. Drlg. & Prod. Er	ngineer AP - 5-7-91

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED				
Budget Bure	eau No.	1004-0135		
Expires:	March	31, 1993		

5. Lease Designation and Serial No.

14-20-603-246

6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS	
rm for proposals to drill or to deepen or reentry to a different reser	v

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals.

Navajo Tribal

SUBMIT IN TRIPLICATE		7. If Unit or CA, Agreement Designation
SUDMIT IN THIFLICATE	JUN-1-4-1991	Ratherford Unit
1. Type of Well	JUN 1 4 1771	SW-I-4192
Oil Gas Well Water Injection		8. Well Name and No.
2. Name of Operator	DIVISION OF	Ratherford Unit #1W24
Phillips Petroleum Company	OIL GAS & MINING	9. API Well No.
3. Address and Telephone No.		41.037-15829
5525 Hwy 64 NBU 3004, Farmington, NM 87401	(505) 599-3412	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		Greater Aneth
Sec. 1, T41S, R3E 23€		11. County or Parish, State
		San Juan, Utah
12 CHECK APPROPRIATE BOX(s) TO INDICATE	NATURE OF NOTICE, REPO	RT, OR OTHER DATA

12.	CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA					
	TYPE OF SUBMISSION	TYPE OF ACTION				
	Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing XX Other Clean-Out & Stimulate	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)			

5-2-91 thru 5-21-91 ·

MI & RU DDU. COOH w/injection equipment. Cleanout well to 5553'. Ran Halliburton csg inspection log from 5478' to 1500'. WIH w/RBP & Pkr. Isolated csg leak @ 2330'. Pumped 82 bbls Class G & 41 bbls Class G w/2% CaCl into csg leak & thru bradenhead. Closed bradenhead & squeezed to 1000 psi. Drilled out cement & tested to 1000 psi. Acidized well with 6000 gallons of 15% gelled HCl acid, maximum pressure 1600 psi. WIH w/Baker Lok-Set pkr on 2-3/8" Rice duoline tbg. Set pkr @ 5345', circ. pkr fluid & conducted UIC test. UIC test was witnessed & okayed by EPA inspector Kenneth Lingo. Put well back on injection 10:30 AM 5/21/91.

Prior Inj. Rate - 159 BWPD, 2550 psi Post Inj. Rate - 274 BWPD, 0 psi

Approved by	Title		Date	
(This space for Federal or State office use)				
14. I hereby certify that the foregoing is true and cor Signed F ROBINSON		& Prod. Engr.	Date6-11	<u>-91</u>
1 - EPA, San Francisco	1 - Chieftain	1 - PPCo, Houston		
2 - Utah, O&G	1 - P. J. Konkel	1 - Texaco		
5 - BLM, Farmington	1 - EPA, Window Rock	l - Mobil	1 - PPCo,	Farmingto

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

^{13.} Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

DEI ARTIME	TAND MANAGEMENT	Expires: March 31, 1993
BUREAU OF	LAND MANAGEMENT	5. Lease Designation and Serial No.
011115TV 110710F6	AND REPORTS ON WELLS	14-20-603-246-A
• • • • • • • • • • • • • • • • • • • •	6. If Indian, Allottee or Tribe Name	
Do not use this form for proposals to d		
Use "APPLICATION FO	OR PERMIT—" for such proposals	Navajo Tribal
- CURAN	T IN TRIBLIANTE	7. If Unit or CA, Agreement Designation
SUBMI	T IN TRIPLICATE	Ratherford Unit
1. Type of Well		SW-I-4192
01 C.,	njection	8. Well Name and No.
2. Name of Operator		Ratherford Unit #1W24
Phillips Petroleum Company		9. API Well No.
3. Address and Telephone No.		13 037-15859
•	gton, NM 87401 (505) 599-3412	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey D	escription)	Greater Aneth
The second of th		11. County or Parish, State
Sec. 1, T41S, R23E		
		San Juan, Utah
TOTAL ADDRODUATE DOV	A TO INDICATE MATURE OF MOTIOE REPOR	T OD OTHER DATA
12. CHECK APPROPRIATE BUX	s) TO INDICATE NATURE OF NOTICE, REPOR	II, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
	Π	Π
Notice of Intent	Abandonment	Change of Pians
—	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing Other Running Liner	Conversion to Injection
	Other	(Note: Report results of multiple completion on Well
		Completion or Recompletion Report and Log form)
13. Describe Proposed or Completed Operations (Clearly state at	l pertinent details, and give pertinent dates, including estimated date of starting all depths for all markers and zones pertinent to this work.)*	any proposed work. If well is directionally drilled
Tive substitute locations and intensive and and	,	
After re-entering this well fo	r a dual packer procedure, the casing	condition was such
	d remain questionable. We hereby prop	
from 5600' to surface. This w	rell will remain shut-in until the lin	er can be run.
The liner will be cemented in	2 stages with 50/50 (G:Poz) cement; t	he DV tool will be
at ± 3000 '. The well will be p	erforated 5484'-5586' OA, and stimula	ted with 3500 gallons
	packer will be set at ±5400', an MIT	
	1 will be returned to injection. Fort	
	ng the liner and performing the MIT.	DECEMBLE
•		INTERPRETATION
Accepted by the State		
of Utah Division of		JUL 2 5 1991
		10L Z J 1771
Oil, Gas		
Date: 8-2-91		DIVISION OF
	•	OIL GAS & MINING
By: 476-6	e f	
·		
14. I hereby certify that the long going is true and correct	/	7 16 01
Signed of Robinson	Title Sr. Drlg. & Prod. Engr.	Date
(This space for Federal or State office use)	_	
Federal Approval of thi	S Title	Date
Approved byACUON IS NOCOSSARY Conditions of approval, if any:		

Form 3160-5 (June 1990)

14. I hereby certify that the foregoing is true and correct

(This space for Federal or State office use)

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-246-A

6. W Indian, Allottee or Tribe Name

11-15-91

Desc

Date

	OR PERMIT—" for such proposals	Navajo Tribal
CURMI	TIN TRIPLICATE DECEMBER	7. W Unit or CA, Agreement Designation
SUBMIT	M THE CALE	Ratherford Unit
1. Type of Well		SW-I-4192
Oil Gas Well Water Water	Injector NOV 1 8 1991	8. Well Name and No.
2. Name of Operator	1(0) 1 0 1771	Ratherford Unit #1W24
Phillips Petroleum Company		9. API Well No.
3. Address and Telephone No.	DIVISION OF	13-037-15829
5525 Hwy 64 NBU 3004, Farming	gton, NM 87401 (505) (3129GAS1& MINING	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey D	Description)	Greater Aneth
651' FSL & 3300' FEL		11. County or Parish, State
Sec. 1, T41S, R23E		San Juan, Utah
· · · · · · · · · · · · · · · · · · ·		
12. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REP	ORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTIO	N
Notice of Intent	Abandonment	Change of Plans
Motice of times	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
Constitution in the second	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	Other	Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form)
13 Describe Proposed or Completed Operations (Clearly state a	If pertinent details, and give pertinent dates, including estimated date of star	Completion or Recompletion Report and Log form)
Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertically).	Ill pertinent details, and give pertinent dates, including estimated date of star cal depths for all markers and zones pertinent to this work.)*	Completion or Recompletion Report and Log form)
give subsurface locations and measured and true veru $10-9-91$	cal deputs for all markers and zones pertinent to tals work.	Completion or Recompletion Report and Log form)
give subsurface locations and measured and true veru 10-9-91 EPA and BIM were notified by	telephone on 10-9-91.	Completion or Recompletion Report and Log form) ting any proposed work. If well is directionally drilled
10-9-91 EPA and BLM were notified by MT & RU DDU. COOH w/2-3/8" R	telephone on $10-9-91$. Since lined injection tbg. $w/5-1/2$ " 0	Completion or Recompletion Report and Log form) ting any proposed work. If well is directionally drilled tis Interlock pkr.
give subsurface locations and measured and true vertices and true	telephone on 10-9-91. dice lined injection tbg. w/5-1/2" 0 72'. Ran 4" flush it. liner. Set cs.	Completion or Recompletion Report and Log form) ting any proposed work. If well is directionally drilled tis Interlock pkr. g. shoe @ 5569', float
give subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and subsurface locations are subsurface locations and measured and subsurface locations are subsurface locations and subsurface locations are subsurface locations and measured and subsurface locations are subsurface locations and measured and subsurface locations are subsurface locations.	telephone on 10-9-91. Tice lined injection tbg. w/5-1/2" 0 To 2'. Ran 4" flush jt. liner. Set cs. @ 2982'. Pmpd 100 sx 50/50 G-Poz c	Completion or Recompletion Report and Log form) ting any proposed work. If well is directionally drilled tis Interlock pkr. g. shoe @ 5569', float ement followed by
give subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface and BLM were notified by MI & RU DDU. COOH w/2-3/8" R Underreamed from 5478' to 55 collar @ 5527' and D.V. tool 20 sy Class G Neat. Displace	telephone on 10-9-91. Thice lined injection the w/5-1/2" of the control of the c	Completion or Recompletion Report and Log form) ting any proposed work. If well is directionally drilled tis Interlock pkr. g. shoe @ 5569', float ement followed by w/1600 psi. Open
give subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and subsurface locations and subsurface locations and subsurface locations and subsurface locations and subsurface locations and subsurface locations and subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and subsurface locations are subsurface locations and subsurface locations are subsurface locations and subsurface locations and subsurface locations and measured and the vertical subsurface locations are subsurface locations and subsurface locations are subsurface locations and subsurface locations are subsurface locations and subsurface locations are subsurface locations and subsurface locations are subsurface locations and subsurface locations are subsurface locations and subsurface locations are subsurface locations and subsurface locations are subsurface locations and subsurface locations are subsurface locations and subsurface locations are subsurface locations are subsurface locations are subsurface locations are subsurface locations are subsurface locations. The subsurface locations are subsurface locations are subsurface locations are subsurface locations. The subsurface locations are subsurface locations are subsurface locations are subsurface locations. The subsurface locations are subsurface locations are subsurface locations are subsurface locations.	telephone on 10-9-91. Lice lined injection tbg. w/5-1/2" 0 172'. Ran 4" flush jt. liner. Set cs. 10 2982'. Pmpd 100 sx 50/50 G-Poz cold plug to float collar, bumped plug 19. D.V. tool for 3 hrs. Pmpd 150 sx 50	Completion or Recompletion Report and Log form) ting any proposed work. If well is directionally drilled tis Interlock pkr. g. shoe @ 5569', float ement followed by w/1600 psi. Open /50 G-Poz cmt.
give subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface and BLM were notified by MI & RU DDU. COOH w/2-3/8" R Underreamed from 5478' to 55 collar @ 5527' and D.V. tool 20 sx Class G Neat. Displaced D.V. tool and circ. through Displaced w/34 bbls. lost ci	telephone on 10-9-91. tice lined injection tbg. w/5-1/2" 0 72'. Ran 4" flush jt. liner. Set cs. @ 2982'. Pmpd 100 sx 50/50 G-Poz c. d plug to float collar, bumped plug D.V. tool for 3 hrs. Pmpd 150 sx 50 reculation, bumped plug w/600 psi. T	completion or Recompletion Report and Log form) ting any proposed work. If well is directionally drilled tis Interlock pkr. g. shoe @ 5569', float ement followed by w/1600 psi. Open /50 G-Poz cmt. agged 8' cmt above
give subsurface locations and measured and the vertical to the locations and measured and the vertical to the locations and measured and the vertical to 10-9-91 EPA and BLM were notified by MI & RU DDU. COOH w/2-3/8" R Underreamed from 5478' to 55 collar @ 5527' and D.V. tool 20 sx Class G Neat. Displace D.V. tool and circ. through Displaced w/34 bbls, lost circ. D.V. tool @ 2982' drilled	telephone on 10-9-91. tice lined injection tbg. w/5-1/2" 0 72'. Ran 4" flush jt. liner. Set cs. @ 2982'. Pmpd 100 sx 50/50 G-Poz c. d plug to float collar, bumped plug D.V. tool for 3 hrs. Pmpd 150 sx 50 reculation, bumped plug w/600 psi. T cement and D.V. tool. Ran Cement Bo	ting any proposed work. If well is directionally drilled this shown in the state of
give subsurface locations and measured and the vertical to the subsurface locations and measured and the vertical to 10-9-91 EPA and BLM were notified by MI & RU DDU. COOH w/2-3/8" R Underreamed from 5478' to 55 collar @ 5527' and D.V. tool 20 sx Class G Neat. Displace D.V. tool and circ. through Displaced w/34 bbls, lost ci D.V. tool @ 2982', drilled top @ 2410'. Tagged cmt stri	telephone on 10-9-91. Tice lined injection tbg. w/5-1/2" 0 To 2'. Ran 4" flush jt. liner. Set cs. @ 2982'. Pmpd 100 sx 50/50 G-Poz co. d plug to float collar, bumped plug D.V. tool for 3 hrs. Pmpd 150 sx 50. Treculation, bumped plug w/600 psi. To cement and D.V. tool. Ran Cement Bookingers @ 2031'. plug @ 2051 and dril	tis Interlock pkr. g. shoe @ 5569', float ement followed by w/1600 psi. Open /50 G-Poz cmt. agged 8' cmt above nd Log which showed cmt led to 2280'. Drilled
give subsurface locations and measured and the vertical to the locations and measured and the vertical to 10-9-91 EPA and BLM were notified by MI & RU DDU. COOH w/2-3/8" R Underreamed from 5478' to 55 collar @ 5527' and D.V. tool 20 sx Class G Neat. Displace D.V. tool and circ. through Displaced w/34 bbls, lost ci D.V. tool @ 2982', drilled top @ 2410'. Tagged cmt strite 5568'. Tested csg liner to 5568'.	telephone on 10-9-91. Tice lined injection tbg. w/5-1/2" Of 72'. Ran 4" flush jt. liner. Set cs. @ 2982'. Pmpd 100 sx 50/50 G-Poz cond plug to float collar, bumped plug D.V. tool for 3 hrs. Pmpd 150 sx 50 reculation, bumped plug w/600 psi. To cement and D.V. tool. Ran Cement Bookners @ 2031', plug @ 2051 and dril to 1500 psi-held okay. Perf'd w/3-1/	tis Interlock pkr. g. shoe @ 5569', float ement followed by w/1600 psi. Open /50 G-Poz cmt. agged 8' cmt above nd Log which showed cmt led to 2280'. Drilled 8" gun, 2/jspf @ 1800
give subsurface locations and measured and the vertical state of the locations and measured and the vertical state of the locations and measured and the vertical state of the location of the	telephone on 10-9-91. lice lined injection tbg. w/5-1/2" 0 72'. Ran 4" flush jt. liner. Set cs. @ 2982'. Pmpd 100 sx 50/50 G-Poz c. ed plug to float collar, bumped plug D.V. tool for 3 hrs. Pmpd 150 sx 50 reculation, bumped plug w/600 psi. T cement and D.V. tool. Ran Cement Bo lingers @ 2031', plug @ 2051 and dril to 1500 psi-held okay. Perf'd w/3-1/ 8'-5564'. TIH w/4" Mt. Stated pkr se	tis Interlock pkr. g. shoe @ 5569', float ement followed by w/1600 psi. Open /50 G-Poz cmt. agged 8' cmt above nd Log which showed cmt led to 2280'. Drilled 8" gun, 2/jspf @ 1800 t @ 5460'. Pressured
give subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface by MI & RU DDU. COOH w/2-3/8" R Underreamed from 5478' to 55 collar @ 5527' and D.V. tool 20 sx Class G Neat. Displace D.V. tool and circ. through Displaced w/34 bbls, lost ci D.V. tool @ 2982', drilled top @ 2410'. Tagged cmt stri to 5568'. Tested csg liner to phasing 5514'-5524' and 5538 annulus to 1000 psi - held of	telephone on 10-9-91. lice lined injection tbg. w/5-1/2" 0 72'. Ran 4" flush jt. liner. Set cs. @ 2982'. Pmpd 100 sx 50/50 G-Poz c. d plug to float collar, bumped plug D.V. tool for 3 hrs. Pmpd 150 sx 50 reulation, bumped plug w/600 psi. T cement and D.V. tool. Ran Cement Bo ingers @ 2031', plug @ 2051 and dri1 to 1500 psi-held okay. Perf'd w/3-1/ 8'-5564'. TIH w/4" Mt. Stated pkr se okay. Pmp'd 5400 gals. 20% HC1. Swab	tis Interlock pkr. g. shoe @ 5569', float ement followed by w/1600 psi. Open /50 G-Poz cmt. agged 8' cmt above nd Log which showed cmt led to 2280'. Drilled 8" gun, 2/jspf @ 1800 t @ 5460'. Pressured bed load back. Ran
give subsurface locations and measured and the vertice of the location	telephone on 10-9-91. dice lined injection tbg. w/5-1/2" 0 72'. Ran 4" flush jt. liner. Set cs. @ 2982'. Pmpd 100 sx 50/50 G-Poz cs. d plug to float collar, bumped plug D.V. tool for 3 hrs. Pmpd 150 sx 50 reculation, bumped plug w/600 psi. T cement and D.V. tool. Ran Cement Botongers @ 2031', plug @ 2051 and dril to 1500 psi-held okay. Perf'd w/3-1/ 8'-5564'. TIH w/4" Mt. Stated pkr se okay. Pmp'd 5400 gals. 20% HCl. Swab tbg. Set 4" Arrow Set I pkr @ 5441	tis Interlock pkr. g. shoe @ 5569', float ement followed by w/1600 psi. Open /50 G-Poz cmt. agged 8' cmt above nd Log which showed cmt led to 2280'. Drilled 8" gun, 2/jspf @ 1800 t @ 5460'. Pressured bed load back. Ran
give subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface locations and measured and the vertical subsurface by MI & RU DDU. COOH w/2-3/8" R Underreamed from 5478' to 55 collar @ 5527' and D.V. tool 20 sx Class G Neat. Displace D.V. tool and circ. through Displaced w/34 bbls, lost ci D.V. tool @ 2982', drilled top @ 2410'. Tagged cmt stri to 5568'. Tested csg liner to phasing 5514'-5524' and 5538 annulus to 1000 psi - held of	telephone on 10-9-91. dice lined injection tbg. w/5-1/2" 0 72'. Ran 4" flush jt. liner. Set cs. @ 2982'. Pmpd 100 sx 50/50 G-Poz cs. d plug to float collar, bumped plug D.V. tool for 3 hrs. Pmpd 150 sx 50 reculation, bumped plug w/600 psi. T cement and D.V. tool. Ran Cement Botongers @ 2031', plug @ 2051 and dril to 1500 psi-held okay. Perf'd w/3-1/ 8'-5564'. TIH w/4" Mt. Stated pkr se okay. Pmp'd 5400 gals. 20% HCl. Swab tbg. Set 4" Arrow Set I pkr @ 5441	tis Interlock pkr. g. shoe @ 5569', float ement followed by w/1600 psi. Open /50 G-Poz cmt. agged 8' cmt above nd Log which showed cmt led to 2280'. Drilled 8" gun, 2/jspf @ 1800 t @ 5460'. Pressured bed load back. Ran
give subsurface locations and measured and the vertice of the location	telephone on 10-9-91. dice lined injection tbg. w/5-1/2" 0 72'. Ran 4" flush jt. liner. Set cs. @ 2982'. Pmpd 100 sx 50/50 G-Poz cs. d plug to float collar, bumped plug D.V. tool for 3 hrs. Pmpd 150 sx 50 reculation, bumped plug w/600 psi. T cement and D.V. tool. Ran Cement Botongers @ 2031', plug @ 2051 and dril to 1500 psi-held okay. Perf'd w/3-1/ 8'-5564'. TIH w/4" Mt. Stated pkr se okay. Pmp'd 5400 gals. 20% HCl. Swab tbg. Set 4" Arrow Set I pkr @ 5441	tis Interlock pkr. g. shoe @ 5569', float ement followed by w/1600 psi. Open /50 G-Poz cmt. agged 8' cmt above nd Log which showed cmt led to 2280'. Drilled 8" gun, 2/jspf @ 1800 t @ 5460'. Pressured bed load back. Ran

Title

Title Sr. Drlg. & Prod. Engr.

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

AUG 1 6 1993

P J KONKEL PHILLIPS PETROLEUM COMPANY 5525 HWY 64 NBU 3004

FARMINGTON NM 87401

REPORT PERIOD (MONTH/YEAR)

DIVISION OF

OIL, GAS & MININGMENDED REPORT [(Highlight Changes)

Well Name	Producing	Well	Days		Production Volumes	
API Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)
#21-23 4303713754 06280 415 24E 21	DSCR	POW	29	1374	883	58
#3-44 4303715031 06280 415 24E 3	DSCR	POW	30	111	94	2905
#3-14 4303715124 06280 415 24E 3	DSCR	POW	30	67	23	302
#9-12 4303715126 06280 415 24E 9	DSCR	POW	30	112	654	17363
#9-14 4303715127 06280 415 24E 9	DSCR	POW	30	201	315	423
#28-12 4303715336 06280 415 24E 28	PRDX	POW	29	112	47	2428
#29-12 4303715337 06280 415 24E 29	PRDX	POW	29	56	0	672
#29-32 4303715339 06280 41\$ 24E 29	DSCR	POW	29	1402	287	2224
#29-34 4303715340 06280 415 24E 29	DSCR	Pow	29	757	48	0
#30-32 4303715342 06280 415 24E 30	DSCR	POW	29	588	1049	3744
#3-12 4303715620 06280 41S 24E 3	DSCR	POW	30	268	11	363
#9-34 4303715711 06280 41S 24E 9	DSCR	POW	30	45	46	9800
#10-12 4303715712 06280 415 24E 10	DSCR	POW	30	45	23	1088
115REAL			TOTALS	5138	3480	41370

Effective July 1, 1993, Phillips Petroleum Company has sold its interest in the COMMENTS:

Ratherford Unit to Mobil Exploration and Producing U.S., Incorporated, P. O. Box

633, Midland, Texas 79702. Mobil assumed operations on July 1, 1993.

I hereby certify that this report is true and complete to the best of my knowledge. Date: 8/11/93

Name and Signature:_

PAT KONKEL

Telephone Number: 505 599-3452

FORM 11	STATE OF UTAH /ISION OF OIL, GAS AND MINII	NG	Page _ 1 _ of _
	MONTHLY OIL AND GAS DISPOS	SITION REPORT	
	DR NAME AND ADDRESS:	UTAH ACCOUNT NUMBER:	N7370
BR-I	Sheffield HAN-BERRY -P-N-A-MOBIL	REPORT PERIOD (MONTH/YEAR):	7 / 93
POP DAL	1249031 1807A RENTWR P.O. DrAWER G LAS TX 75221-9031 CORTEZ, Co. 81321		ht Changes)

* 93100le updated. Lee **ENDING** BEGINNING VOLUME DISPOSITIONS ENTITY **PRODUCT** GRAVITY INVENTORY FLARED/VENTED OTHER INVENTORY **PRODUCED** TRANSPORTED USED ON SITE NUMBER BTU OIL 177609 177609 0 05980 GAS 66216 5885 72101 OIL 11174 GAS OIL GAS OIL GAS OIL GAS DIVISION OF OIL OIL GAS & MINING GAS OIL GAS 249710 243825 5885

COMMENTS: PERSE NOTE ADDRESS Change, Mobin ASSU PRODUCTION REPORTS

WILL BE COMPILED AND SENT from the Cortez, Co. Office

IN THE FUTURE. I hereby certify that this report is true and complete to the best of my knowledge.

Name and Signature: Invell & Shiffield


TOTALS

303.565 22.12 Telephone Number 244 658 2538

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

or ore, and mon	·	S. LEASE DESIGNAT	TION & SERIAL NO.
SUNDRY NOTICES AND REPORTS (Do not use this form for proposals to drill or to deepen or plug Use "APPLICATION FOR PERMIT—" for m	back to a different reservoir.	6. IF INDIAN. ALLO NAVAJO TRIB	TTEE ON TRIBE MAN
OIL GAS C		1. UNIT AGREEMEN	
WELL WELL OTHER	WIN COLUMN	RATHERFORD	
MOBIL OIL CORPORATION -		WELL NO.	, -
P. 0. BOX 633 MIDLAND, TX 79702	SEP 1 5 1993	J. WELL NO.	
LOGATION OF WELL (Report location clearly and in accordance with any State re See also space 17 below.)	equirements.	GREATER A	
At surface	DIVISION OF	11. SEC., T., R., M., C	DR BLK. AND
At proposed prod. zone	OIL, GAS & MINING	SURVEYO	R AREA
APE NO. 15. ELEVATIONS (Show weather	DF, RT, GR, etc.)	12. COUNTY	13. STATE
		SAN JUAN	UTAH
Check Appropriate Box To Indicate	Nature of Notice, Report or Ot	her Data	
NOTICE OF INTENTION TO:	SUBSEC	UENT REPORT OF:	_
TEST WATER SHUT-OFF FULL OR ALTER CASING	WATER SHUT-OFF	 	ING WELL
FRACTURE TREAT MULTIPLE COMPLETE SHOOT OR ACIDIZE ABANDON	FRACTURE TREATMENT SHOOTING OR ACIDIZING		NG CASING
REPAIR WELL CHANGE PLANS	(Other) CHANGE OF		
	456		
(Other)	(Note: Report results Completion or Reco	of multiple complete mpletion Report and	
APPROX. DATE WORK WILL START	Completion or Reco DATE OF COMPLETION state all pertinent details, and give	mpletion Report and	Log form.) ding estimated date
APPROX. DATE WORK WILL START	Completion or Reco DATE OF COMPLETION restate all pertinent details, and give surface locations and measured and tr * Must be accom	pertinent dates, include ue vertical depths for panied by a cemen	ding estimated date all markers and zon (verification rep
APPROX. DATE WORK WILL START DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly starting any proposed work. If well is directionally drilled, give substitution to this work.) AS OF JULY1, 1993, MOBIL OIL CORPORATI	Completion or Reco DATE OF COMPLETION restate all pertinent details, and give surface locations and measured and tr * Must be accom	pertinent dates, include ue vertical depths for panied by a cemen	ding estimated date all markers and zon (verification rep
APPROX. DATE WORK WILL START DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly starting any proposed work. If well is directionally drilled, give substitution to this work.) AS OF JULY1, 1993, MOBIL OIL CORPORATI	Completion or Reco DATE OF COMPLETION restate all pertinent details, and give surface locations and measured and tr * Must be accom	pertinent dates, include ue vertical depths for panied by a cemen	ding estimated date all markers and zon (verification rep
APPROX. DATE WORK WILL START DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly starting any proposed work. If well is directionally drilled, give substitution to this work.) AS OF JULY1, 1993, MOBIL OIL CORPORATI	Completion or Reco DATE OF COMPLETION restate all pertinent details, and give surface locations and measured and tr * Must be accom	pertinent dates, include ue vertical depths for panied by a cemen	ding estimated date all markers and zo (verification rep
APPROX. DATE WORK WILL START DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly starting any proposed work. If well is directionally drilled, give substitution to this work.) AS OF JULY1, 1993, MOBIL OIL CORPORATI	Completion or Reco DATE OF COMPLETION restate all pertinent details, and give surface locations and measured and tr * Must be accom	pertinent dates, include ue vertical depths for panied by a cemen	ding estimated date all markers and zo (verification rep
DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly starting any proposed work. If well is directionally drilled, give subsupertinent to this work.) AS OF JULY1, 1993, MOBIL OIL CORPORATI ATTACHED ARE THE INDIVIDUAL WELLS.	Completion or Reco DATE OF COMPLETION restate all pertinent details, and give surface locations and measured and to * Must be accom ON IS THE OPERATOR OF	persinent dates, including vertical depths for panied by a cement. THE RATHERF	ding estimated date all markers and zon to verification report VORD UNIT.
APPROX. DATE WORK WILL START DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly starting any proposed work. If well is directionally drilled, give subsupertinent to this work.) AS OF JULY1, 1993, MOBIL OIL CORPORATI ATTACHED ARE THE INDIVIDUAL WELLS.	Completion or Reco DATE OF COMPLETION restate all pertinent details, and give surface locations and measured and tr * Must be accom	pertinent dates, including vertical depths for panied by a cement. THE RATHERF	ding estimated date all markers and zon (verification rep
DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly starting any proposed work. If well is directionally drilled, give substituted to this work.) AS OF JULY1, 1993, MOBIL OIL CORPORATION ATTACHED ARE THE INDIVIDUAL WELLS.	Completion or Reco DATE OF COMPLETION restate all pertinent details, and give surface locations and measured and to * Must be accom ON IS THE OPERATOR OF	persinent dates, including vertical depths for panied by a cement. THE RATHERF	ding estimated date all markers and zon to verification report VORD UNIT.

WELL # API# LEASE # SEC., T, R LOCATION	ON OF WELL
01W-13 43-037-15838 14-20-603-246A SEC. 1, T41S, R23E NW/SW 1980 F	***************************************
01-14 43-037-31162 14-20-603-246A SEC. 1, T41S, R23E SW/SW 660 FS	
01W-24 43-037-15939 14-20-603-246 SEC. 1, T41S, R23E SE/SW 651 FSL 01-34 43-037-16385 14-20-603-246A SEC. 1, T41S, R23E SW/SE 4147 FN	
01W-44 43-037-15840 14-20-603-246A SEC. 1, T41S, R23E 660 FSL; 661 F	
02W-44 43-037-16386 14-20-603-246A SEC. 2, T41S, R23E SE/SE 810 FNL;	
03-14 43-037-15124 14-20-603-5445 SEC. 3, T41S, R24E 660 FSL; 660 F	
03-12 43-037-15620 14-20-603-6506 SEC. 3, T41S, R24E SW/NW 2140 F	
63W-42 編 43-037-16388 14-20-603-6505 SEC. 3, T41S, R24E SW/NE 1980 FN 14-2	
03-44	
04-14 43-037-16164 14-20-603-4035 SEC. 4, T41S, R24E 660 FSL; 1980	
05-34 43-037-15983 14-20-603-368 SEC. 5, T41S, R24E SW/SE 612 FSL	
05W-43 43-037-16392 14-20-603-368 SEC. 5, T41S, R24E 1400 FSL; 990	
V66W-14 \$ 43-037-15984 14-20-603-368 SEC. 6, T41S, R24E SW/SW 660; F5	SL; 660 FWL
66W-23 43-037-16393 14-20-603-368 SEC. 6, T41S, R24E 1830 FSL; 1895	
07-11 43-037-31163 14-20-603-368 SEC. 7, T41S, R24E NW/NW 660 FN	
√07W-12™ 43-037-15985	
07-13 43-037-31164 14-20-603-368 SEC. 7, T41S, R24E NW/SW 2110 F の7W 44 43-037-15986 14-20-603-368 SEC. 7, T41S, R24E SW/SW 1065 F	
07W-21 43-037-16394 14-20-603-368 SEC. 7, T41S, R24E 710 FNL; 1820	
07-22 43-037-31165 14-20-603-368 SEC. 7, T41S, R24E SE/NW 1980 FN	
07W23 43-037-15987 14-20-603-368 SEC. 7, T41S, R24E NE/SW 1980 FS	
07-24 43-037-31166 14-20-603-368 SEC. 7, T41S, R24E SE/SW 880 FSL	
07W-32 43-037-15988 14-20-603-368 SEC. 7, T41S, R23E SW/NE 1980 FN	
107-33 43-037-31167 14-20-603-368 SEC. 7, T41S, R24E NW/SE 2105 FS	
107W-34™ 43-037-15989 14-20-603-368 SEC. 7, T41S, R24E 710 FSL; 2003	
07W43** 43-037-16395 14-20-603-368 SEC. 7, 1413, R24E RE/RE 303 THE	
107-44 43-037-31189 14-20-603-368 SEC. 7, T41S, R24E SE/SE 737 FSL;	
08-12 43-037-15991 14-20-603-368 SEC. 8, T41S, R24E SW/NW 1909 F	
_08W-14♥ 43-037-159 92	
08-21 43-037-15993 14-20-603-368 SEC. 8, T41S, R24E 616 FNL; 1911	
408-23 43-037-15994 14-20-603-368 SEC. 8, T41S, R24E NE/NW 1920 FS	
14-20-603-368 SEC. 8, T41S, R24E SW/NE 1980 FN 14-20-603-368 SEC. 8, T41S, R24E SW/NE 1980 FN 14-20-603-368 SEC. 8, T41S, R24E SW/SE 660 FSL	
43-037-15996 14-20-603-368 SEC. 8, T41S, R24E SW/SE 660 FSL 108-41 43-037-15997 14-20-603-368 SEC. 8, T41S, R24E NE/NE 660 FNL	
V08W-43 #43-037-16396 14-20-603-368 SEC. 8, T41S, R24E 1980 FSL; 660	
109W-23* 43-037-16398 14-20-603-5046 SEC. 9, T41S, R24E NW/SE 1980 F	SL; 1980 FWL
09-12 43-037-15126 14-20-603-5045 SEC. 9, T41S, R24E 1865 FNL; 780	
09W-21* 43-037-16397 14-20-603-5045 SEC. 9, T41S, R24E 660 FNL; 2080	
09-14A 43-037-15127 14-20-603-5046 SEC. 9, T41S, R24E 710 FSL; 660 F	
49-32 43-037-16165 14-20-603-4035 SEC. 9, T41S, R24E 1980 FNL; 198	
14-20-603-4035 SEC. 9, T41S, R24E 660 FNL; 660 F	
10W-23 43-037-16402 14-20-603-4043 SEC. 10, T41S, R24E 1980 FSL; 198	
10-14 43-037-15713 14-20-603-4043 SEC. 10, T41S, R24E 510 FSL; 710 F	
10-12 43-037-15712 14-20-603-4043 SEC. 10, T41S, R24E 660 FWL; 1980	
43-037-16401 14-20-603-4043 SEC. 10, T41S, R24E 810 FNL; 1980	
10-34 43-037-16166 14-20-603-4037 SEC. 10, T41S, R24E 620 FSL; 1860	
10W-43 43-037-16403 14-20-603-4037 SEC. 10, T41S, R24E 1980 FSL; 550 11-41 43-037-31544 14-20-603-246A SEC. 11, T41S, R23E NE/NE 860 FNL	
11-42 W 43-037-15841 14-20-603-246 SEC. 11, 1415, R23E REINE 660 FNL	
11-43 43-037-31622 14-20-603-246A SEC. 11, T41S, R23E 1980 FSL; 660	
11W-44 43-037-15842 14-20-603-246A SEC. 11, T41S, R23E SE/SE 660 FSL	
12W-11 43-037-15843 14-20-603-246A SEC. 12, T41S, R23E NW/NW 678 FN	
12-12 43-037-31190 14-20-603-246A SEC. 12, T41S, R23E SW/NW 1850 F	
12W-13 43-037-16404 14-20-603-246A SEC. 12, T41S, R23E 1980 FSL; 462	
12-14 43-037-15844 NA SEC. 12, T41S, R23E 660 FNL; 4622	
12-21 43-037-31201 14-20-603-246A SEC. 12, T41S, R23E NE/NW 660 FN 12W-22 43-037-15845 14-20-603-246 SEC. 12, T41S, R23E NA	L, 1300 FWL
12W-22 43-037-15845 14-20-603-246 SEC. 12, T41S, R23E NA 12-23 43-037-15846 14-20-603-246A SEC. 12, T41S, R23E 1958 FNL; 330	0 FWL
12-23 43-037-19846 14-20-603-246A SEC. 12, 1413, R23E 1336 TNE, 330 12W-24 43-037-31151 14-20-603-246A SEC. 12, T415, R23E 775 FSL; 1980	
2-32 43-037-31203 14-20-603-246A SEC. 12, T41S, R23E SW/NE 1820 F	
12W-33 43-037-15848 14-20-603-246A SEC. 12, T41S, R23E NW/SE 1957 F	SL; 1981 FEL
12-34 43-037-31126 14-20-603-246A SEC. 12, T41S, R23E SW/SE 675 FS	
	-F!
12-41 43-037-158 49 14-20-603-246A SEC. 12, T41S, R23E 656 FNL; 660 12W-42 43-037-15850 14-20-603-246A SEC. 12, T41S, R23E 3275 FSL; 662	



DIVISION OF PA'DIL, GAS & MINING

PAID Friel

14-20-603-246 SENW 1920 FAL 2080 FWL

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

[]	(Location) SecTwpRng(API No.)	Suspense (Return Date) _ (To - Initials) _		Other OPERATOR CHANGE
1.	. Date of Phone Call:10-6-93	Time: _	9:30	
2.	DOGM Employee (name) L. CORT Talked to: Name GLEN COX (I of (Company/Organization) MOBI	nitiated Call []) -		
3.	OPERATOR CH. (NEED TO CONFIRM HOW OPERATOR WANTS OR MOBIL OIL CORPORATION AS PER SUN	THE WELLS SET UP	- MEPNA AS P	ER:BIA APPROVAL
4.	MR. COX CONFIRMED THAT THE WELLS SHE PER BIA APPROVAL, ALSO CONFIRMED THE BE HANDLED OUT OF THEIR CORTEZ OFFIE MEPNA— PO DRAWER G CORTEZ, CO 81321 (303) 565-2212 *ADDRESS CHANGE AFFECTS ALL WELLS CORTED OUT OF DALLAS (MCELMO CREE)	OULD BE SET UNDER AT PRODUCTION & D CE RATHER THAN DA	ACCOUNT N737	O/MEPNA AS PORTS WILL NOW
		•	<u> </u>	

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

	G) . (946 v. 12. 1945
Well name and number:	
Field or Unit name:RATHERFORD UNIT	API no
	ship range county
Effective Date of Transfer: July 1, 1993	
CURRENT OPERATOR	,
Transfer approved by:	
Name Ed Hasely	Company Phillips Petroleum Company
Signature & Hasohy	Address 5525 HWY. 64
Title Environmental Engineer	Farmington, NM 87401
Date October 22, 1993	Phone (505) 599-3460
Comments:	
NEW OPERATOR	(
Transfer approved by:	Mobil Exploration & Producing North Amer
Name Shirley Todd	Company
Signature Shuley Sodd	_ Address
Title Env. & Reg. Technician	Midland, TX 79702
DateOctober 7, 1993	Phone (915) 688-2585
Comments:	
(Shaha waa anlu)	
(State use only) Transfer approved by	TITLELTC MAUNDER
Approval Date 10-27-93	

Lisha Cordova (801) 538-5340

BEFORE THE OIL AND GAS COMPRESSION OF THE STATE OF UTAH

APPLICATION OF PHILLIPS PETROLDUM

COMPANY FOR THE APPROVAL OF THE

UNIT OPPRATIONS AND PRESSURE MAINTENANCE PROGRAM FOR THE RATHERFORD

UNIT IN THE GREATER AMETH AREA,

SAM JUMN COURTY, UTAH

)

ORDER

This Cause came on for hearing before the Oil and Gas Conservation

Commission of the State of Utan at 10 o'clock a. m. on Wednesday, September 13,

1961, in the Crystal Room, Hotel Newhouse, Fourth South at Main Street, Salt

Lake City, Utah, pursuant to notice duly and regularly given. The entire Commission, except Malter G. Mann, was present, Edward W. Clyde presiding. Appearances were made as follows: Cecil C. Mamilton, attorney, on behalf of Phillips

Petroleum Company; Clair M. Senior, attorney, on behalf of Texaco, Inc.; Gordon

Mayberry, attorney, on behalf of Continental Oil Company; R. S. Robison on behalf of Shell Oil Company. Others present included Carl Trawick, on behalf of

United States Geological Survey; and J. R. White, on behalf of Texaco, Inc.

Evidence in support of the application was introduced by Phillips
Petroleum Company, the applicant and Unit Operator of the Ratherford Unit,
which embraces as the unit area the following described land in San Juan County,
State of Utah, to wif:

TO NS	HIP 41 SOUTH, RANGE	23 EAST, SLEM	
Section 1: Section 2: Section 11:	All 3/2 E/2	Sections 12 and 13: Section 14: Section 24:	All 3/2 All
10.#°3	RIP 41 SOUTH, RANGE	24 RAST, SLUM	
Section:3: Section 4: Sections 5 through 9: Section 10: Section 11:	SW/4 S/2 All S/2 and WW/4 and W/2 of WW/4 S/2 of SW/4	Sections 15 through 21: Section 22: Section 22:	All Ng/4 and U/2 of the SW/4 NG/4 and
Section 11:	5/2 01 5%/4	Section 13:	1/2 of 112/4 and 11/2 of SW/
Section 14.	/~	Section 29 and 30: Section 31: Section 32:	All 11/2 11/2

1. 3. Acbison on behalf of hell Mil Company stated that (as contemplated by paragraph No. 5 of the Commission's order of February 24, 1959, in Cause No. 17 authorizing the drilling of certain test wells) Shell would sugmit to the Commission, as arbiter, the question as between Shell and Superior Oil Company

of the monetary value, if any, to be attributed to three test wells drilled within the Ratherford Unit area pursuant to said order of February 24, 1959.

No objection to the granting of the application was filed or expressed.

The Shell Oil Company, Texaco, Inc. and Continental Oil Company expressed their support of the application of Phillips Petroleum Company.

FINDINGS OF FACT

The Commission finds that:

- 1. The unitized operation of the Ratherford Unit Area will enable pressure maintenance operations to be initiated and permit such Area to be operated in a manner which will prevent waste, protect correlative rights and result in greater ultimate recovery of oil and gas.
- 2. The Ratherford Unit Agreement has been approved by the various signatory parties as fair, reasonable and acceptable.
- 3. The water injection pressure maintenance program proposed by the applicant appears to be proper and designed to result in the greatest economic recovery of oil and gas to the end that all concerned, including the general public, may realize and enjoy the greatest good from the oil and gas resources of the unitized lands.

ORDBR

THEREFORE, IT IS OFDERED BY THE COMMISSION, and subject to its continuing jurisdiction, that:

- 1. Unit operation of the Ratherford Unit trea under the Batherford Unit Agreement is approved.
- 2. The plan and program of water injection pressure maintenance operations proposed by applicant in its application filed herein should be and the same is hereby approved and the unit operator is authorized to proceed with and under such plan and program as soon as the Ratherford Unit Agreement becomes effective and operative.
- 3. If, at any time or from time to time, it appears necessary or desirable to the unit operator to alter or modify the hereby approved plan of pressure maintenance, any such alteration or modification shall be submitted for

and shall be subject to approval by the Commission or its delegated representative, which approval may be given without notice or hearing, unless otherwise ordered or directed by the Commission.

Dated this 13th day of September, 1961.

THE OIL AND GAS CONSERVATION CONMISSION OF THE STATE OF UTAH

Edward W. Clyde, commissioned presiding

C. R. Renderson, Chairman

M. V. Hatch, Commissioner

C. S. Thomson, Commissioner

Walter G. Mann, Commissioner

Sept 29, 1993

To: Lisha Cordova-Utah Mining Oil & Gasice Easley BLM Farmington, NM

505 599-6355

Here is copy of Ratherford Unit Successor aprotor,

4 pages including this one.

Like Fothingerd Unit (GC)

PEGEIVED BLM

"", 27 AMB 44

ALL SUPY.

Navajo Area Office P. O. Box 1060 Gallup, New Mexico 87305-1060

070 IVENDINGSON, NM

ARES/543

לצט היים לייל,

Mr. G. D. Cox Mobil Exploration and Producing North America, Inc. P. O. Box 633 Midland, Texas 79702

Dear Mr. Cox:

Enclosed for your information and use is the approved Designation of Operator between the Phillips Petroleum Company and Mobil Exploration and Producing North America, Inc. for the Ratherford Unit.

Please note that all other concerned parties will be furnished their copy of the approved document.

Sincerely,

A signoremme

ACTING Area Director

Enclosure

cc: Bureau of Land Management, Farmington District Office w/enc. TNN, Director, Minerals Department w/enc.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF INDIAN AFFAIRS

DESIGNATION OF OPERATOR

Phillips Petroleum Company is, on the records of the Bureau of Indian Affairs, operator of the Ratherford Unit.

AREA OFFICE: Window Rock, Arizona LEASE NO: Attached hereto as Exhibit "A" 070 FARMINGTON, NM

and, pursuant to the terms of the Ratherford Unit Agreement, is resigning as Unit Operator effective July 1, 1993, and hereby designates

NAME: Mobil Exploration and Producing North America Inc., duly elected pursuant to the terms of the Ratherford Unit Agreement,

ADDRESS: P. O. Box 633, Midland, Texas 79702

Attn: G. D. Cox

as Operator and local agent, with full authority to act on behalf of the Ratherford Unit lessees in complying with the terms of all leases and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160 and 25 CFR 211 and 212) with respect to (described acreage to which this designation is applicable):

Attached hereto as Exhibit "A"

Bond coverage under 25 CFR 211, 212 or 225 for lease activities conducted by the above named designated operator is under Bond Number <u>05202782</u> (attach copy). Evidence of bonding is required prior to the commencement of operations.

It is understood that this designation of operator does not relieve any lessee of responsibility for compliance with the terms of the leases and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the leases.

In case of default on the part of the designated operator, the lessees will make full and prompt compliance with all regulations, lease terms, stipulations, or orders of the Secretary of the Interior or his representative.

Attached is the appropriate documentation relevant to this document.

The designated operator agrees to promptly notify the authorized officer of any change in the operatorship of said Ratherford Unit.

June 17, 1993

Phillips Petroleum Company

Mobil Exploration and Producing

North America Inc.

June // , 1993

AREA DIRECTOR

APPROVED BY

APPROVED PURSUANT, TO SECRETARIAL REDELEGATION ORDER 209 DM 8 AND 230 DM 3.

This form does not constitute an information collection as defined by 44 U.S.C. 3502 and therefore does not require OMB approval.

EXHIBIT "A"

ATTACHED TO AND MADE A PART OF DESIGNATION OF SUCCESSOR OPERATOR, RATHERFORD UNIT

EXHIBIT "C"

Revised as of September 29, 19921 SCHEDULE OF TRACT PERCENTAGE PARTICIPATION

Tract <u>Number</u>	Description of Land	Serial Number and Effective Date of Lease	Tract Percentage Participation
1	S/2 Sec. 1, E/2 SE/4 Sec. 2, E/4 Sec. 11, and all of Sec. 12, T-41-S, R-23-E, S.L.H. San Juan County, Utah	14-20-603-246-A Oct. 5, 1953	11.0652565
. 2	SE/4 and W/2 SW/4 Sec. 5, the irregular SW/4 Sec. 6, and all of Sec. 7 and 8, T-41-5, R-24-E, San Juan County, Utah	14-20-603-368 Oct. 26, 1953	14.4159942
. 3	SW/4 of Sec. 4, T-41-S, R-24-E, San Juan County, Utah	14-20-603-5446 Sept. 1, 1959	.5763826
4	SE/4 Sec. 4, and NE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4035 Harch J, 1958	1.2587779
\$	SW/4 of Sec. 3, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5445 Sept. 3, 1959	. 4667669
6	NW/4 of Sec. 9, T-41-5, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5045 Feb. 4, 1959	1.0187043
7	NW/4, W/2 NE/4, and SW/4 Sec. 10, SE/4 Sec. 9, T-41-5, R-24-E, San Juan County, Utah	14-20-603-4043 Feb. 18, 1958	3.5097575
8	SW/4 Sec. 9, T-41-S, R-24-E, S.L.M. Sen Juan County, Utah	14-20-603-5046 Feb. 4, 1959	1.1141679
9	SE/4 Sec. 10 and S/2 SW/4 Sec. 11 T-41-S, R-24-E, San Juan County, Utah	14-20-603-4037 Feb. 14, 1958	2.6186804
10	All of Sec. 13, E/2 Sec. 14, and E/2 SE/4 and N/2 Sec. 24, T-41-5, R-23-E, S.L.M., San Juan County, Utah	14-20-603-247-A Oct. 5, 1953	10.3108861
11	Sections 17, 18, 19 and 20, T-41-S, R-24-E, San Juan County Utah	14-20-603-353 Oct. 27, 1953	27.3389265
12	Sections 15, 16, 21, and NW/4, and W/2 SW/4 Sec. 22, T-41-5, R-24-E, San Juan County, Utah	14-20-603-355 Oct. 27, 1953	14.2819339
13	W/2 Section 14, T-41-S, R-24-E, San Juan County, Utah	14-20-603-370 Oct. 26,1953	1.8500847
14	N/2 and SE/4, and E/2 SW/4 Sec. 29, NE/4 and E/2 SE/4 and E/2 W/2 irregular Sec. 30, and E/2 NE/4 Sec. 32, T-41-S, R-24-E, San Juan County, Utah	14-20-603-407 Dec. 10, 1953	6.9924969
15	NW/4 Sec. 28, T-41-S, R24-E San Juan County, Utah	14-20-603-409 Dec. 10, 1953	.9416393
16	SE/4 Sec. 3, T-41-5, R-24-E San Juan County, Utah	14-20-0603-6504 July 11, 1961	.5750254
17	NE/4 Sec. 3, T-41-5, R-24-E San Juan County, Utah	14-20-0603-6505 July 11, 1961	.5449292
18	NW/4 Sec. 3, T-41-5, R-24-E San Juan County, Utah	14-20-0603-6506 July 11, 1961	.5482788
19	NE/4 Sec. 4, T-41-S, R24-E San Juan County, Utah	14-20-0603-7171 June 11, 1962	.4720628
20	E/2 NW/4 Sec. 4, T-41-S. R-24-E San Juan County, Utah	14-20-0603-7172 June 11, 1962	.0992482

OPERATOR CHANGE HORKSHEET		Routing:
Attach all documentation received by the division regard Initial each listed item when completed. Write N/A if i		2- DES 58-RIMB 3-VLC 4-RJE
	Designation of Agent Operator Name Change Only	5-118/JR 6-PW
The operator of the well(s) listed below has	changed (EFFECTIVE DATE:	-1-93)
TO (new operator) MEPNA (address) PO DRAWER G CORTEZ, CO 81321 GLEN COX (915)688-2114 phone (303)565-2212 account no. N7370	FARM PAT I phon	LIPS PETROLEUM COMPANY HWY 64 NBU 3004 ENGTON, NM 87401 KONKEL e (505)599-3452 unt noN0772(A)
Well(s) (attach additional page if needed): *RA	THERFORD UNIT (NAVAJO)	
Name: **SEE ATTACHED** API 43 0 3 7 · \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Entity: Sec Twp R Entity: Sec Twp R Entity: Sec Twp R Entity: Sec Twp R Entity: Sec Twp R	ng Lease Type:
OPERATOR CHANGE DOCUMENTATION Let 1. (Rule R615-8-10) Sundry or other 1 operator (Attach to this form). (Reg. 8-7) Let 2. (Rule R615-8-10) Sundry or other legal (Attach to this form). (Reg. 8-3143) (Red.)	20-93)(6/93 Prod. Rpt. 8-16-93) 1 documentation has been rece	
3. The Department of Commerce has been coperating any wells in Utah. Is compess, show company file number:	pany registered with the sta-	te? (yes/no) If
(attach Telephone Documentation Form comments section of this form. Manachanges should take place prior to con	agement review of <mark>Federal and</mark> apletion of steps 5 through 9	I Indian well operator below.
Let 5. Changes have been entered in the Oil listed above. (026 wells 10-6-93) (wiw's	and Gas Information System (W : 10-26-437	ang/IBM) for each well
$\frac{\cancel{\cancel{b}} \cdot \cancel{\cancel{c}}}{\cancel{\cancel{b}}}$ 6. Cardex file has been updated for each		
7. Well file labels have been updated for	r each well listed above. (oi6)	wells to 6-93/(wiw's 10-26-93
8. Changes have been included on the more for distribution to State Lands and the	nthly "Operator, Address, and he Tax Commission. (10-6-437	Account Changes" memo
9. A folder has been set up for the Open placed there for reference during round	rator Change file, and a copy ting and processing of the ori	of this page has been ginal documents.

PERATOR CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
NTITY REVIEW
1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Wer entity changes made? (yes/no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.
OND VERIFICATION (Fee wells only)
$\frac{1}{1}$ (Rule R615-3-1) The new operator of any fee lease well listed above has furnished proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by lette dated 19
LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY
(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated
2. Copies of documents have been sent to State Lands for changes involving State leases.
FILMING
\checkmark 1. All attachments to this form have been microfilmed. Date: $\cancel{11.0017}$ 1983
FILING
1. Copies of all attachments to this form have been filed in each well file.
Fec 2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENTS
931006 BIA/B/m Approved 7-9-93.

E71/34-35

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

Rou []	Well File (Location) SecTwpRng (API No.)	(To - Initials) -	OPER NM CHG
1.	Date of Phone Call:8-3-95		
2.	DOGM Employee (name)L. C		
	Name R. J. FIRTH of (Company/Organization)		
3.	Topic of Conversation: MEP		
			•
	OPERATOR NAME IS BEING CHANGED NORTH AMERICA INC) TO MOBIL EXP THIS TIME TO ALLEVIATE CONFUSIO	LOR & PROD. THE NAME CH	ANGE IS BEING DONE AT
	*SUPERIOR OIL COMPANY MERGED IN		
	·		

STATE OF UTAH INVENTORY OF INJECTION WELLS

	ATOR	API NO.	WELL	TNS	RGE	SE	WELLTYPE	INDIAN COUNT
	*****	******	******	***	***	**	*****	******
v /	(MOBIL	43-037-15506	L-21	41S	25E	18	INJW	Y
MEPNA	(MOBIL	43-037-16358	K-24	41S	25E	18	INJW	Y
MEPNA	(MOBIL	43-037-30400	K-22X	41S	25E	18	INJI	Y
MEPNA	(MOBIL	43-037-15499	J-21	41S	25E	18	INJW	Y
MEPNA	(MOBIL	43-037-15508	L-25	41S	25E	19	INJW	Y
✓MEPNA	(MOBIL	43-037-15839	1W24	41S	23E	1	INJW	Y
MEPNA	(MOBIL	43-037-15838	1W13	41S	23E	1	INJW	Y
MEPNA	(MOBIL	43-037-16386	2W44	41S	23E	2	INJW	Y
MEPNA	(MOBIL	43-037-15842	11W44	41S	23E	11	INJW	Y
✓ MEPNA	(MOBIL	43-037-15841	11W42	41S	23E	11	INJW	Y
MEPNA	(MOBIL	43-037-15848	12W33	41S	23E	12	INJW	Y
MEPNA	(MOBIL	43-037-15850	12W42	41S	23E	12	INJW	Y
✓ MEPNA	(MOBIL	43-037-15847	12W31	41S	23E	12	INJW	Y
MEPNA	(MOBIL	43-037-16404	12W13	41S	23E	12	INJW	Y
✓MEPNA	(MOBIL	43-037-15845	12W22	41S	23E	12	INJW	Y
MEPNA	(MOBIL	43-037-15843	12W11	41S	23E	12	INJW	Y
✓ MEPNA	(MOBIL	43-037-31151	12W24	41S	23E	12	INJW	Y
\checkmark MEPNA	(MOBIL	43-037-31543	RATERFORD 12	41S	23E	12	INJW	Y
✓MEPNA	(MOBIL	43-037-15854	13W31	41S	23E	13	INJW	Y
MEPNA	(MOBIL	43-037-15851	13W13	41S	23E	13	INJW	Y
MEPNA	(MOBIL	43-037-15857	13W42	41S	23E	13	INJW	Y
MEPNA	MOBIL	43-037-16407	13W44	41S	23E	13	INJW	Y
✓MEPNA	(MOBIL	43-037-15855	13W33	41S	23E	13	INJW	Y
✓MEPNA	MOBIL	43-037-31152	13W11	41S	23E	13	INJW	Y
MEPNA	MOBIL	43-037-15852	13W22	41S	23E	13	INJW	Y
MEPNA	MOBIL	43-037-15853	13W24	41S	23E	13	INJW	Ÿ
MEPNA	(MOBIL	43-037-16410	14W43	41S	23E	14	INJI	Ŷ
✓MEPNA	(MOBIL	43-037-15860	14W43	41S	23E	14	INJW	Ÿ
MEPNA	(MOBIL	43-037-15863	24W42	41S	23E	24	INJW	Ŷ
MEPNA	(MOBIL	43-037-15862	24W31	41S	23E	24	INJW	Ŷ
MEPNA	(MOBIL	43-037-15984	6W14	41S	24E	6	INJW	Ÿ
MEPNA	(MOBIL	43-037-15988	7W32	41S	24E	7	INJW	Ŷ
MEPNA	(MOBIL	43-037-15990	7W41	41S	24E	7	INJW	Ÿ
MEPNA	(MOBIL	43-037-16394	7W21	41S	24E	7	INJW	Ÿ
MEPNA	(MOBIL	43-037-15985	7W12	41S	24E	7	INJW	Y
MEPNA		43-037-15989	7W34	41S	24E	7		Y
	(MOBIL	43-037-15986	7W14	41S	24E	7	WLNI WLNI	Y
MEPNA	(MOBIL	43-037-15987	7W23	41S	24E	7	INJW	Y
	(MOBIL	43-037-15367	7W43	41S	24E	7	INJW	Y
	(MOBIL	43-037-16396	8W43	41S	24E	8	INJI	Y
•	(MOBIL	43-037-15992	8W14	415	24E	8	INJW ·	Y
MEPNA	(MOBIL	43-037-16398	9W23	41S	24E	9	INJW	Y
- /	(MOBIL	43-037-16400	9W43	41S	24E	9		Y
MEPNA	(MOBIL	43-037-16397	9W21	41S	24E 24E		INJI	Y
MEPNA	(MOBIL	43-037-16402	10W23			9	INJW	Y
MEPNA	(MOBIL	43-037-16402		41S	24E	10	WLNI	
MEPNA	`	43-037-16401	10W21	41S	24E	10	INJI	Y
MEPNA	(MOBIL		10W43	41S	24E	10	INJW	Y
	(MOBIL	43-037-16413	15W43	41S	24E	15	INJI	Y
MEPNA	(MOBIL	43-037-16411	15W21	41S	24E	15	INJW	Y
MEPNA	(MOBIL	43-037-16412	15W23	41S	24E	15	INJI	Y
MEPNA	(MOBIL	43-037-16415	16W43	41S	24E	16	INJW	Y
MEPNA	(MOBIL	43-037-15720	16W12	41S	24E	16	INJW	<u>Y</u>
MEPNA	(MOBIL	43-037-15721	16W14	41S	24E	16	INJW	Y

	.					
	n of Oil, Gas and Mining FOR CHANGE WORKSHEET				Routing	/7-PL/
	all documentation received by the division regar each listed item when completed. Write N/A if		able.		2_LWD 3=BZ3/ 4_VLC	.8–SJ (9–FILE
□ Cha □ Des	nge of Operator (well sold) ignation of Operator	Designation of Operator Name	Agent Change Only		5-RJF 6-LWP	
The or	perator of the well(s) listed below has	changed (EFFEC	CTIVE DATE:	8-2-95)	
TO (ne	w operator) MOBIL EXPLOR & PROD (address) C/O MOBIL OIL CORP PO DRAWER G CORTEZ CO 81321 phone (303) 564-5212 account no. N7370	FROM (former	(address) (81321)564-521	2
Hell(s) (attach additional page if needed):					
Name: Name: Name: Name:	** SEE ATTACHED ** API:	_ Entity: _ Entity: _ Entity: _ Entity:	SecTwp_ SecTwp_ SecTwp_ SecTwp_	Rng L Rng L Rng L Rng L	ease Typo ease Typo ease Typo ease Typo	e: e: e:
N/A 1.	operating any wells in Utah. Is com	<u>l</u> documentation ontacted if the pany registered	n has been r	eceived fro	om <u>new</u> op s not cu	perator rrently
	(For Indian and Federal Hells ONLY) (attach Telephone Documentation Form comments section of this form. Mana changes should take place prior to comments.)	The BLM has b to this repo gement review	ort). Make of <mark>Federal</mark>	note of and Indian	BLM star	tus in perator
<u>Lee</u> 5.	Changes should take place prior to come Changes have been entered in the Oil listed above. $(8-3-95)$	and Gas Informa	ation System	(Wang/IBM)	for eac	h well:
W 6.	Cardex file has been updated for each	well listed abo	ove. 8-31.95	•		
	Well file labels have been updated for					
Λ	Changes have been included on the mon for distribution to State Lands and th	e lax Commissio	on. <i>(8395)</i>			
Luco.	A folder has been set up for the Oper placed there for reference during rout	ator Change fi ing and process	le, and a co sing of the	opy of this original do	page ha ocuments.	s been

OPERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY	REVIEH
	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach <u>copies</u> of Form 6, Entity Action Form).
N/A 2.	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VE	RIFICATION (Fee wells only) * No Fee Leese Wells at this fine!
NA/1.	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2.	A copy of this form has been placed in the new and former operators' bond files.
3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE I	NTEREST OHNER NOTIFICATION RESPONSIBILITY
, r S	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
,	Copies of documents have been sent to State Lands for changes involving State leases .
FILMING	
	All attachments to this form have been microfilmed. Date: October 4 1995.
FILING	
1. 9	Copies of all attachments to this form have been filed in each well file.
	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENT	S .
95080	3 WIC F5/Not necessary!
	•
·	

WE71/34-35

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES AND REPORTS ON WELLS


FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-246

6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR	Use "APPLICATION FOR PERMIT - " for such proposals		
SUBMIT	7. If Unit or CA, Agreement Designation RATHERFORD UNIT		
1. Type of Well Oil Well Gas Well Other	8. Well Name and No. RATHERFORD 1-W-24		
	M INC.* RODUCING US INC. AS AGENT FOR MPTM	9. API Well No.	
3. Address and Telephone No. P.O. Box 633, Midland TX 79702 (915) 688-2585		43-037-15389- 15839 10. Field and Pool, or exploratory Area	
4. Location of Well (Footage, Sec., T., R., M., or Survey De SEC. 1X, T41S, RZ/E Sec., \(\text{NE/SE}\) 1980' FSL & 660' FEL (, 5)	GREATER ANETH 11. County or Parish, State SAN JUAN UT		
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPO		
TYPE OF SUBMISSION	TYPE OF ACT	TION	
Notice of Intent X Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other MIT TEST	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	
Describe Proposed or Completed Operations (Clearly state all give subsurface locations and measured and true vertices.) SEE ATTACHED MIT AND CHART	l pertinent details, and give pertinent dates, including estimated date of tical depths for all markers and zones pertinent to this work.)*	f starting any proposed work. If well is directionally drilled	



ereby certify that the foregoing is true and c	7) 1	RLEY HOUCHINS/ENV & REG TEC	H Date 5-18-98
s space for Federal or State office use)	1		
proved by	Title		Date

ANNULAR PRESSURE TEST

(Mechanical Integrity Test)

Operator Mobil R. & P]	Inc. Date of Tes	st		
Well Name RU # /W-24 EPA Permit No		it No		
Location Sec. / . T41S-R23E Tribal Lease No. 14-20-603-246				
State and County San Juan Co	ounty, Utah			
Continuous Recorder? YES	NO Pressure Gauge? Y	ES P NO D		
Bradenhead Opened? YES D N				
TIME	ANNULUS PRESSURE, psi	TUBING PRESSURE, psi		
9:00		2750		
9:05	//20	2750		
9:10	1120	2750		
9:20	1120	2750		
9:30		2750		
4-14-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	·	·		
MAX. INJECTION PRESSURE:	PSI			
MAX. ALLOWABLE PRESSURE	CHANGE:PSI failed, cease injection until well pa			
PASED M.I.T.				
FRITZ JOHNSON COMPANY REPRESENTATIVES	: (Print and Sign)	2.26.98 DATE		
Melvin Capitan Jr.	Tral Cot	7-26-78		
INSPECTOR: (Print and Sign		DATE		

U.S. ENVIRONMENTAL PROTECTION AGENCY

NOTICE OF INSPECTION

Address (EPA Regional Office)

Region 9

Environmental Inspection Agency 215 Fremont Street (W-6-2) San Francisco, CA 94105

Inspection Contractor

Navajo Nation EPA GPC Program P.O. Box 1979. Shiprock, NM 87420 Firm To Be Inspected

Mobil E. & P., Inc. P.O. Box Drawer G Cortez, CO 81321

Date 2-26-98

Hour 9:00 am Notice of inspection is hereby given according to Section 1445(b) of the Safe Drinking Water Act (42 U.S.C. §300 f et seg.).

Reason For Inspection

For the purpose of inspecting records, files, papers, processes, controls and facilities. and obtaining samples to determine whether the person subject to an applicable underground injection control program has acted or is acting in compliance with the Safe Drinking Water Act and any applicable permit or rule.

RU# IW-24, WATER INJECTION WELL, M.I.T. - PASSED RU# 6W-14, WATER INJECTION WELL, M.I.T. - PASSED RU# TW-12, WATER INJECTION WELL, M.I.T. - PASSED RUX TW-14, WATER INTECTION WELL, M.I.T. - PASSED PIL# 2W-44, WATER INSECTION WELL, M.I.T. - PASSED RU# 11W-44 WATER INTECTION WELL M.I.T. - PASSED RU# TW-41, WATER INJECTION WELL, M.I.T. - PASSED


Section 1445(b) of the SDWA (42 U.S.C. §300 j-4 (b) is quoted on the reverse of this form.

Receipt of this Notice of Inspection is hereby acknowledged.

Firm Representative

Date

2-26-98




Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31 1003

DIDEALOR	LAND MANAGEMENT	Expues. March 31, 1993
BUREAU OF	5. Lease Designation and Serial No.	
SUNDRY NOTICES	14-20-603-246 6. If Indian, Allottee or Tribe Name	
Do not use this form for proposals to d		
Use "APPLICATION FO	Navajo	
SURMI	T IN TRIPLICATE	7. If Unit or CA, Agreement Designation
	Ratherford	
1. Type of Well Oil Gas Well Other		8. Well Name and No.
2. Name of Operator		1-24 et al
MEPUS for MPT&NM and M	EPNA* (915) 688-2114	9. API Well No.
3. Address and Telephone No. P.O. Box 633, Midland, Tx.	79702 Attn: Glen Cox	43-037-15389
4. Location of Well (Footage, Sec., T., R., M., or Survey D		10. Field and Pool, or Exploratory Area Greater Aneth
Surface: SESW 1-41s-23e	•	11. County or Parish, State
	et ai	San Juan, Ut.
BHL: Same		
12. CHECK APPROPRIATE BOX	s) TO INDICATE NATURE OF NOTICE, REPOF	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
i	Other Pipe & Power Lines	Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
 Describe Proposed or Completed Operations (Clearly state al give subsurface locations and measured and true vertice 	l pertinent details, and give pertinent dates, including estimated date of starting al depths for all markers and zones pertinent to this work.)*	any proposed work. If well is directionally drilled,
*Mobil Exploration & Producing II S Inc	c. as agent for Mobil Producing Texas & New Mexi	co Inc. and Mobil Exploration
& Producing North America Inc.	a to agone for modify roadsing reads a new modify	The state of the s
MCH 1		VACUE in the Heavisian and a second
·	d carbon dioxide injection pipelines in same trench	•
, –	vide pipeline corridor. Total length will be 15.4 m	
- · · · · · · · · · · · · · · · · · · ·	eamless, welded steel. Maximum operating pressu	
•	dia source will be water and carbon dioxide res Mobil's system. Tribal approved archaeologist—v	· ·
avoidance fencing and monitor construc		विशासिक हो।
Diameter	Pipe Specifications	FORTA BIVI
8 "	0.438" W. T., API 5LX-60	
6 "	0.375" W. T., API 5LX-60	JUN 17 1998 //
4 "	0.337" W. T., API 5LX-42	
3 "	· · · · · · · · · · · · · · · · · · ·	OF OU
2 "	0.218" W. T., API 5LX-42	OF OIL, GAS & MINING
	CC. BIA, BLM,	Cox, Tribe, Tripp, UDOGM
4. I hereby gentify that the foregoing is true and correct	Consultant (505) 466-812	0 6-14-98
Signed Celica A Cool	Title	Date
(This space for Federal or State office use)		
Approved by Conditions of approval, if any:	Title	Date
Constitution at albeit and any		



Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0135

Expires November 30, 2000 5. Lease Serial No.

See Attached Listing


SUNDRY NOTICES AND REPORTS ON WELLS

			6. If Indian, Allottee or Tribe Name NAVAJO TRIBAL		
	RIRBOANT CHANGE				ement, Name and/or No.
1. Type of Well Gas Well	☑ Other			8. Well Name and No. See Attached Listi	
2. Name of Operator	\			9. API Well No.	
Mobil Producing TX & N *Mobil Exploration & Proc	M INCT lucing US Inc as agent for M	РТМ		See Attached Listi	ng
3a. Address		3b. Phone No. (i	nclude area code)	10. Field and Pool, or	Exploratory Area
P.O. Box 4358, Houston, T		713-431-1022		Greater Aneth	Na.4
See Attached Listing	c., T.,R.,M., or Survey Description)		_	11. County or Parish, S San Juan, UTAH	
500 : 11111011011 = 151110		43.037	15839		
	ROPRIATE BOX(ES) TO I			REPORT, OR OTH	ER DATA
TYPE OF SUBMISSION			PE OF ACTION		
Notice of Intent ■		Deepen Fracture Treat	☐ Production (Sta	_	Water Shut-Off
Colors and Based		New Construction	☐ Reclamation ☐ Recomplete		Well Integrity Other
☐ Subsequent Report		Plug and Abandon	☐ Temporarily Al	— <u>,</u> ,	Juner Vellhead
☐ Final Abandonment Notice		Plug Back	☐ Water Disposal	_	hangeout
13 Describe Proposed or Complet	ed Operation (clearly state all pertin				l approvimente duration
completed, and the operator ha Mobil Exploration & F Producing North Amer	ng has been completed. Final Abands determined that the site is ready for Producing US Inc. as agent it ica Inc. requests authorization plan to replace the 2,000 psi	r final inspection) for Mobil Produc n to pull the inje	ing Texas & New	Mexico Inc. & Mo	obil Exploration &
See Attached Listing of	Wells.				
				REC	EIVED
	,	COPY SENT IC	CPEDATOR	SEP 1	2 2000
		Divisi 9- Indicis: 7	19-00 HD		ON OF IND MINING
14. I hereby certify that the foregon Name (Printed/Typed)	ing is true and correct				
Mark Del Pico	\wedge	Title	Regulatory Sep	cialist	
Signature M. D.	el Pin'	Date	9/7/00		
	THIS SPACE POR	FEDERAL OR	AAAROBNIGERIS	Y	
Approved By		Title	ACCE	PTED BY THE	STATE
Conditions of approval, if any, are warrant or certify that the applicant	attached. Approval of this notice	does not	ALC 1	JIAH DIVISIO	Me

Attached Listing of Ratherford Wells

Well Name Number	API Number	Federal Lease #	Sec T R	Location
Ratherford 1-W-24	43-037-15839	14-20-603-246	01 - T41S - R23E	651 FSL / 3300 FEL
Ratherford 2-W-44	43-037-16386	142-0-603-246A	02 - T41S - R23E	810 FNL / 5119 FWL
Ratherford 7-W-12	43-037-15985	14-20-6-3-368	07 - T41S - R24E	2140 FNL / 585 FWL
Ratherford 12-W-31	43-037-15847	14-20-603-246A	12 - T41S - R23E	661 FNL / 1981 FEL
Ratherford 12-W-33	43-037-15848	14-20-603-246A	12 - T41S - R23E	1957 FSL / 1981 FEL
Ratherford 13-W-24	43-037-15853	14-20-603-247	13 - T41S - R23E	600 FSL / 3300 FEL
Ratherford 13-W-42	43-037-15857	14-20-6-3-247A	13 - T41S - R23E	2139 FNL / 585 FEL
Ratherford 13-W-44	43-037-16407	14-20-603-247A	13 - T41S - R23E	635 FSL / 659 FEL
Ratherford 19-W-41	43-037-15745	14-20-603-353	19 - T41S - R24E	660 FNL / 660 FEL
Ratherford 20-W-41	43-037-15751	14-20-603-353	20 - T41S - R24E	660 FNL / 660 FEL
Ratherford 28-W-21	43-037-16431	14-20-603-409	29 - T41S - R24E	660 FNL / 2022 FWL

ReplWellList1.doc



SUB SURFACE MAINTENANCE PROGRAM

WELL NO: Ratherford 1W24 / API # 43-037-15839 SEC 1-T41S-R23E San Juan County

To pull injection equipment, change out wellhead, and return well to injection.


This well work is being done because there has been a process step change in injection pressure. It appears that over the injection life of this well, the injection pressure has increased from 2000psi to 3000psi. For this reason, the wellhead needs to be upgraded to handle the additional pressure increase and reduce the possibility of a pressure release (SHE hazard) at the surface.

GENERAL PROCEDURES


- (1) Prior to MIRU PU, MIRU perf company and perforate the at approximately 5410'. Circ calculated kill fluid down the casing and up the the to establish well control.

 Note The well may already have been killed with calculated KWM prior to step 1.
- (2) MIRU PU. Pick up on the and LD 1st joint. PU compression set pkr (storm valve) and RIH and set in compression. Monitor the well for pressure for a least one hour.
- (3) Once well control has been re-confirmed, proceed to spear production csg hanger and relieve tension.
- (4) Proceed to cut off lower csg head and weld on the 5000psi high pressure replacement wellhead.
- (5) NU BOP/Hydril. Pick up pkr setting joint and left-handed thread and retrieve pkr (storm valve).
- (6) MIRU Campbell's tbg testers.
- (7) Release pkr and POOH hydrotesting each joint and LD first joint and SB remaining 2 3/8" Duolined the and LD all joints that fail 3500psi test.
- (8) LD 4" x 2 3/8" Arrow Set I pkr.
- (9) RDMO Campbell tbg testers.
- (10) PU redressed Arrow Set I pkr, profile w/ pump out plug, and 4" x 2 3/8" on/off tool. RIH on 2 3/8" Duoline tbg.
- (11) Set pkr @5441' +/- 10' and test to 1000psi.
- (12) Release on/off tool, circ. Pkr. Fluid (73bbls of freshwater w/ 31gal of Baker Petrolite CRW 132F) latch on to pkr.

Note – Volume based on a pkr setting depth of 5441' + 10% of total volume.



- (13) ND BOP/Hydril, NU WH.
 - Note Call ahead (at least 48hrs prior to testing) to the Navajo EPA and BLM so that they have time to find a witness for the MIT test if needed once the injection string is run back in. The backside should be tested to 1000psi with no more than a 5% loss in 30minutes if a successful test is to be obtained. The test should be charted and an original copy sent to Ellen Carroll (713-431-1197) in Houston, Tx.
- (14) Test tbg to 1200 psi and pump-out plug.
- (15) Clean location RDMO PU.



ExxonMobil Production Comp.
U.S. West
P.O. Box 4358
Houston, Texas 77210-4358

June 27, 2001



Mr. Jim Thompson State of Utah, Division of Oil, Gas and Mining 1549 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Charlotte St. Darper

Charlotte H. Harper Permitting Supervisor

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

H DEVED

1 70**01**

TO STON OF BLACK OND MINING



United States Department of the Interior

NAVATOR REGION

P.O. Box 1060 Gallup, New Mexico 87305-1060

AUG 3 0 2001

RRES/543

<u>CERTIFIED MAIL - RETURN RECEIPT REQUESTED</u>

Charlotte H. Harper, Permitting Supervisor Exxon Mobil Production Company U. S. West P. O. Box 4358 Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

CEMMI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

r	grandpoliticos delicita con tris na se reportan el planta de proprieta de la proprieta de la composição de l
l	METERAL RESOURCES
l	ADM J DE ///C
ļ	NATV AM REN COORD
:	SOLID ASK TRAM
٠	PETRO MORT TEAM 2
	O & G INSPECT YEAM
	ALL TEAM LEADERS
	LAND RESOURCES
ĺ	ENVIRONMENT
	FILE8
L.	

P. 03

ExxonMobil Production Company

U.S. West P.O. Box 4358 Houston, Texas 77210-4358


June 27, 2001

Certified Mail
Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543

ExonMobil

Production



Change of Name –
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours,

Charlotte H. Harper Permitting Supervisor

Attachments

JUL 0 5 2001

NAVAJO REGION OFFICE
BRANCH OF REAL ESTATE SERVICES

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Issu

Charlotte U. Harper

(Name of

Address 5959 Las Colinas Blvd. Irving, TX 75039

Bureau of Indian Affairs Navajo Region Office Attn: RRES - Mineral and Mining Section P.O. Box 1060

B.A. Maher

Gallup, New M	exico 87305-1060		
Gentiemen:			
	ting of officers and director of		(Name o
	•	OFFICERS	
President	F.A. Risch	Address 5959 Las Colinas Blvd.	<u>Irving. TX 75</u> 039
Vice President	K.T. Koonce	Address 800 Bell Street Houston	TX 77002
Secretary	F.L. Reid	Address 5959 Las Colinas Blvd.	<u> </u>

DIRECTORS

Name D.D. Humphreys Address 5959 Las Colinas Blvd. Irving, TX 75039 Name P.A. Hanson Address 5959 Las Colinas Blvd. Irving, TX 75039 Name T.P. Townsend 5959 Las Colinas Blvd. Irving, TX 75039 Address _ Name B.A. Maher Address 5959 Las Colinas Blvd. Irving, TX 75039 Name F.A. Risch 5959 Las Colinas Blvd. Irving, TX 75039 Address

Sincerely.

Alex Correa

This is to certify that the above information pertaining to ExxonMobil Oil Corporation is trust and correct as evidenced by the records and accounts covering business for the State of Utah and in the custody of Corporation Service Company (Agent), Phone: 1 (800)927-9800 whose business address is One Utah Center, 201 South Main Street, Salt Lake City, Utah 84111-2218

Treasure

Signature AGENT AND ATTENEY IN 7927

Title

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

S. U. Milliam Assistant Secretary

COUNTY OF DALLAS)
STATE OF TEXAS)
UNITED STATES OF AMERICA)

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

Ganice M. Phillip Notary Public

LISTING OF LEASES OF MOBIL OIL CORPORATION

Lease Number

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20) 14-20-603-5450
- 21) 14-20-603-5451

6/1/01

CHUBB GROUP OF INSURANCE COMPANIES

Joseph Commission Shorth, Super 1900, Plauston Texas, 27027-3501
 Johnson D. D. 1927-4600 F. Fensimph (713), 297-4750

NW Bond

FEDERAL INSURANCE COMPANY RIDER to be attached to and form a part of

BOND NO 8027 31 97 wherein Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior Bureau of Indian Affairs

in the amount of \$150,000.00 bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001 the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.


TO: ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

FEDERAL INSURANCE COMPANY

Mary Pierson, Autorney-in-fact



POWER OF ATTORNEY Federal Insurance Company Vigilant Insurance Company Pacific Indemnity Company Attn.: Surety Department 15 Mountain View Road Warren, NJ 07059

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint R.F. Bobo.

Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas-----

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than ball bonds) given or executed in the course of business, and any instruments amending or attering the same, and consents to the modification or alteration of any instrument referred to in said bonds or obligations.

in Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this 10th day of May, 2001.

Kenneth C. Wendel, Assistant Secretary

Kenneth C. Wendel, Assistant Secretary

Frank E. Robertson, Vice President

STATE OF NEW JERSEY SE. County of Somerset

MIN SEL

On this 10th day of May, 2001, before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duly swom, did depose and say that he is Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the corporate seals thereof, that the seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto affixed by authority of the By-Laws of said Companies; and that he signed said Power of Attorney as Assistant Secretary of said Companies by tike suthority; and that he is acquainted with Frank E. Robertson, and knows him to be Vice Position of said Companies; and that the signeture of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson subscribed by suthority of said Companies.

Notary Public State of New Jersey

No. 2231647

Commission Expires Qd 28 2004 ON

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facelinite to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate beering such facelinite signature or facelinite seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

(i) the foregoing extract of the By-Laws of the Companies is true and correct,

(ii) the Companies are duly licensed and authorized to transact surety business in all 50 of the United States of America and the District of Columbia and are authorized by the U. S. Treasury Department; further, Federal and Vigilant are licensed in Puerto Rico and the U. S. Virgin Islands, and Federal is licensed in American Samoa, Guam, and each of the Provinces of Canada except Prince Edward Island; and

(iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seats of said Companies at Warren, NJ this 12th day of June, 2001







Konneth C. Wendel, Assistant Secretary

harenalsiel

IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

CSC.

5184334741

06/01 '01 08:46 NO.410 03/09

06/01 '01 09:06 NO.135 02/04

F010601000 187

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

OF

CSC 45

MOBIL OIL CORPORATION

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Lew, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby certify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the amendments to the Certificate of Incorporation effected.

by this Certificate are as follows:

- (a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:
 - "1st The corporate name of said Company shall be,
 ExxonMobil Oil Corporation",
- (b) Article 7th of the Cartificate of Incorporation, relating to the office of the corporation is hereby smended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC CSC

5184334741

06/01 '01 08:47 NO.410 04/05

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to wote on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this 22nd Day of May, 2001.

F. A. Risch, President

STATE OF TEXAS
COUNTY OF DALLAS


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.

F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 224 day of May, 2001.

[SEAL]

NOTARY PUBLIC, STATE OF TEXAS



CSC CSC

---;

5184334741

06/01 '01 09:01 NO 411 02/02 6/01 '01 09:00 NO 411 02/02 01060100018

CSC 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

100 STATE OF NEW YORK

Filed by: EXXONMOBIL CORPORATION

(Name)

TAX S

5959 Las Colinas Blvd.

(Mailing address)

Irving, TX 75039-2298 (City, State and Zip code)

191 C 5 2001 William National Estable Services

010601000

,TEL=5184334741

06/01'01 08:19

=> CSC

State of New York Department of State }

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on JUN 01 2001



Special Deputy Secretary of State

DOS-1266 (7/00)

Form 3160-5 (August 1999)

UMTED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires November 30, 2000

5. Lease Serial No.

14-20-603-246

6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

Navajo Tribal

SUBMIT IN	7. If Unit or CA/Agreement, Name and/or No. Ratherford Unit		
Oil Gas Well	Other Injection Well	8. Well Name and No.	
2. Name of Operator		Ratherford Unit 1W24	
Exxon Mobil Corporat	ion	9. API Well No.	
3a. Address P.O. Box 4358	3b. Phone No. (include area code)	43-037- 15389 /5839	
Houston	TX 77210-4358 (713) 431-1197		
· •	., T., R., M., or Survey Description)	GREATER ANETH	
610' FSL & 3300' FEI		11. County or Parish, State	
Sec 1 T41S R23	DE CONTRACTOR OF THE CONTRACTO	SAN JUAN UT	
12. CHECK APP	ROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, RE	PORT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTIO	ON	
Notice of Intent	Acidize Deepen Production (Start/Resume	e) Water Shut-Off	
₩ -	Alter Casing Fracture Treat Reclamation	Well Integrity	
Subsequent Report	Casing Repair New Construction Recomplete	Other Wellhead	
Final Abandonment Notice	Change Plans Plug and Abandon Temporarily Abandon	Replacement	
	Convert to Injection Plug Back Water Disposal		
13. Describe Proposed or Complet	d Operation (clearly state all pertinent details, including estimated starting date of any proposed w	ork and approximate duration thereof. If proposal is to	

13. Describe Proposed or Completed Operation (clearly state air pertinent details, including estimated starting date of any proposed work and approximate duration interest. If proposed is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multitple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recalmation, have been completed, and the operator has determined that the site is ready for final inspection.)

Attached is a summary of work performed on Ratherford Unit #1W24 from 7/31/01 to 8/16/01 to replace the wellhead.

Kim S. Lynch Sr. Staff Office Assistant ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for Mobil Producing Texas & New Mexico, Inc.

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Kim Lynch	Title Sr. Staff Office Assistant	RECEIVED
Signature Am Amch	Date 11/13/2001	WOV 10 2001
THIS SPACE	FOR FEDERAL OR STATE OFFICE USE	DAMESON
Approved by	Tide	DIL, GAS AND MINING
Conditions of approval, if any, are attacheed. Approval of this notice does certify that the applicant holds legal or equitable title to those rights in the swhich would entitle the applicant to conduct operations thereon.	not warrant or Office subject lease	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Ratherford Unit #1W24 San Juan County, Utah 14-20-603-246

2001/07/31 (Tuesday)

MIRU WSU KEY #14. RU & FB WELL. SITP = 1500#. SICP = 200#. SI, SDON. HRT 3.5. TRH 3.5

2001/08/01 (Wednesday)

SITP = 1500#. SICP = 200#. OUW TO FRAC TANK. RU&T WWLS, RIH & PERF 4SPF 5430-5432'. POH, RD WWLS. RU & PUMP 65 BBL 15.2# MUD DOWN CSG, OUT TBG. ND TREE & WH. NU BOP & FUN TEST. POH, LD 3 JTS. SI&SWON. HRT 10, TRH 13.5.

2001/08/02 (Thursday)

SIP = 0#. OUW & POH W/ 165 JTS. LD ON/OFF TOOL, & AAROW PKR. PU RBP & RIH W/ 53 JTS & SET. BOPT, 500#, 2000#, GT. RD FLOOR, NC BOP, & DIG AROUND WH. CUT OFF WH. SD. SI&SWON. HRT 9.5, TRH 23

2001/08/03 (Friday)

DIG AROUND CSG W/ JACK HAMMER & WELD ON NEW WH. NU&T TBG HEAD. NU BOP & RU FLOOR. SD, SI&SWOWE. HRT 7 TRH 30.

2001/08/06 (Monday)

SIP = 0#. OUW, PU RET HEAD, & RIH 26 STDS. RU SWIVEL & KELLY HOSE, J-ON RBP & REL RBP. RD KH & SWIVEL, & POH, LD RBP. RU C-T, PU BHA & RIH 42 STDS W/ NO LEAKS. SD, SW&SWON. HRT 10.5, TRH 40.5.

2001/08/07 (Tuesday)

SIP = 0#. OUW & RIH 12 STDS. PKR WOULD GO NO FURTHER, BLEW POP YESTERDAY BECAUSE OF FLUID HOLDING BHA. POH, LD PKR (SEALS DESTROYED). PU & RIH W/ BIT 83 STDS, FOUND NO OBSTRUCTIONS. POH 42 STDS. SD, SI&SWON. HRT 8, TRH 48.5

2001/08/08 (Wednesday)

SIP = 0# (SLIGHT BLOW). OUW & POH, LD BIT. PU BHA W/ GUIBERSON PKR & RU CT. RIH TT W/ NO LEAKS. ATTEMPTED TO SET PKR, WOULD NOT SET. TITE SPOT 5344' HAD TO WORK THRU. POH 42 STDS. SD, SI&SWON. HRT 11.5, TRH 60

2001/08/09 (Thursday)

SIP = 0# (SLIGHT BLOW) OUW & POH, LD GUIBERSON PKR, TOP SLIPS WELL WORN. PU NEW GUIBERSON PKR W/ BHA & RIH. PERMISSION FROM EPA (JIM WALKER TO SET PKR ABOVE TITE SPOT). COULD NOT SET PKR AFTER 1 HR ATTEMPT. POH, PKR OK. RIH W/ 25 STD KS. SD, SI&SWON. HRT 10.5 TRH 70.

2001/08/10 (Friday)

SIP = 0#. (FLOWING MUD). PUMP 20 BBL DOWN CSG. OUW & RIH 20 STDS, PUMP 10 DWN TBG. POH, PU AAROW PKR W/ BHA & RIH. PKR HUNG @ 2985' (DV TOOL SET @ 2982'), WORKED SET, UNSET, STILL STUCK. SD, SI&SWON. HRT12, TRH 82.5

Ratherford Unit #1W24 San Juan County, Utah 14-20-603-246

2001/08/11 (Saturday)

SIP = 0# (SLIGHT BLOW). CIRC 40 BBL MUC, OUW & ATTEMPT TO FREE PKR. J-OFF & POH. W/O WS, PU FISHING BHA W/ ON/OFF RET HEAD, & RIH W/66 JTS WS. FISHING BHA CONSISTS OF ON/OFF RET HEAD, X-O, BS, HJ, 6-3 1/8 DC, ACC, JT WS, PORTED S, & WS. SD, SI & SWON. HRT 12, TRH 94.5

2001/08/12 (Sunday)

SIP = 0#. OUW & CONT RIH W/ WS (90 JTS TOTAL). RU&P 14 BBL MUD DOWN TBG. JAR 45 MIN & PULLED FREE. POH, LD FISHING TOOLS & FISHING BHA. PU & RIH W/ 3 1/4 BIT & 3 3/8 CS. WORK TITE SPOT # 2985' & CONT RIH TO 5344'. TITE SPOT THERE. PUH 2 STDS. SD, SI&SWON. HRT 9, TRH 103.5

2001/08/13 (Monday)

SIP = 0#. OUW, & RIH 2 STDS TO TITE SPOT @ 5344'. ATTEMPTED TO CLEAN OUT TITE SPOT, BUT UNSUCCESSFUL. POH, LD WS (85JTS) & RUN THRU 2985' SEVERAL TIMES W/ NO BOBBLES. POH, LD CS&BIT & RIH W/ 56 JT KS. SD, SI&SWON. HRT 8, TRH 111.5

2001/08/14 (Tuesday)

WSI, WSU STBY UNTIL TOMORROW WHEN PKR READY. HEAVY RAIN DURING NIGHT & EARLY MORNING.

2001/08/15 (Wednesday)

SIP = O#. OUW & POH W/ KS. PU BHA W/ NEW PKR & RIH W/ 164 JTS TOTAL. SET PKR, RU TEFTELLER & SET 1.5 PLUG. J-OFF ON/OFF TOOL & CIRC 65 BBLS PKR FLUID, J BACK ON. RD FLOOR, ND BOP & NU TREE. PT CSG TO 1000#, GT. RU TEFTELLER, RIH & PULL PLUG. RD TEFTELLER, SDON. HRT 13.5, TRH 125.

2001/08/16 (Thursday)

EQUIPMENT RIH: 168 JTS 2 3/8 DUO-LINE @ 5297', 4X 2 3/8 ARROW T-2 ON-OFF TOOL W/ 1.50 "F" SS PN @ 5308', 4X 2 3/8 ARROWSET 1-X IPC PKR @ 5317' (7.53'), 6- 2 3/8 SS SUB, 2 3/8X1.43 "AR" SN, X 4X 2 3/8 WL RE-ENTRY GUIDE. RDMO. HRT 2.5 TRH 127.5

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH 2. CDW 3. FILE

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, e	effective:	06-01-2001				
FROM: (Old Operator):	TO: (New Operator):					
MOBIL EXPLORATION & PRODUCTION	1	EXXONMOBI		PORATIO	V	
Address: P O BOX DRAWER "G"	1	Address: USV			 .	
	[
CORTEZ, CO 81321		HOUSTON, T	X 77210-43	58		
Phone: 1-(970)-564-5212	1	Phone: 1-(713)	-431-1010			
Account No. N7370		Account No.	N1855			
CA No.	<u> </u>	Unit:	RATHER	FORD		
WELL(S)				<u></u>		
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
1-24	01-41S-23E	43-037-15839		INDIAN	WI	Α
N DESERT CR 44-2 (2-44)	02-41S-23E	43-037-16386	99990	INDIAN	WI	Α
11-42		43-037-15841		INDIAN	WI	A
11-44	11-41S-23E	43-037-15842	6280	INDIAN	WI	Α
12-11	12-41S-23E	43-037-15843	6280	INDIAN	WI	A
RATHERFORD 12-W-22	12-41S-23E	43-037-15845	6280	INDIAN	WI	A
12-31	12-41S-23E	43-037-15847	6280	INDIAN	WI	Α
RATHERFORD 12-W-33	12-41S-23E	43-037-15848	6280	INDIAN	WI	Α
12-42	12-41S-23E	43-037-15850	6280	INDIAN	WI	A
N DESERT CR 13-12 (12-13)	12-41S-23E	43-037-16404	99990	INDIAN	WI	A
RATHERFORD U 12-24	12-41S-23E	43-037-31151	6280	INDIAN	WI	A
RATHERFORD U 12-W-44A	12-41S-23E	43-037-31543	6280	INDIAN	WI	A
13-W-13	13-41S-23E	43-037-15851	6280	INDIAN	WI	A
13-22	13-41S-23E	43-037-15852	6280	INDIAN	WI	A
13-24	13-41S-23E	43-037-15853	6280	INDIAN	WI	A
13-31	13-41S-23E	43-037-15854	6280	INDIAN	WI	A
RATHERFORD 13-W-33		43-037-15855		INDIAN	WI	Α
13-42	13-41S-23E	43-037-15857	6280	INDIAN	WI	A
N DESERT CR 44-13 (13W44)	13-41S-23E	43-037-16407	99990	INDIAN	WI	Α
RATHERFORD U 13-W-11	13-41S-23E	43-037-31152	6280	INDIAN	WI	A
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 06/29/2001						
2. (R649-8-10) Sundry or legal documentation was received to		-	06/29/200	-		
3. The new company has been checked through the Departm	ent of Comm	erce, Division o	of Corpora	tions Datab	ase on:	04/09/2002
4. Is the new operator registered in the State of Utah:	YES	Business Numb	er:	579865-014	3	
5. If NO , the operator was contacted contacted on:	N/A					

6.	6. Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BIA-06/01/01					
7.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operations.	ntor for wells	listed on:	06/01/2001		
8.	Federal and Indian Communization Agreement The BLM or BIA has approved the operator for all wells li			N/A		
9.	Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the wa			UIC Form 5, Transfer on: N/A NOTE: EPA ISSUE		
$\overline{\mathbf{D}}$	ATA ENTRY:		· · ·			
1.	Changes entered in the Oil and Gas Database on:	04/09/2002				
2.	Changes have been entered on the Monthly Operator Chan	nge Spread S	heet on:	04/9/2002		
3.	Bond information entered in RBDMS on:	N/A				
4.	Fee wells attached to bond in RBDMS on:	N/A				
SI	TATE WELL(S) BOND VERIFICATION:					
1.	State well(s) covered by Bond Number:	N/A				
FI	EDERAL WELL(S) BOND VERIFICATION:					
1.	Federal well(s) covered by Bond Number:	N/A				
IN	NDIAN WELL(S) BOND VERIFICATION:					
1.	Indian well(s) covered by Bond Number:	80273197				
FI	EE WELL(S) BOND VERIFICATION:					
1.	(R649-3-1) The NEW operator of any fee well(s) listed cover	ered by Bond	Number	N/A		
	The FORMER operator has requested a release of liability from The Division sent response by letter on:	om their bond N/A	l on:	N/A		
	EASE INTEREST OWNER NOTIFICATION: (R649-2-10) The FORMER operator of the fee wells has been of their responsibility to notify all interest owners of this characteristics.		nd informed N/A	by a letter from the Divis	ion	
CC	OMMENTS:					
				· · · · · · · · · · · · · · · · · · ·		
_						

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING		
1. DJJ		
2. CDW		

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:	6/1/2006
FROM: (Old Operator):	TO: (New Operator):
N1855-ExxonMobil Oil Corporation	N2700-Resolute Natural Resources Company
PO Box 4358	1675 Broadway, Suite 1950
Houston, TX 77210-4358	Denver, CO 80202
Phone: 1 (281) 654-1936	Phone: 1 (303) 534-4600
CA No.	Unit: RATHERFORD (UIC)
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the 2. (R649-8-10) Sundry or legal documentation was received from the 3. The new company was checked on the Department of Commerce 4. Is the new operator registered in the State of Utah: 5. If NO, the operator was contacted contacted on: 6a. (R649-9-2)Waste Management Plan has been received on: 6b. Inspections of LA PA state/fee well sites complete on: 6c. Reports current for Production/Disposition & Sundries on: 7. Federal and Indian Lease Wells: The BLM and or the or operator change for all wells listed on Federal or Indian leases 8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for the BLM or BIA has approved the operator for all wells listed	e FORMER operator on: 4/21/2006 NEW operator on: 4/24/2006 New operator on: 4/24/2006 New operator on: 6/7/2006 New operator on: 6/7/2006 New operator on: 6/7/2006 New operator on: 6/7/2006 Stable on: 6/7/20
DATA ENTRY:	
 Changes entered in the Oil and Gas Database on: Changes have been entered on the Monthly Operator Change S Bond information entered in RBDMS on: Fee/State wells attached to bond in RBDMS on: Injection Projects to new operator in RBDMS on: 	n/a n/a 6/22/2006
6. Receipt of Acceptance of Drilling Procedures for APD/New on:	n/a
BOND VERIFICATION:	
Federal well(s) covered by Bond Number: Output Description:	n/a PA002769
2. Indian well(s) covered by Bond Number:	
3. (R649-3-1) The NEW operator of any fee well(s) listed covered by	
a. The FORMER operator has requested a release of liability from the Division sent response by letter on:	heir bond on: <u>n/a</u> n/a
 LEASE INTEREST OWNER NOTIFICATION: (R649-2-10) The FORMER operator of the fee wells has been conformed of their responsibility to notify all interest owners of this change of their responsibility to notify all interest owners of this change of their responsibility. 	ntacted and informed by a letter from the Division on: n/a
COMMENTS:	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

TRANSFER OF AUTHORITY TO INJECT				
Well Name and Number See attached list		API Number Attached		
Location of Well Footage: See attached list.	County : San Juan	Field or Unit Name Ratherford Unit		
QQ, Section, Township, Range:	State: UTAH	Lease Designation and Number See attached list		

EFFECTIVE DATE OF TRANSFER: 6/1/2006

PERATOR	
Exxon Mobil Oil Corporation	Name:
PO Box 4358	Signature:
city Houston state TX zip 77210-4358	Title:
(281) 654-1936	Date:
Exxon Mobil has submitted a separate, signed copy	
	Exxon Mobil Oil Corporation PO Box 4358 city Houston state TX zip 77210-4358 (281) 654-1936

NEW OPERATOR Resolute Natural Resources Company Company: Name: 1675 Broadway, Suite 1950 Address: Signature: city Denver state CO zip 80202 Regulatory Coordinator Title: (303) 534-4600 4/20/2006 Phone: Date: Comments: A list of affected UIC wells is attached. New bond numbers for these wells are: BIA Bond # PA002769 and US EPA Bond # B001252

(This space for State use only)

Transfer approved by:

Approval Date:

Comments:

RECEIVED APR 2 4 2006

STATE OF UTAH

	DEPARTMENT OF NATURAL RESC	OURCES	TOKING
	DIVISION OF OIL, GAS AND	MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
			See attached list
SUNDR	Y NOTICES AND REPOR	RTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this face face when the still		Navajo Tribe 7. UNIT or CA AGREEMENT NAME:	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			Ratherford Unit
1. TYPE OF WELL OIL WELL		R Unit Agreement	8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:			See attached list
Resolute Natural Resource	ces Company N2760		9. API NUMBER: Attached
3. ADDRESS OF OPERATOR:		PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
1675 Broadway, Suite 1950 4. LOCATION OF WELL	TY Denver STATE CO	ZIP 80202 (303) 534-4600	Greater Aneth
100,000 (600,000)	and the court	このである。 では、 では、 では、 では、 では、 では、 では、 では、	add hazarkiri Almonto ana aki, sa ta
FOOTAGES AT SURFACE: See a	mached list		COUNTY: San Juan
QTR/QTR, SECTION, TOWNSHIP, RAI	NGE, MERIDIAN:		STATE:
	2/1/2005 2/2006 (AZ2220)		UTAH
11. CHECK APP	ROPRIATE BOXES TO INDIC	ATE NATURE OF NOTICE, REPO	RT. OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	AT, OR OTHER DATA
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	☐ NEW CONSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
•	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	
Date of work complation:	COMMINGLE PRODUCING FORMATION		WATER SHUT-OFF
==0	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	OTHER:
12 DESCRIPE PROPOSED OF O			
		all pertinent details including dates, depths, volume	
Pesclute Natural Pageura	xon Mobil Oil Corporation resig	ns as operator of the Ratherford Un	it. Also effective June 1, 2006
Nesolute Matural Resourc	ses Company is designated as s	successor operator of the Ratherford	d Unit.
A list of affected producing	g and water source wells is atta	ached. A separate of affected injection	on wells is being submitted with
UIC Form 5, Transfer of A	Authority to Inject.	The second second injustice	on wone is being submitted with
A- 611 CC 11 1 1 1			
As of the effective date, be	ond coverage for the affected w	vells will transfer to BIA Bond # PA0	02769.
			8 5
			27
//_			
NAME (PLEASE PRINT) Dwight E I	MAllogo	Damili O "	
NAME (PLEASE PRINT) DWIGHT E	yiqiigiy	Regulatory Coordi	nator
SIGNATURE WITE &	' la_	DATE 4/20/2006	
		DATE 4/20/2000	
This space for State use only			DEOE

APPROVED 6 137 106

Carlene Russell

Division of Oil, Gas and Mining actions on Reverse Side)

England Russell Engineering Tacketolan

RECEIVED APR 2 4 2006

Earlene Russell, Engineering Technician

DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON V	VELLS 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-h drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such j	ole depth, reenter plugged wells, or to proposals. 7. UNIT or CA AGREEMENT NAME: UTU68931A
1. TYPE OF WELL OIL WELL GAS WELL OTHER Injection	8. WELL NAME and NUMBER: Ratherford
2. NAME OF OPERATOR: ExxonMobil Oil Corporation N/855	9. API NUMBER:
3. ADDRESS OF OPERATOR:	PHONE NUMBER: 10. FIELD AND POOL, OR WILDCAT:
P.O. Box 4358 CITY Houston STATE TX ZIP 77210-4	358 (281) 654-1936 Aneth
FOOTAGES AT SURFACE:	county: San Juan
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATU	RE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION
Approximate date work will start: 6/1/2006 CHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE TUBING PLUG CHANGE WELL NAME CHANGE WELL STATUS PROD COMMINGLE PRODUCING FORMATIONS RECL	SIDETRACK TO REPAIR WELL CONSTRUCTION TEMPORARILY ABANDON TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TO THERE TO THERE TO THERE TO THERE TUBING THE T
NAME (PLEASE PRINT) Laurie Kilbride	Permitting Supervisor
SIGNATURE JAMES D. KUBUCH	DATE 4/19/2006
This apace for State use only) APPROVED 6 27 06	

(5/2000)

Carleve Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician
(See Instructions on Reverse Side)

RECEIVED APR 2 1 2006

GREATER ANETH FIELD UIC WELL LIST Ratherford lease, San Juan County, Utah

			T					Surfa	ce Loc	ration	
Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Qtr 1	Qtr 2	_	_		NS Foot	EW Foot
Ney Lease Ivaille	Well ID	AFTNUIII	Otatus	rteg Lease #	GZLI I	Qu Z	Occ		INIO	140 7 001	ETT 1 OOL
RATHERFORD UNIT	11/1/2/	430371583900S1	Shut-in	14-20-603-246A	NE	SE	1	415	23F	0651FSL	3300FEL
RATHERFORD UNIT		430371638600S1	Active	14-20-603-246A	SE	SE	2	418			0510FEL
RATHERFORD UNIT		430371584100S1	Active	14-20-603-246A	SE	NE	11	418		3290FSL	4617FWL
RATHERFORD UNIT		430371584200S1	Shut-in	14-20-603-246A	SE	SE	11	418	23E	0660FSL	0558FEL
RATHERFORD UNIT		430371584300S1	Active	14-20-603-246A	NW	NW	12		23E	0678FNL	4620FEL
			Active	14-20-603-246A	NW	SW	12	418		1980FSL	4620FEL
RATHERFORD UNIT	12W13 12W22	430371640400S1 430371584501S1	Active	14-20-603-246A	SE	NW	12	415		1920FNL	2080FWL
RATHERFORD UNIT		43037311510181	Active	14-20-603-246A	SE	SW	12	418		0775FSL	1980FWL
RATHERFORD UNIT			Active	14-20-603-246A	NW	NE	12	418		0661FNL	1981FEL
	12W31	430371584700S1 430371584800S1	Active	14-20-603-246A	NW	SE	12		23E	1958FSL	3300FEL
RATHERFORD UNIT					SE	NE	12	418		3275FSL	0662FEL
RATHERFORD UNIT	12W42	430371585000S1	Active	14-20-603-246A 14-20-603-246A	SE	SE	12	415	23E	0772FSL	0807FEL
RATHERFORD UNIT	12W44A	430373154300S1	Shut-in	14-20-003-240A	ISE.	SL.	12	410	232	OTTZI SL	DOOT! LL
DATUEDEODD UNIT	40)4/44	40007044500404	A =40	44.00.000.0474	NISA/	NIVA/	12	440	225	OFOOTNI	0660FWL
RATHERFORD UNIT		430373115201S1	Active	14-20-603-247A	NW	NW	13	415		0500FNL	
RATHERFORD UNIT	13W13	430371585100S1	Active	14-20-603-247A	NW	SW	13	418	23E	1980FSL	4620FEL
RATHERFORD UNIT		430371585200S1	Active	14-20-603-247A	SE	NW	13	418			3300FEL
RATHERFORD UNIT		430371585300S1	Active	14-20-603-247A	SE	SW	13	415	4.00	0660FSL	3300FEL
RATHERFORD UNIT		430371585501S1	Active	14-20-603-247A	NW	SE	13		23E	1970FSL	1979FEL
RATHERFORD UNIT		430371585700S1	Shut-in	14-20-603-247A	SE	NE	13	418		2139FNL	0585FEL
RATHERFORD UNIT	13W44	430371640700S1	Active	14-20-603-247A	SE	SE	13	415	23E	0653FSL	0659FEL
RATHERFORD UNIT	14-31	430373171700S1	Active	14-20-603-247A	NW	NE	14		23E	0754FNL	1604FEL
RATHERFORD UNIT	14W42	430371586001S1	Active	14-20-603-247A	SE	NE	14	41S			653FEL
	24W31	430371586200S1	Shut-in	14-20-603-247A	NW	NE	24		24E	0560FNL	1830FEL
RATHERFORD UNIT	24W42	430371586300S1	Shut-in	14-20-603-247A	SE	NE	24	41S	24E	1980FNL	0660FEL
RATHERFORD UNIT		430371572601S1	Active	14-20-603-353	sw	NW	17	41S		1980FNL	510FWL
RATHERFORD UNIT	17W14	430371572700S1	Active	14-20-603-353	sw	SW	17	41S		0610FSL	0510FWL
RATHERFORD UNIT	17W21	430371641601S1	Active	14-20-603-353	NE	NW	17	418		0510FNL	1830FWL
RATHERFORD UNIT		430371572801S1	Active	14-20-603-353	NE	SW	17	418		1880FSL	1980FWL
RATHERFORD UNIT	17W32	430371572900S1	TA'd	14-20-603-353	SW	NE	17	41S	24E	1830FNL	2030FEL
RATHERFORD UNIT	17W34	430371573000S1	Active	14-20-603-353	SW	SE	17		24E	0560FSL	1880FEL
RATHERFORD UNIT	17W41	430371573100S1	Shut-in	14-20-603-353	NE	NE	17	41S	24E	0610FNL	0510FEL
RATHERFORD UNIT	17W43	430371641701S1	Active	14-20-603-353	NE	SE	17	41S	24E	1980FSL	0660FEL
RATHERFORD UNIT	18-43B	430373171801S1	Active	14-20-603-353	NE	SE	18	41S	24E	2023FSL	0651FEL
RATHERFORD UNIT	18W12	430373115301S1	Active	14-20-603-353	sw	NW	18	41S	24E	1980FNL	560FWL
RATHERFORD UNIT	18W14	430371573501S1	Active	14-20-603-353	SW	SW	18	41S	24E	0810FSL	0600FWL
RATHERFORD UNIT	18W21	430371641801S1	Active	14-20-603-353	NE	NW	18	41S	24E	660FNL	1882FWL
RATHERFORD UNIT	18W23	430373024400S1	Shut-in	14-20-603-353	NE	SW	18	418	24E	2385FSL	2040FWL
RATHERFORD UNIT		430371573601S1	Active	14-20-603-353		NE					1830FEL
RATHERFORD UNIT		430371573701S1	Active	14-20-603-353	sw	SE	18			780FSL	1860FEL
RATHERFORD UNIT		430371573800S1	TA'd	14-20-603-353	NE	NE	18				0660FEL
RATHERFORD UNIT		430371573901S1	Active	14-20-603-353	sw	NW	19				0600FWL
RATHERFORD UNIT		430371574301S1	Active	14-20-603-353	sw	NE	19				2802FEL
RATHERFORD UNIT		430371574401S1	Active	14-20-603-353	SW	SE	19				1980FEL
RATHERFORD UNIT		430371574100S1	Shut-in	14-20-603-353	NE.	NW	19			0660FNL	1860FWL
RATHERFORD UNIT		430371574200S1	Shut-in	14-20-603-353	NE	sw	19			2080FSL	1860FWL
RATHERFORD UNIT		430371642000S1	Shut-in	14-20-603-353	NE	SE	19			1980FSL	0760FEL
RATHERFORD UNIT		430371574601S1	Active	14-20-603-353	sw	NW	20				0748FEL
RATHERFORD UNIT		430371574701S1	Active	14-20-603-353	sw	sw	20			0660FSL	0660FWL
RATHERFORD UNIT		430371574701S1	Active	14-20-603-353	sw	NE	20			0037FNL	0035FWL
RATHERFORD UNIT		430371575001S1	Active	14-20-603-353	sw	SE	20			0774FNL	0617FWL
- I STATE OF THE S		430373159000S1	Active	14-20-603-353	NE	SW	20			2629FSL	1412FWL
RATHERFORD UNIT			-		NE	NW	20			0660FNL	1880FWL
RATHERFORD UNIT		430371642300S1	Active	14-20-603-353	NW	SW	20			2080FSL	2120FWL
RATHERFORD UNIT		430371574800S1	Active	14-20-603-353	_		20				0660FEL
RATHERFORD UNIT		430371575100S1	Active	14-20-603-353	NE	NE				2070FSL	0810FEL
RATHERFORD UNIT	20W43	430371642400S1	TA'd	14-20-603-353	NE	SE	20	1410	Z4C	ZUIUFSL	JOIN EL
10000	100000	100071550550	A -4:	144 00 000 055	CVA/	NDA/	10	140	DAE	1000ENII	0660FWL
RATHERFORD UNIT	[16W12	430371572000S1	Active	14-20-603-355	SW	NW	16	1415	24E	1880FNL	DOOOLAAF

GREATER ANETH FIELD UIC WELL LISTRatherford lease, San Juan County, Utah

				- Iulo	Surface Location						
Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot
RATHERFORD UNIT	16W14	430371572100S1	Shut-in	14-20-603-355	sw	sw	16	41S		0660FSL	0660FWL
RATHERFORD UNIT	16W21	430371641400S1	Active	14-20-603-355	NE	NW	16	41S		0660FNL	1880FWL
RATHERFORD UNIT	16W23	430371572201S1	Active	14-20-603-355	NE	SW	16	41S	24E	1980FSL	1980FWL
RATHERFORD UNIT	16W43	430371641501S1	Active	14-20-603-355	NE	SE	16	41S	24E	2140FSL	0820FEL
RATHERFORD UNIT	21-14	430371575301S1	Active	14-20-603-355	sw	SW	21	41S	24E	0660FSL	0460FWL
RATHERFORD UNIT	21-67	430373175301S1	Active	14-20-603-355	NE	sw	21	41S	24E	2560FSL	1325FWL
RATHERFORD UNIT		430371642501S1	Active	14-20-603-355	NE	NW	21	41S	24E	0660FNL	2030FWL
RATHERFORD UNIT	6W14	430371598400S1	Active	14-20-603-368	NE	SE	6	41S	_	0660FSL	0660FWL
RATHERFORD UNIT	7W12	430371598500S1	Active	14-20-603-368	NE	SE	7	41S		2140FNL	0585FWL
RATHERFORD UNIT	7W14	430371598600S1	Active	14-20-603-368	NE	SE	7	41S	24E	1065FSL	0660FWL
RATHERFORD UNIT	7W21	430371639400S1	Active	14-20-603-368	NE	NW	7	418		0710FNL	1820FWL
RATHERFORD UNIT	7W34	430371598900S1	Active	14-20-603-368	SW	SE	7			0710FSL	2003FEL
RATHERFORD UNIT	7W43	430371639500S1	Active	14-20-603-368	NE	SE	7		24E	2110FSL	0660FEL
RATHERFORD UNIT	8W14	430371599200S1	Active	14-20-603-368	SW	NE	8	418	24E	0745FSL	0575FWL
							10	110	0.45	1000501	OCCOCE!
RATHERFORD UNIT	10W43	430371640300S1	TA'd	14-20-603-4037	NE	SE	10	41S	24E	1980FSL	0550FEL
DATUEDEODD UNIT	00.40	430371533701S1	Active	14-20-603-407	sw	NW	29	41S	24F	2870FNL	1422FWL
RATHERFORD UNIT		43037153370151	Active	14-20-603-407	sw	NE	29	41S		0694FNL	0685FWL
RATHERFORD UNIT	29-32	43037164320081	Active	14-20-603-407	NE	NW	29	-		0667FNL	2122FWL
RATHERFORD UNIT	29W21	43037164320051	Active	14-20-603-407	NE	NE	29	418		0557FNL	0591FEL
RATHERFORD UNIT		430371643300S1	Shut-in	14-20-603-407	NE	SE	29	418	24E	1980FSL	0660FEL
RATHERFORD UNIT			Shut-in	14-20-603-407	NE	NE	30	418	24E	0660FNL	0660FEL
RATHERFORD UNIT	30W41	430371534300S1	Jonus-III	14-20-003-407	INC	111	130	7.10		55001 IVE	55001 EE
RATHERFORD UNIT	28-12	430371533601S1	Active	14-20-603-409	sw	SE	28	418	24E	2121FNL	0623FWL
RATHERFORD UNIT	28W21	430371643100S1	Shut-in	14-20-603-409	NE	NW	28	41S	24E	0660FNL	2022FWL
TO THE TOTAL ONLY		1	-								
RATHERFORD UNIT	9W23	430371639800S1	Active	14-20-603-5046	NW	SE	9	41S	24E	1980FSL	1980FWL